SNLE Review Series

أكتوبر 2026

مراجعة مركزة للاسئلة والاجابات الصحيحة

مذكرة مصممة تساعدك على مراجعة المحتوى بوضوح وفهم الاجابة الصحيحة والعودة للمعلومة بسرعة اثناء الاستعداد للاختبار.

Focused Review	Verified Answers	Question Bank

512 سؤال

تم التحديث في 26-10-2026

SnleNotes.com

Q-1

SnleNotes.com

Student message:

A pregnant woman presents with umbilical cord prolapse. Which of the following is a possible risk factor?
A. Oligohydramnios
B. High fetal station
C. Breech presentation
D. Rupture of membranes at term

Source:

quizlet.com

Which is a risk factor for a prolapsed umbilical cord?

A	Oligohydramnios	
B	Pregnancy at 38 weeks of gestation	
C	**Presenting part at a station of -3**	**CORRECT**
D	Meconium-stained amniotic fluid	

Q-2

SnleNotes.com

Student message:

A nurse is assessing an infant who may be experiencing pain. Which of the following findings is the best indicator of pain?
A. Crying and facial grimacing
B. Slight movements while sleeping
C. Decreased respiration and lethargy
D. Sleeping peacefully without movement

Source:

quizlet.com

The most consistent indicator of pain in infants is:

A	bulging anterior fontanel	
B	increased heart rate	
C	**facial expression of discomfort**	**CORRECT**
D	increased respiratory rate	

Q-3

SnleNotes.com

Student message:

A patient has a history of suicide attempts. What is the most important nursing intervention?
A. Take history of previous suicide attempts.
B. Instruct the patient's family to maintain safety after discharge

Source:

quizlet.com

A nurse is developing a plan of care for a suicidal client. Which documented intervention should the nurse implement first?

A	Observe the client.	
B	Provide a hazard-free environment.	
C	**Assess suicide risk.**	**CORRECT**
D	Communicate therapeutically.	

Q-4

SnleNotes.com

Student message:

A nurse receives a handover report about a patient experiencing hallucinations. What is the most important action for the receiving nurse to take?
A. Maintain valid observation of the patient.
B. Prevent reinforcement of the hallucinations.
C. Avoid talking to the patient about the hallucinations.
D. Avoid arguing with the patient about the hallucinations.

Source:

quizlet.com

In working with a patient experiencing hallucinations, the nurse will direct the unlicensed assistive personnel to engage in what activity?

A	**Speak to patients about real people and real events.**	**CORRECT**
B	Listen while patients talk about disordered perceptions.	
C	Avoid the use of distraction with patients.	
D	Consistently expect bizarre behavior.	

Q-5

SnleNotes.com

Student message:

جاتني حساب معادلة الحروق اللي جوابها 5580

Source:

quizlet.com

A patient weighing 100 kg sustains a burn at 1400 covering approximately 50% TBSA. The patient is a young healthy male with no medical history. Using the Parkland formula, how much fluid should be infused by 1800?

A	20,000 ml lactated Ringer's	
B	10,000 ml lactated Ringer's	
C	**5,000 ml lactated Ringer's**	**CORRECT**
D	2,000 ml lactated Ringer's	

Q-6

SnleNotes.com

Student message:

A patient has undergone an appendectomy. The patient's laboratory results show normal hemoglobin, hematocrit, prothrombin time (PT), and white blood cell count (WBC). Which laboratory value is most important for the nurse to focus on?

Source:

quizlet.com

The nurse conducts a physical assessment for a client with severe right lower quadrant (RLQ) abdominal pain. The nurse notes that the abdomen is rigid and the client's temperature is 101.1° F (38.4° C). Which laboratory value does the nurse bring to the attention of the health care provider as a priority?

A	A "left shift" in the white blood cell count	
B	**White blood cell count, 22,000/mm3**	**CORRECT**
C	Serum sodium, 149 mEq/L	
D	Serum creatinine, 0.7 mg/dL	

Q-7

Student message:

A pregnant woman presents with umbilical cord prolapse. What is the priority nursing intervention?
A. Cover the exposed umbilical cord with sterile, warm saline-moistened gauze and place the mother in the Trendelenburg position.
B. Push the umbilical cord back into the uterus.
C. Encourage the mother to push during contractions.
D. Place the mother in a supine position an monitor the fetal heart rate.

Source:

quizlet.com

During assessment, the nurse notes umbilical cord visible at the vaginal opening after rupture of membranes. What is the nurse's priority action?

A	Notify the healthcare provider	
B	**Place client in knee-chest or Trendelenburg position**	**CORRECT**
C	Apply a fetal scalp electrode	
D	Perform a vaginal exam to confirm	

Q-8

Student message:

A nurse positions a pregnant woman on her left side. What is the main purpose of this position?
A. To relieve fatigue from the previous position.
B. To manage hypertension syndrome.
C. To improve placental perfusion.
D. To reduce uterine contractions.

Source:

quizlet.com

The laboratory reports of a pregnant patient revealed impaired placental perfusion. What position should the nurse suggest to the patient to enhance uteroplacental perfusion?

A	**Lateral position**	**CORRECT**
B	Upright position	
C	Hands-and-knees position	
D	Semirecumbent position	

Q-9

Student message:

Which of the following positions is best for assessing a patient's apical pulse?
A. Supine position
B. Left lateral position
C. Right lateral position
A nurse is caring for a patient after surgery. Which intervention helps prevent atelectasis?
A. Encourage deep breathing exercises.
B. Encourage early ambulation.
C. Restrict fluid intake.
D. Maintain strict bed rest.

Source:

quizlet.com

Which intervention is most effective in preventing atelectasis?

A	Bed rest	
B	**Incentive spirometer use**	**CORRECT**
C	Restricting fluids	
D	Foley catheter insertion	

Q-10

Student message:

سؤال السمنة مرتفع في المملكة حطيت Epidemic

Source:

quizlet.com

The seasonal flu virus during a year that is exceptionally higher than average is an example of which type of disease?

A	Sporadic.	
B	Endemic.	
C	Pandemic.	
D	**Epidemic.**	**CORRECT**

Q-11

SnleNotes.com

Student message:

nurse is leading an educational session on the correct use oral contraceptives. One of the attendees ask the nurse what to do if she missed taking an oral contraceptive for one day? Which of the following should be the nurse advice to her?
A. Continue as usual with no back up contraception
B. Take an active pil usual time I immediately and take the next pill at the
C. Take two pills as soon as possible and then one pill daily at the usual time
D. Use back up contraception such as a condom for the next 7 days

Source:

quizlet.com

A patient misses one active combination birth control pill. What instructions should the nurse provide?

A	**Take the missed pill as soon as remembered and continue the rest as scheduled.**	**CORRECT**
B	Discard the missed pill and double the dose the next day.	
C	Stop the pack and start a new one immediately.	
D	Use backup contraception for seven days.	

Q-12

SnleNotes.com

Student message:

A nurse is preparing an infant with Hirschsprung disease for surgery. Which intervention should the nurse anticipate?
A. Nasogastric tube decompression
B. Nasogastric tube feeding

Source:

quizlet.com

A child has a nasogastric (NG) tube after surgery for Hirschsprung disease. What is the purpose of the NG tube?

A	Prevent spread of infection.	
B	Monitor electrolyte balance.	
C	**Prevent abdominal distention.**	**CORRECT**
D	Maintain accurate record of output.	

Q-13

SnleNotes.com

Student message:

placenta previa ؟ممنوع vaginal examination متى

Source:

quizlet.com

A nurse is caring for a client admitted with suspected Placenta Previa. Which action is STRICTLY CONTRAINDICATED?

A	Transabdominal ultrasound scan.	
B	**Performing a digital vaginal examination.**	**CORRECT**
C	Continuous fetal heart rate monitoring.	
D	Establishing 18-gauge peripheral IV access.	

Q-14

SnleNotes.com

Student message:
family history of Alzheimer ولا medications ولا recent infection ؟وش اول شي تناقشه مع العائله confused and disoriented (عمره ٥٥) في زياره منزليه، النيرس لاحظت ان البيشنت

Source:
quizlet.com

An elderly woman is brought to the clinic by her daughter. The client states that she has had a cold for several days. Her daughter states that her mother has been confused about when her routine medications are to be taken and that her mother has never experienced confusion about her medications before. Based on this information, it is important that the nurse ask the client whether:

A	There is a history of mental illness in the family.	
B	She has been given a diagnosis of a mental health disorder in the past.	
C	She can recall her last visit to a physician.	
D	**She has taken any over-the-counter medications for her cold.**	**CORRECT**

Q-15

SnleNotes.com

Student message:
raw meat and uncooked shellfish ؟سؤال ان ام حامل تبعد عن الاكل

Source:
quizlet.com

A pregnant client asks the nurse for information regarding toxoplasmosis exposure during pregnancy. What information should the nurse teach this client?

A	**Pork and beef should be cooked thoroughly.**	**CORRECT**
B	Toxoplasmosis is a disease that is most prevalent in foreign countries.	
C	Raw shellfish are intermediary hosts and should be avoided during pregnancy.	
D	Salad dressings made with mayonnaise should be avoided during the summer months.	

Q-16

SnleNotes.com

Student message:
macrosomia ؟سيناريو غريب لكن الام عندها سكر ايش ممكن يكون في ولدها

Source:
quizlet.com

A newly diagnosed insulin-dependent type 1 diabetic with good blood sugar control is at 20 weeks' gestation. She asks the nurse how her diabetes will affect her baby. What would the best explanation include?

A	Your baby could be smaller than average at birth.	
B	**Your baby will probably be larger than average at birth.**	**CORRECT**
C	As long as you control your blood sugar, your baby will not be affected at all.	
D	Your baby might have high blood sugar for several days.	

Q-17

SnleNotes.com

Student message:
ببيي مسوي عمليه cleft lip بالجهه اليسار ويحك وجهه بالسرير، ايش بوزشن؟ على الجنب اليمين

Source:
quizlet.com

You have just received a 4-month-old infant to the recovery room after a repair of a cleft lip. In transferring the infant from the stretcher to the bed, what would be the appropriate position for you to place the infant in?

A	**Supine with the head of the bed elevated 30 degrees.**	**CORRECT**
B	Prone with the head turned to the right.	
C	Trendelenburg.	
D	Prone with the head elevated slightly.	

Q-18

SnleNotes.com

Student message:
معادله المطلوب 10000 والمتوفر 40000 كم تعطون؟ 0.25

Source:
quizlet.com

Doctor's order: Amoxicillin 0.25 g PO TID. Available: 75 mL bottle of amoxicillin oral suspension 250 mg/5 mL. What amount should be given?

A	2 mL	
B	0.5 mL	
C	1 mL	
D	**5 mL**	**CORRECT**

Q-19

SnleNotes.com

Student message:
بيشنت عنده كحه وحراره ايش الايزلوشن؟ فيه بالخيارات droplet و standard

Source:
quizlet.com

A patient is suspected of having the influenza virus. Which intervention is the best for health care team members to take?

A	**Implement droplet precautions.**	**CORRECT**
B	Implement contact isolation precautions.	
C	Implement standard precautions.	
D	Implement airborne isolation precautions.	

Q-20

SnleNotes.com

Student message:
السؤال فيه اعراض TB بدون يقولك اسم المرض ويقولك انهم سوو chest xray وش تسوي عشان تفحص بعد؟ sputum culture

Source:
quizlet.com

A client admitted to the medical-surgical unit with possible pulmonary tuberculosis asks the nurse why sputum specimens are needed if the skin test and chest x-ray indicate tuberculosis. Which response by the nurse is most appropriate?

A	The sputum collection has nothing to do with the diagnosis of TB.	
B	**Definitive diagnosis of the infection can only be made by the presence of the organism in sputum.**	**CORRECT**
C	The sputum helps to determine the presence of secondary infection.	
D	Sputum collection gives information about the progression of the disease.	

Q-21

SnleNotes.com

Student message:
بيشنت TB كيف يتخلص من السكريشن؟ put used tissue in plastic bag

Source:
quizlet.com

A home health nurse is visiting a client with tuberculosis (TB). Which action by the client tells the nurse that the client understands the necessary respiratory precautions to be taken at home?

A	**Disposing of contaminated tissues in a container with a leak-proof bag**	**CORRECT**
B	Staying secluded in the bedroom	
C	Keeping the house closed up to minimize the spread of disease	
D	Wearing an oxygen mask at all times	

Q-22

SnleNotes.com

Student message:
بيشنت حامل risk for fall، اي مقياس نستخدم؟ morse scale

Source:
quizlet.com

Which fall risk assessment tool would the nurse employ for the patient using a walker?

A	**Morse Falls Scale**	**CORRECT**
B	Hendrich II Fall Risk Model	
C	New York-Presbyterian Fall and Injury Risk Tool	
D	Johns Hopkins Hospital Fall Assessment Tool	

Q-23

SnleNotes.com

Student message:
destruction of beta cells ايش هو سبب السكري النوع الاول؟

Source:
quizlet.com

What is the pathophysiology of Type 1 Diabetes Mellitus (T1DM)?

A	Insulin resistance	
B	**Autoimmune destruction of pancreatic beta cells**	**CORRECT**
C	Excess insulin production	
D	Increased glucagon secretion	

Q-24

SnleNotes.com

Student message:
بيشت يشكي ان علاج nitroglycerin يسبب صداع؟ نقوله انه عرض جانبي متوقع

Source:
quizlet.com

A client's angina pectoris is being successfully treated on an outpatient basis with sublingual nitroglycerin. What teaching point should the nurse convey to the client when reporting concern about the headache that follows the use of the medication?

A	**This is a common adverse effect of nitroglycerin; try taking acetaminophen to treat your headache.**	**CORRECT**
B	The headache is actually a result of your angina, not the nitroglycerin.	
C	I'll contact your health care provider. This may mean that nitroglycerin is not the right drug for you.	
D	If you can take your nitroglycerin on a full stomach, it might reduce the frequency and severity of your headaches.	

Q-25

SnleNotes.com

Student message:
نيرس تتكلم عن حاله بالممر؟ هل كسرت confidentially ولا privacy والجواب كونفيدينتشاليتي

Source:
quizlet.com

A nurse overhears two staff members discussing a patient's diagnosis in a public hallway. What is the nurse's best action?

A	Ignore the conversation because the nurse is not involved in the patient's care.	
B	Join the conversation to ensure the information is accurate.	
C	**Intervene appropriately to prevent a confidentiality breach.**	**CORRECT**
D	Report the staff members immediately to law enforcement.	

Q-26

Student message:
لان ماكان فيه الضغط respiratory rate ؟اول نشيك حيويه علامه اي epidural بعد

Source:
quizlet.com

The nurse is caring for a client during the first 12 hours of receiving epidural analgesia and assesses the client every hour. Along with vital signs, which best describes the priority of the hourly assessment?

A	Gastrointestinal status, bowel movements, and urine output	
B	Heart rate, capillary refill, bowel sounds and pedal pulses	
C	**Respiratory status, oxygen saturation, pain, and sedation level**	**CORRECT**
D	Temperature, pedal pulses, and assessment of cranial nerves	

Q-27

Student message:
inspection, palpation ؟طريقه فحص الايديما

Source:
quizlet.com

How long should the nurse press an edematous area when assessing for pitting edema?

A	1 second.	
B	**3-4 seconds.**	**CORRECT**
C	10 seconds.	
D	30 seconds.	

Q-28

Student message:
وش هو القائد اللي يسوي ديليقيت، ويحاول يغير بالقسم او يطلب اقتراحات من النيرسيز؟ democratic

Source:
quizlet.com

If a nurse asks for suggestions about changing a large wound dressing, what style of leadership is this?

A	Laissez-faire	
B	**Democratic**	**CORRECT**
C	Recognition	
D	Autocratic	

Q-29

SnleNotes.com

Student message:
apgar score سؤال حساب

Source:
quizlet.com

You're assessing the one minute APGAR score of a newborn baby. On assessment, you note the following about your newborn patient: weak cry, some flexion of the arms and legs, active movement and cries to stimulation, heart rate 145, and pallor all over the body and extremities. What is your patient's APGAR score?

A	APGAR 5	
B	APGAR 9	
C	APGAR 12	
D	**APGAR 6**	**CORRECT**

Q-30

SnleNotes.com

Student message:
اللي يستلم دولاب الناركوتيك لاحظ دواء بجيب النيرس اللي قبله ولما ساله قال عشان الوصول اسرع بس، ايش يسوي؟ الجواب كان فيه ريبورت بسريه او حاجه كذا

Source:
quizlet.com

A nurse suspects a coworker is signing out narcotics for clients and is taking them for personal use. Which action will be taken by the nurse who has these suspicions?

A	Follow behind the coworker to ensure client comfort and safety.	
B	Confront the coworker about suspicions.	
C	Ignore suspicions and leave it to the supervisor to intervene.	
D	**Report the observations to the supervisor.**	**CORRECT**

Q-31

SnleNotes.com

Student message:
encourage him to take one task at a time ؟بيشنت تشخص adhd وطاقته عاليه ايش تنصح النيرس حق زوجته

Source:
quizlet.com

A nurse is caring for a child with ADHD. Which intervention is most appropriate?

A	Assign multiple tasks simultaneously.	
B	Give long, detailed instructions.	
C	**Minimize environmental distractions and provide one-step directions.**	**CORRECT**
D	Frequently change routines to improve flexibility.	

Q-32

SnleNotes.com

Student message:
بيشنت عنده adhd والنيرس لاحظت انه يسوي سيلف هارم (مقطع ايدينه بشفره) ايش تشمل بخطته العلاجيه؟ ما اذكر الاجوبه

Source:
quizlet.com

The nurse is developing a care plan for a teenage patient with attention deficit hyperactivity disorder who is at high risk for self-harm due to poor judgment, high risk-taking behaviors, and impulsivity. Which of the following is the priority nursing intervention?

A	Schedule a regular nurse-patient session daily and encourage exploration of stressors.	
B	Develop a no-self-harm contract and encourage all unit activities.	
C	**Assign a staff member one-to-one close observation until the treatment team determines there is no longer a risk for self-harm.**	**CORRECT**
D	Have the patient wear hospital clothing and remain within staff view until the physician determines there is no longer a risk.	

Q-33

SnleNotes.com

Student message:
بيبي عنده intussusception ايش يدعم التشخيص؟ currant jelly stool

Source:
quizlet.com

A 7-month-old infant has intermittent abdominal pain, distention, bilious vomiting, red currant jelly stool, and a sausage-shaped mass in the right upper quadrant. What is the most likely diagnosis?

A	Appendicitis	
B	**Intussusception**	**CORRECT**
C	Gastric volvulus	
D	Gastroenteritis	

Q-34

SnleNotes.com

Student message:
بيشنت عنده بتر برجله اليسار تحت الركبه، غالبا مافيه الم الا مرات يحس بكاحل رجله اليسار، ايش تسوي؟ تشرح له عن phantom pain

Source:
quizlet.com

After an above-the-knee amputation of a right leg, a client reports pain in the right foot. Which explanation of phantom limb pain should the nurse provide?

A	Tactile illusions associated with severed blood vessels.	
B	**Nerve endings in the limb that are still intact and react to stimuli.**	**CORRECT**
C	An unconscious phenomenon to aid with grieving over the lost body part.	
D	Hallucinations secondary to emotional symptoms associated with the distress of amputation.	

Q-35

SnleNotes.com

Student message:
ايش المصطلح اللي نقصد فيه ندور الافضل للبيشنت؟ beneficence

Source:
quizlet.com

The nurse is providing care for a patient in active labor. The patient continuously asks the nurse for medication to stop the pain. Which ethical principle does the nurse use when replying, 'We need to protect the baby from being overmedicated. Let me help you with some breathing and relaxation techniques'?

A	Veracity	
B	**Beneficence**	**CORRECT**
C	Nonmaleficence	
D	Fidelity	

Q-36

SnleNotes.com

Student message:
ممرضه تشوف physical therapist وoccupational therapist اختلفوا بطريقه المثلى اللي تنفع البيشنت، وش تسوي النيرس؟ تذكرهم ان الهدف انهم يختارون الافضل لمصلحه المريض

Source:
quizlet.com

An older adult client is receiving care on a rehabilitative medicine unit during her recovery from a stroke. She complains that the physical therapist, occupational therapist, neurologist, primary care physician, and speech language pathologist "don't seem to be on the same page" and that "everyone has their own plan for me." How can the nurse best respond to the client's frustration?

A	**Facilitate communication between the different professionals and attempt to coordinate care.**	**CORRECT**
B	Educate the client about the unique scope and focus of each member of the healthvcare team.	
C	Modify the client's plan of care to better reflect the commonalities between the different disciplines.	
D	Arrange for each professional to perform bedside assessments and interventions simultaneously rather than individually.	

Q-37

SnleNotes.com

Student message:
بيشنت سوا تصحيح مسار انف وطلع منه pinkish fluid؟ ما اذكر الاجابه بس انه شي شائع

Source:
quizlet.com

Which clinical manifestation in a client 4 hours status post-nasoseptoplasty will the nurse report immediately to the surgeon?

A	Mouth breathing	
B	Swelling and bruising of eyes	
C	**Repeated swallowing**	**CORRECT**
D	Packing saturated with pink serous drainage	

Q-38

SnleNotes.com

Student message:
بيشنت عنده اعراض بمختلف المناطق والاجابه بتكون systemic sepsis

Source:
quizlet.com

According to the signs of systemic inflammatory response syndrome (SIRS), which of the following infection patients has an increased risk of sepsis?

A	A patient with a systolic blood pressure of 75 mmHg and a respiratory rate of 18	
B	A patient with respiratory rate of 19 and a heart rate of 112	
C	A patient with a heart rate of 88 and a temperature of 99.6°	
D	**A patient with a temperature of 95.4°F and a respiratory rate of 28**	**CORRECT**

Q-39

SnleNotes.com

Student message:
ايش تقدر تسوي ديليقيشن لمساعد التمريض؟ vital signs

Source:
quizlet.com

The RN is caring for four clients. Which task is most appropriate to delegate to an experienced UAP?

A	Assess a client reporting new-onset chest pain	
B	Reinforce teaching about a low-sodium diet	
C	**Obtain routine vital signs on a stable postoperative client**	**CORRECT**
D	Evaluate the effectiveness of pain medication	

Q-40

SnleNotes.com

Student message:
سوال عن ممرض اختنقت وانتم في بريك الغذاء ايش تسوي

Source:
quizlet.com

What should you do if a choking person is coughing forcefully?

A	**Encourage them to keep coughing**	**CORRECT**
B	Give back blows	
C	Give abdominal thrusts	
D	Call 9-1-1	

Q-41

SnleNotes.com

Student message:
وجاني سؤالين عن الABG الأولوية شو تسوي له جتني معادل تين واحدة كان الأوردر غلط من ضمن الخيارات ترجع للدكتور تقول له أوردر الثانية موجودة بالتجمع ات القسم الثاني كان نساء وأطفال وإدارة وكمبونتي جتني به تطعيم الأطفال حقة السنةMMR

Source:
quizlet.com

At what age is the first dose of the MMR vaccine recommended?

A	Birth	
B	2 months	
C	**12–15 months**	**CORRECT**
D	6 years	

Q-42

SnleNotes.com

Student message:
السؤال الثاني وش تلبس لهمN95

Source:
quizlet.com

A client with pulmonary tuberculosis (TB) is on airborne isolation precautions. Which item(s) is essential for the nurse to wear?

A	Gloves only	
B	Fluid shield mask	
C	Gown, mask, and gloves	
D	**High-efficiency particulate air (HEPA) filter mask**	**CORRECT**

Q-43

SnleNotes.com

Student message:
السؤال الثالث نوع العزل

Source:
quizlet.com

Which type of isolation precautions will the nurse use when caring for a client diagnosed with tuberculosis?

A	Droplet	
B	Contact	
C	**Airborne**	**CORRECT**
D	Standard	

Q-44

Student message:

Which of the following is correct nursing process order?
A. B. C. D. Diagnosis, assess, plan, evaluate, implement
Assess, diagnosis, plan, implement, evaluate
Evaluate, assess, plan, implement, diagnosis.
Plan, assess, diagnosis, evaluate, implement
During Cardiopulmonary Resuscitation (CPR) for a 75-year-old man in the Emergency Department, the doctor introduced himself as a leader for the CPR. What is the most appropriate leadership style for this situation?
A. Autocratic
B. Democratic
C. Bureaucratic
D. Laissez-faire

Source:

quizlet.com

A nurse manager is coordinating care after a plane crash brings multiple victims to the emergency department. Which leadership style is most appropriate?

A	**Autocratic**	**CORRECT**
B	Democratic	
C	Laissez-faire	
D	Eclectic	

Q-45

Student message:

A nurse is caring for child who is post tonsillectomy and adenoidectomy. The nurse should the nurse

Source:

quizlet.com

The perioperative nurse has admitted a client who has just undergone a tonsillectomy. Which potential postoperative complication should the nurse prioritize?

A	Difficulty ambulating	
B	**Hemorrhage**	**CORRECT**
C	Infrequent swallowing	
D	Bradycardia	

Q-46

SnleNotes.com

Student message:

plan to assess which of the following complication?
A. Pulmonary hypertension
B. Hemorrhage
C. Hearing loss
D. Orthopnea

Source:

quizlet.com

After a tonsillectomy and adenoidectomy, which finding should alert the nurse to suspect early hemorrhage in a 5-year-old child?

A	**Drooling of bright red secretions**	**CORRECT**
B	Pulse rate of 95 bpm	
C	Vomiting of 25 mL of dark brown emesis	
D	Blood pressure of 95/56 mm Hg	

Q-47

SnleNotes.com

Student message:

which of the following is the classification of this infant?
A. Low birth weight
B. Very low birth weight
C. Appropriate for gestational age
D. Small for gestational age

Source:

quizlet.com

A newborn girl who was born at 38 weeks' gestation weighs 2000 g and is below the 10th percentile in weight. The nurse recognizes that this girl will be placed in which classification?

A	**Term, small-for-gestational-age, and low-birth-weight infant**	**CORRECT**
B	Term, small-for-gestational-age, and very-low-birth-weight infant	
C	Late preterm and appropriate for gestational age	
D	Late preterm, large-for-gestational-age, and low-birth-weight infant	

Q-48

SnleNotes.com

Student message:

What is the medical abbreviation used for AT bedtime?
A. HS
B. Prn
C. Stat
. A nurse is teaching a

Source:

quizlet.com

What is the abbreviation for at bedtime?

A	**h.s.**	**CORRECT**
B	b.t.	
C	p.m.	
D	l.o.	

Q-49

SnleNotes.com

Student message:
the patient to the next shift. Which of the following documentation should be used by the nurse at the

Source:
quizlet.com

At the end of a shift, a nurse documents a patient's condition, anticipated condition, medications, and nursing interventions fulfilled, so that the next nurse can follow the appropriate treatment and care for the patient. Which kind of report is this?

A	Incident	
B	**Hand-off**	**CORRECT**
C	Telephone	
D	Discharge summary	

Q-50

SnleNotes.com

Student message:
سؤال مريض تشخص بزائده ايش افضل اجراء اعمله اعطيه علبه مويه حاره زي كماده

Source:
quizlet.com

A client with acute appendicitis asks the nurse, 'Why don't you give me a heating pad? I think that will help me with my pain.' The nurse's response should be based on which reason?

A	It increases the need for fluids.	
B	It increases the spread of infection.	
C	It reduces white blood cell count.	
D	**It encourages perforation.**	**CORRECT**

Q-51

SnleNotes.com

Student message:
sid lying .. سوال مريض بعد اللوزتين ايش افضل وضعيه

Source:
quizlet.com

A nurse is preparing a child for the postoperative period following a tonsillectomy. Which position should the nurse plan to use?

A	Supine	
B	**Side-lying**	**CORRECT**
C	High-Fowler's	
D	Trendelenburg	

Q-52

SnleNotes.com

Student message:
كيف ان نحد من مرض الدرن الاجابه تطعيمه الBCG

Source:
quizlet.com

Which intervention belongs to primary prevention of TB?

A	DOTS therapy	
B	Case finding	
C	Chest X-ray	
D	**BCG vaccination**	**CORRECT**

Q-53

SnleNotes.com

Student message:
سوال حساب ٦٠٠ نورمال سلاين هلال ١٢ساعه كم ٦٠ مل

Source:
quizlet.com

The nurse is calculating an infusion rate for the following order: Infuse 1,000 mL of 0.9% NaCl over 12 hours using an electronic infusion device. What is the infusion rate?

A	**83 mL/hr**	**CORRECT**
B	103 gtt/hr	
C	100 mL/hr	
D	13 mL/hr	

Q-54

SnleNotes.com

Student message:
حساب حاله تقييم وعي لمريض ومعطيني ارقام كان ١٣

Source:
quizlet.com

A patient scores as follows on GCS: Eye opening to speech; Confused conversation; Localizes pain. Which total score should the nurse report?

A	**12**	**CORRECT**
B	13	
C	10	
D	11	

Q-55

SnleNotes.com

Student message:

دواء اسبرين ايش انتي دوت له

Source:

quizlet.com

When treating a patient with severe salicylate toxicity, which drug should the nurse expect to use?

A	N-acetylcysteine (Mucomyst)	
B	**Sodium bicarbonate**	**CORRECT**
C	Naloxone (Narcan)	
D	Cyproheptadine (Periactin)	

Q-56

SnleNotes.com

Student message:

سوال مريض كبير بالسن وعنده بلغم لونه وردي وصوت الصدر كركل واحترت وحاط خيارات انواع التهاب الصدر السوال كان محير وطويل

Source:

quizlet.com

A client comes into the ER with acute shortness of breath and a cough that produces pink, frothy sputum. Admission assessment reveals crackles and wheezes, a BP of 85/46, a HR of 122 BPM, and respiratory rate of 38 breaths/min. Which disorder should the nurse suspect?

A	**Pulmonary edema**	**CORRECT**
B	Pneumothorax	
C	Cardiac tamponade	
D	Pulmonary embolism	

Q-57

SnleNotes.com

Student message:

تحليل اختبار سكر الحمل في اي اسابيع ٢٤-٢٨

Source:

quizlet.com

Screening for gestational diabetes should occur:

A	When assessment of pregnancy is first established	
B	**At 24 to 28 weeks' gestation**	**CORRECT**
C	38 to 40 weeks after conception	
D	By the end of the first trimester	

Q-58

SnleNotes.com

Student message:

مريضه حامله باسبوع ٣٢ تقريبا وحللت سكر صايم وطلع ٦ ايش تعمل تاخذ انسولين او نظام غدائي اخترت نظام غذائي

Source:

quizlet.com

What is the first line treatment for gestational diabetes?

A	glyburide	
B	metformin	
C	insulin	
D	**diet modification**	**CORRECT**

Q-59

SnleNotes.com

Student message:

فحص المراه المعروف pv يساعدنا على تشخيص وفحص ايش وحاط خيارات اثنين محيرين هبوط المشيمه والا انفجارها تقريبا الصح هبوط

Source:

quizlet.com

A nurse suspects placenta previa. Which intervention is contraindicated?

A	Monitoring fetal heart rate	
B	Ultrasound	
C	**Vaginal examination**	**CORRECT**
D	Maternal vital signs	

Q-60

SnleNotes.com

Student message:

مريض عند otitis media التهاب الاذن الوسطى المريض ورايح للعمليات فاهم انه الاجراء هذا ايش فايده اخترت يسحبو الصديد من داخل

Source:

quizlet.com

The patient experiencing recurrent otitis media asks the nurse, 'Why is my doctor going to do a tympanostomy tube insertion?' Which response by the nurse is accurate?

A	It helps prevent ventilation of the middle ear space.	
B	It will help fluid drain from the middle ear to the inner ear space.	
C	**It promotes fluid drainage from the middle ear space.**	**CORRECT**
D	It is used to obtain a specimen for culture and sensitivity.	

Q-61

SnleNotes.com

Student message:
ممرضتين دخلو غرفه عزل وحده والثانيه تشوف من برا عشان ياخذو توقيع وماكانت لابسه كل الppe ايش التصرف الصح ابلغ الهيد او اقولها شوفي لسته تعليمات لبس العدوى

Source:
quizlet.com

A nurse manager observes a nurse entering the room of a client who is on contact precautions without donning personal protective equipment. Which priority action should the nurse manager take?

A	Speak with the nurse in a private location	
B	Complete an incident report	
C	Review staff competencies regarding PPE	
D	**Have the nurse exit the room and don proper PPE**	**CORRECT**

Q-62

SnleNotes.com

Student message:
طفل clift lip جالس يبكي ايش التصرف الصح تاخذ الطفل او ترضه بوضيعه سباين وراسه على جنب او تغير الحفاظ اخترت الحفاظ

Source:
quizlet.com

Which nursing intervention would the nurse provide an infant during the immediate postoperative period after surgical repair of a cleft lip?

A	**Minimize crying**	**CORRECT**
B	Restrain continuously	
C	Oxygenate frequently	
D	Handle as little as possible	

Q-63

SnleNotes.com

Student message:
كيف اقلل من موت الفجأه لرضع اي وضعيه supin علطول

Source:
quizlet.com

The nurse is educating new parents about the prevention of sudden infant death syndrome (SIDS). Which sleeping position is the safest?

A	Prone	
B	**Supine**	**CORRECT**
C	Side lying	
D	Elevated head of bed	

Q-64

SnleNotes.com

Student message:

في الرعايه المنزليه بالجوال اشتكى مريض من الم حاد ايش التصرف الصح يذهب حالا لطوارئ

Source:

quizlet.com

A patient who is 34 weeks' gestation calls the telephone triage nurse after hours to report bright red vaginal bleeding and abdominal pain. Which instruction should the nurse give the patient?

A	This is the beginning of labor. Begin timing your contractions and report to the hospital when the contractions are 5–7 minutes apart.	
B	Take ibuprofen and lie down. If the bleeding does not resolve in an hour, call back.	
C	**Please report to the closest emergency department for evaluation.**	**CORRECT**
D	Lie on your left side and increase your fluid intake.	

Q-65

SnleNotes.com

Student message:

1- Women with bipolar taking carbamazepine. Which of the following side effects?
A-False positive pregnancy test
B- Sexual dysfunction

Source:

quizlet.com

A woman with a history of epilepsy takes medication and has a positive home pregnancy test, but examination and ultrasound show that she is not pregnant. What is the most likely cause of the false-positive result?

A	She took the pregnancy test too early	
B	**She takes anticonvulsants**	**CORRECT**
C	She has a fibroid tumor	
D	She has been under considerable stress and has a hormone imbalance	

Q-66

SnleNotes.com

Student message:

Pyloric stenosis اعراضه

Source:

quizlet.com

Which client would the nurse suspect to have pyloric stenosis?

A	A 7-month-old with choking episodes	
B	An 11-year-old with an olive-shaped abdominal mass	
C	**A 5-week-old infant with projectile vomiting**	**CORRECT**
D	A 2-year-old with a harsh cough	

Q-67

SnleNotes.com

Student message:
وسؤال عن النقرس اجابته folic

Source:
quizlet.com

When administering medications to the patient with gout, the nurse would recognize which of the following as a treatment for chronic disease?

A	Colchicine	
B	**Febuxostat**	**CORRECT**
C	Sulfasalazine	
D	Cyclosporine	

Q-68

SnleNotes.com

Student message:
Mother of nine children, three of them with congenital anomalies down syndrome; she is a primary school graduate, with low first status. She is not using any method of family planning. According to primary health care nurse has referred her counselling. Which of the following phases of home visit accomplishes intervention?

Source:
quizlet.com

A nurse clarifies the purpose of a home visit with a family. Which of the following phases of the home visit process is occurring?

A	**Initiation**	**CORRECT**
B	Pre-visit	
C	In-home	
D	Post-visit	

Q-69

SnleNotes.com

Student message:
وش الي صح لمريض عنده سكري عن رعايه القدم أتوقع شفتها بالتسريبات بس ما كان من ضمن الخيارات يجفف رجله-5

Source:
quizlet.com

Which statement indicates that a client with diabetes mellitus understands proper foot care?

A	**I'll wear cotton socks with well-fitting shoes.**	**CORRECT**
B	I'll go barefoot around the house to avoid pressure areas on my feet.	
C	I'll schedule an appointment with my health care provider if my feet start to ache.	
D	I'll rotate insulin injection sites from my left foot to my right foot.	

Q-70

SnleNotes.com

Student message:
مريض يحس بتنميل برجله نوع الألم-6

Source:
quizlet.com

During an assessment, the nurse asks the patient, 'What does your pain feel like?' The patient states, 'I have numbness and a tingling sensation interspersed with shooting pain.' Which type of pain does the nurse infer from the patient's response?

A	**Neuropathic pain**	**CORRECT**
B	Breakthrough pain	
C	Nociceptive visceral pain	
D	Nociceptive somatic pain	

Q-71

SnleNotes.com

Student message:
سيناريو ناسيته بس المريض يحس بتنميل نقص ليش اخترت-7 B12

Source:
quizlet.com

During the assessment of a patient with cobalamin deficiency, what manifestation would the nurse expect to find in the patient?

A	Icteric sclera	
B	Hepatomegaly	
C	**Paresthesia of the hands and feet**	**CORRECT**
D	Intermittent heartburn with acid reflux	

Q-72

SnleNotes.com

Student message:
مريض عنده كحه بدم وحراره وألم صدر نوع العزل حطيت-9 Airborne

Source:
quizlet.com

A patient is admitted to the hospital with a history of night sweats, weight loss, hemoptysis, and fever and chills for the last 2 weeks. Which action would the nurse perform immediately?

A	Obtain blood cultures from two sites	
B	**Initiate airborne precautions**	**CORRECT**
C	Administer the ordered antibiotics	
D	Initiate contact precautions	

Q-73

SnleNotes.com

Student message:
مريض تو طالع من القسطره القلبيه وش تنصحه ناسيه الخيارات بس اخترت يترك اليد مرتاحه الي دخلو منها عشان البليدينق-10

Source:
quizlet.com

A nurse is providing teaching to a client who is scheduled for an angiography. Which of the following information should the nurse include?

A	You should remain NPO for 4 hours following the procedure.	
B	You will receive general anesthesia during the procedure.	
C	You should report an allergy to eggs prior to the procedure.	
D	**You should keep the affected leg straight following the procedure.**	**CORRECT**

Q-74

SnleNotes.com

Student message:
يسأل مريض مسوي ويده صارت بارده وشاحب وش نسوي 11- Arteriovenous Fistula
اخترت نسمعها

Source:
quizlet.com

A client who has a new arteriovenous graft in the right forearm reports pain and cold fingers. Which action should the nurse take?

A	Teach the client that these findings are expected	
B	Administer aspirin	
C	**Report the symptoms to the health care provider**	**CORRECT**
D	Elevate the arm above heart level	

Q-75

SnleNotes.com

Student message:
12-اهم علامه في nephrotic syndrome!

Source:
quizlet.com

A child is hospitalized with nephrotic syndrome. Which measurement is best for the nurse to determine the child's edema?

A	Amount of protein in the urine	
B	**Daily weights**	**CORRECT**
C	Daily urine output	
D	Abdominal circumference	

Q-76

SnleNotes.com

Student message:

15- حطيت وش نسوي بجسمه زائده السوائل انه وواضح اديميا وعنده قلبي فشل عنده مريضRestrict fluid

Source:

quizlet.com

Which treatments does the nurse anticipate for hypervolemic heart failure with edema, crackles, and elevated BNP?

A	**Diuretics, fluid restriction, sodium restriction, and daily weights**	**CORRECT**
B	Isotonic IV fluid bolus, sodium tablets, and potassium supplements	
C	High-sodium diet, fluid boluses, and daily weights	
D	Hypertonic saline, fluid boluses, and vasopressors	

Q-77

SnleNotes.com

Student message:

16- التنفس نعدل طبعا المورفين قبل نراقبه شي اهم وش

Source:

quizlet.com

Which assessment is of highest priority for the nurse to complete before administration of morphine?

A	Pain rating	
B	Blood pressure	
C	**Respiratory rate**	**CORRECT**
D	Level of consciousness	

Q-78

SnleNotes.com

Student message:

17- تسمم الماغنسيوم حطيت نعطيه antidote calcium

Source:

quizlet.com

A nurse is assessing a client who is receiving magnesium sulfate and notes the client has depressed deep tendon reflexes. The nurse should anticipate the need to administer which medication?

A	Potassium chloride	
B	Folic acid	
C	**Calcium gluconate**	**CORRECT**
D	Cyanocobalamin	

Q-79

SnleNotes.com

Student message:
مريض مسوي عمليه تثبيت داخلي للفخذ وش الهدف الواقعي الي تتوقعه قبل خروجه ناسيه الاجابه بس كان كانت يستجيب لأداويه تخفيف الألم-20

Source:
quizlet.com

A client is postoperative after open reduction and internal fixation of a fractured femoral neck. Which long-term goal should the nurse identify?

A	The client will maintain vital signs within normal limits	
B	The client will have a decrease in muscle spasms in the affected leg	
C	The client will have no signs or symptoms of infection	
D	**The client will be able to ambulate down to the nurses' station**	**CORRECT**

Q-80

SnleNotes.com

Student message:
23-نصبحه لمريض Asthma عن جهاز Inhaler كانت الاجابه slow and Deep

Source:
quizlet.com

Which patient statement shows correct understanding of metered-dose inhaler use?

A	I should inhale quickly when I press the canister.	
B	**I should inhale slowly and deeply while pressing the canister.**	**CORRECT**
C	I should breathe in through my nose during the puff.	
D	I should exhale into the inhaler before pressing the canister.	

Q-81

SnleNotes.com

Student message:
25-The most safe and non -invasive site to measure the temperature is:

Source:
quizlet.com

Which temperature route is safest for a confused or unconscious client?

A	Oral	
B	**Axillary**	**CORRECT**
C	Tympanic	
D	Rectal	

Q-82

SnleNotes.com

Student message:
سوال تطعيم الحج-27

Source:
quizlet.com

A community health nurse teaches a group of healthy adults about receiving annual immunizations. Which level of prevention is the nurse implementing?

A	**Primary**	**CORRECT**
B	Secondary	
C	Tertiary	
D	Rehabilitative	

Q-83

SnleNotes.com

Student message:
ممرضه بتغير لمريض تتوقع راح تنعدل القافز حقتها وش تأخذ معها حطيت-28 single pice clean gloves

Source:
quizlet.com

The nurse gathers supplies, including an extra pair of sterile gloves, for a sterile dressing change on a client's large abdominal wound. The nurse uses the extra gloves for what purpose?

A	To be able to change gloves if the wound has copious draining	
B	To leave in the room with additional supplies for the next change	
C	**To use if the first pair of sterile gloves gets contaminated**	**CORRECT**
D	To remove the existing dressing from the abdominal wound	

Q-84

SnleNotes.com

Student message:
أم تروش البيبي حقها ناخذ البيبي يفقد حراره عن طريقه ايش حطيت-29 Evpration

Source:
quizlet.com

After assisting with the birth of a newborn, which action by the nurse is most effective in preventing heat loss by evaporation?

A	Warming the crib pad	
B	Closing the doors to the room	
C	**Drying the infant with a warm blanket**	**CORRECT**
D	Turning on the overhead radiant warmer	

Q-85

SnleNotes.com

Student message:
البنت الي أبوها توفو نركز على وش بالتشخيص أنها تأخذ من الموت-30

Source:
quizlet.com

An individual experienced the death of a parent 2 years ago. This individual has not been able to work since the death, cannot look at any of the parent's belongings, and cries daily for hours at a time. Which nursing diagnosis most accurately describes this individual's problem?

A	Post-trauma syndrome related to parent's death	
B	Anxiety (severe) related to parent's death	
C	Coping, ineffective related to parent's death	
D	**Grieving, complicated related to parent's death**	**CORRECT**

Q-86

SnleNotes.com

Student message:
وش اهم شي نراقبه لبيبي أمه عنه سكر حمل حطيت نراقبه السكر للبيبي-31

Source:
quizlet.com

A large-for-gestational-age infant is brought to the emergency department 5 hours after birth with tremors, diaphoresis, and tachypnea. Which assessment should the nurse complete next?

A	Temperature	
B	Cardiac status	
C	Bilirubin level	
D	**Blood glucose level**	**CORRECT**

Q-87

SnleNotes.com

Student message:
35- newborn is diagnosed with hypospadias. When teaching the parents of this child, the nurse should tell them to avoid

Source:
quizlet.com

A newborn is diagnosed with hypospadias and the parents want the newborn to be circumcised. What would be the best response by the nurse?

A	**The foreskin is needed for repair.**	**CORRECT**
B	Circumcision with hypospadias will cause meatal stenosis.	
C	The circumcision may predispose the newborn to renal failure.	
D	Circumcision is usually performed after 1 year of age.	

Q-88

SnleNotes.com

Student message:

which of the following before the hypospadias repair ?
A. circumcision
36-على نشيك اهم شي وش دم مليان السرير لاحظنا الولاده من ساعه بعد إم funds

Source:

quizlet.com

The nurse is monitoring a client who is 5 hours postpartum and notes her perineal pad has become saturated in approximately 15 minutes. Which action should the nurse prioritize?

A	Initiate Ringer's lactate infusion	
B	Assess the woman's vital signs	
C	Call the woman's health care provider	
D	**Assess the woman's fundus**	**CORRECT**

Q-89

SnleNotes.com

Student message:

37- أم عندها كوفيد نقولها عادي رضعي باحتياطات
38-Iv كان محمر ودافي وش المشكله
Thrombophlebitis حطيت
39-صوره CTG طبيعيه

Source:

quizlet.com

A nurse notes that the site of a client's peripheral IV catheter is reddened, warm, painful, and slightly edematous near the insertion point. Which action should the nurse take first?

A	Check for loose catheter connections	
B	Notify the health care provider	
C	**Remove the IV catheter**	**CORRECT**
D	Slow the rate of infusion	

Q-90

SnleNotes.com

Student message:

40- سيناريو سوبرفايزر تبي توفر بيئه سيف للمرضى والموظفين اكثر أجابه منطقيه احتياطات infections control
41-سيناريو والله ناسيته بالضبط بس كان يخص المشاركين ببحث اهم شي حطيت IRB = Institutional Review Board
42-سوال يراجع اكثر من دراسه الجواب systemic review
43-Cluster: اختاروا مجموعات كاملة، مثل 10 مستشفيات من عدة مستشفيات.
44-سوال دكتور يسوي إجراءات مو سيف ويشتغل على كيفه الاجابه نبلغ
45-schizophrenia اهم شي نصيحه لمريض حطيت يلتزم بالأدويه

Source:

quizlet.com

What body has been established to protect participants of research?

A	**Institutional review board**	**CORRECT**
B	State board of nursing	
C	Nursing research board	
D	Peer review panel	

Q-91

SnleNotes.com

Student message:

46- مريض عنده Meningitis ناسيه الخيارات بس كان الصح نخفف الضوء والبيئه تكون هاديه لان عندهم تحسس من الضوء

Source:

quizlet.com

To meet the sensory needs of a client with viral meningitis, what should the nurse do?

A	Increase environmental stimuli	
B	**Minimize exposure to bright lights and noise**	**CORRECT**
C	Promote an active range of motion	
D	Avoid physical contact between the client and family members	

Q-92

SnleNotes.com

Student message:

47- تقول للدكتور الأعراض بكل زياره متلازمه ما قبل الحيض أتذكر اخترت الجواب
48-omplication لل cephalohematoma، فقد يرتبط بـ jaundice بسبب تكسّر الدم المتجمع.

Source:

quizlet.com

Which would the nurse plan to monitor in the newborn with a cephalohematoma?

A	**Hyperbilirubinemia**	**CORRECT**
B	Caput succedaneum	
C	Subgaleal hemorrhage	
D	Acute bilirubin encephalopathy	

Q-93

SnleNotes.com

Student message:

سؤال عن طفل عنده Glomerulonephritis اكثر أجابه منطقيه اخليه يرتاح إذا نوبات فرط النشاط
50-18 تطعيمه monthe
HapitiA
HapitiB
MMR
51- سوال عن Atelectasis ناسيه والله وش فكرته بس كانه يسأل وش نقوله بعد العمليه
52-Cor Pulmonale مرتبط
COPD
53- جاء

Source:

quizlet.com

What complication can develop from chronic pulmonary vasoconstriction and increased workload on the right side of the heart?

A	Left-sided heart failure	
B	**Cor pulmonale**	**CORRECT**
C	Myocardial infarction	
D	Pericarditis	

Q-94

SnleNotes.com

Student message:
سؤال عن حديث ولادة عنده انتفاخ بالبطن (Abdominal distension) ورفض الرضاعة (Feeding intolerance)، غالبًا يشير إلى (NEC (Necrotizing Enterocolitis — نخر الأمعاء عند حديثي الولادة، خصوصًا

Source:
quizlet.com

A nurse suspects necrotizing enterocolitis (NEC). What is the earliest sign?

A	Hypotension	
B	**Abdominal distention**	**CORRECT**
C	Shock	
D	Seizures	

Q-95

SnleNotes.com

Student message:
1- ممرضة مجتمع زارت مريض ولقت ان السكر مرتفع عنده وحولته للمستشفى هذا يعتبر
A) Primary prevention
B) Secondary prevention

Source:
quizlet.com

Which level of prevention is a community health nurse practicing when she offers homeless clients yearly tuberculosis screening and free treatment for those who test positive?

A	Primary prevention	
B	**Secondary prevention**	**CORRECT**
C	Tertiary prevention	
D	Secondary and tertiary prevention	

Q-96

SnleNotes.com

Student message:
2- بيشنت عنده Diabetic foot وش المفروض ننتبه او نبلغ

Source:
quizlet.com

Following teaching of foot care to a patient with diabetes, which statement indicates that additional instruction is needed?

A	I should wash my feet daily with soap and warm water.	
B	I should always wear shoes to protect my feet from injury.	
C	If my feet are cold, I should wear socks instead of using a heating pad.	
D	**I'll know if I have sores or lesions on my feet because they will be painful.**	**CORRECT**

Q-97

SnleNotes.com

Student message:

3- رضيع يطلع شوي حليب من فمه بعد الرضاعة وش نسوي
A) put in prone position
B) raise the head after feeding

Source:

quizlet.com

A mother is concerned about her infant's spitting up. Which suggestion would be most appropriate?

A	Put the infant in an infant seat after eating	
B	Limit burping to once during a feeding	
C	Feed the same amount but space out the feedings	
D	**Keep the baby sitting up for about 30 minutes afterward**	**CORRECT**

Q-98

SnleNotes.com

Student message:

4-Hypercoagulation in pregnancy ؟ وش المضاعفات
Pulmonary Embolism حطيت

Source:

quizlet.com

A potentially lethal complication of acute DVT is which one of the following?

A	Chronic venous insufficiency	
B	**Pulmonary embolism**	**CORRECT**
C	Hypercoagulability	
D	Postphlebitic syndrome	

Q-99

SnleNotes.com

Student message:

Primary : سوال تطعيم الحج

Source:

quizlet.com

A nurse is preparing to administer a DTaP immunization booster to a 4-year-old child. Which level of prevention does this action represent?

A	**Primary prevention**	**CORRECT**
B	Tertiary prevention	
C	Secondary prevention	
D	Primary nursing care	

Q-100

SnleNotes.com

Student message:

9- premature infant what is position after discharge
Supine حطيت

Source:

quizlet.com

A healthy, stable, preterm newborn will soon be discharged. The nurse should recommend which position for sleep?

A	Prone	
B	**Supine**	**CORRECT**
C	Side lying	
D	Position of comfort	

Q-101

SnleNotes.com

Student message:

في ممرضة كسرت شي واعترفت انها كسرته شنو يعتبر (11
A) accountability
B) Responsibility

Source:

quizlet.com

A nurse inappropriately delegates a task and the patient is injured, but the nurse says the assistant should have known how to perform it. Which element is the nurse lacking?

A	Authority	
B	Autonomy	
C	Responsibility	
D	**Accountability**	**CORRECT**

Q-102

SnleNotes.com

Student message:

في كبير سن معرض للإصابة في بيته بسبب دواء ياخذه وشو هالدواء؟
A) Bencozdizpine
B) Stains
نسيت باقي الخيارات

Source:

quizlet.com

An older-adult patient is visiting the clinic after a fall during the night. Which medication most likely contributed to the patient's fall?

A	Melatonin	
B	L-tryptophan	
C	**Benzodiazepine**	**CORRECT**
D	Iron supplement	

Q-103

SnleNotes.com

Student message:

21) مريض يسأل ان ليش يحط الدواء تحت لسانه وليش ما يبلعه وخلاص وش أجاوبه ؟
A) اقوله ان بعطيه اياه حقنه
B) اقوله ان ماينفع لان مارح يمتص بالمعدة
C) اقوله ان بجيب لك ماء وابلعها عادي

Source:

quizlet.com

The nurse administers a sublingual tablet and instructs the patient to avoid swallowing the tablet but rather to allow it to dissolve. The patient asks why. What is the nurse's best response?

A	**It is designed to be absorbed through the vessels of the undersurface of the tongue, and if it is swallowed, the medication will be destroyed by the gastric juices**	**CORRECT**
B	It will work quicker this way than waiting until it is digested	
C	It is a safer method of taking the medication because it dissolves rapidly under your tongue and bypasses the liver so the drug won't become toxic	
D	It will cause gastric irritation and may upset your stomach if it is swallowed	

Q-104

SnleNotes.com

Student message:

23) عطاني اعراض وقال شنو هالمرض وهو Multiple Sclerosis

Source:

quizlet.com

A 23-year-old woman is seen in the office by the nurse practitioner for complaints of weakness, poor balance, and problems with walking. She states, "I am so clumsy. Sometimes I fall when I walk." She reports new-onset vision loss and bladder incontinence. Each episode lasts a few days; she has had several in the past 6 months. When she bends her head forward to tie her shoes, she reports a sharp shooting sensation from the upper to lower back. She is anxious and crying at the office. What is the most likely diagnosis for this patient?

A	Vitamin B12 deficiency	
B	Tertiary syphilis	
C	**Multiple sclerosis**	**CORRECT**
D	Lou Gehrig's disease	

Q-105

SnleNotes.com

Student message:

27) patient with high potassium level ال وش Antedot

Source:

quizlet.com

What should be the first nursing intervention for a patient with severe hyperkalemia and ECG changes?

A	Stop all sources of dietary potassium	
B	**Administer intravenous calcium gluconate**	**CORRECT**
C	Administer ion-exchange resins	
D	Administer intravenous insulin with glucose	

Q-106

SnleNotes.com

Student message:

28) مريض عنده خمول واكتئاب نقص اي فيتامين ؟ D

Source:

quizlet.com

A nurse in a rural health center meets a new client, age 4. The nurse notices that his legs appear bowed and his dentition is malformed for a child his age. What vitamin deficiency would the nurse most suspect?

A	Vitamin A	
B	Vitamin B	
C	Vitamin C	
D	**Vitamin D**	**CORRECT**

Q-107

SnleNotes.com

Student message:

29) مريض يتبع نظام Vegetarian ؟ وما ياكل لحوم اي فيتامين بينقصه B12

Source:

quizlet.com

A strict vegan patient develops neurological symptoms and megaloblastic anemia. Which vitamin is deficient?

A	Vitamin B9	
B	**Vitamin B12**	**CORRECT**
C	Vitamin B6	
D	Vitamin B7	

Q-108

SnleNotes.com

Student message:

33) A mother of a sickle cell anemia child is asking why her child can't go hiking with his friends. Which of the following complications hiking can leads to?
A. Enhance iron absorption
B. Decrease oxygen consumption
C. Inhibit hemoglobin production
D. Precipitate vaso-oclusive

Source:

quizlet.com

An 8-year-old child is being discharged after recovery from a sickle-cell vaso-occlusive episode. Which statement by the parents shows correct understanding of care?

A	Have the child schooled by a private tutor	
B	Restrict the child's fluid intake during the night	
C	Permit the child to play with just one peer at a time	
D	**Encourage the child to engage in low-intensity activities**	**CORRECT**

Q-109

SnleNotes.com

Student message:
34) سؤالين عن MRSA ونوع العزل

Source:
quizlet.com

A patient is suspected of having methicillin-resistant Staphylococcus aureus (MRSA). Which intervention is most appropriate?

A	Keep the room door open at all times	
B	Wear only a procedure mask into the room	
C	Instruct the patient to wear a respirator mask	
D	**Implement contact precautions**	**CORRECT**

Q-110

SnleNotes.com

Student message:
35) An infant develops a fever, cries excessively, and refuses to feed after receiving a vaccination. What is the most appropriate nursing intervention?

Source:
quizlet.com

The nurse takes a call from a concerned mother whose infant received routine immunizations the day before and now has a temperature of 101°F (38.3°C), is fussy and pulling at the injection site. The mother wants to know what she should do. Which is the best response?

A	Bring the baby to the emergency department because this may be an allergic reaction	
B	All babies have similar reactions; call back if the baby is still fussy in 24 hours	
C	**This is a common reaction; give acetaminophen, cuddle the baby, and apply a cool compress**	**CORRECT**
D	Give the baby ice-cold fluids and cover the injection site	

Q-111

SnleNotes.com

Student message:
Pregnant patient came with abdominal pain and tenderness with no bleeding
Ectopic pregnancyالجواب كان

Source:
quizlet.com

A 25-year-old woman presents with vaginal bleeding, nausea, and right lower abdominal pain and tenderness. She is hypotensive and tachycardic. What is the diagnosis?

A	**Ruptured ectopic pregnancy**	**CORRECT**
B	Ovarian torsion	
C	Hemorrhagic cyst	
D	Abscess	

Q-112

SnleNotes.com

Student message:
rhumatic fever وش الفحص ل
(ASO titer (Antistreptolysin O الجواب كان

Source:
quizlet.com

A diagnosis of rheumatic fever is being ruled out in a child. Which laboratory test is the most reliable?

A	Throat culture	
B	C-reactive protein	
C	**Antistreptolysin-O titer**	**CORRECT**
D	Increased white blood cell count	

Q-113

SnleNotes.com

Student message:
vaccination for 68 years old وسؤال عن ال
influenza and pneumonia الجواب كان بس مو متاكد

Source:
quizlet.com

Which statement best describes the recommended vaccination schedule for an older adult client?

A	**Td booster every 10 years, annual influenza vaccine, and one-time pneumococcal vaccine at age 65**	**CORRECT**
B	Td booster every 2 years, annual influenza vaccine, and yearly pneumococcal vaccine	
C	Td booster and influenza vaccination every fall or winter	
D	Influenza booster every 10 years, annual Td vaccine, and one-time pneumococcal vaccine at age 65	

Q-114

SnleNotes.com

Student message:
Intubated patient what the pain scale that we use for him ناسي الخيارات وش كانت

Source:
quizlet.com

Which pain assessment tool is most appropriate for a sedated, intubated adult in the ICU?

A	0–10 Numeric Rating Scale	
B	Wong-Baker FACES scale	
C	**CPOT (Critical-Care Pain Observation Tool)**	**CORRECT**
D	FLACC scale	

Q-115

SnleNotes.com

Student message:
Patient GCS 6 what the nurse will expect

Source:
quizlet.com

A patient has a GCS of 6. What is the nurse's priority intervention?

A	Reorient the patient to time and place	
B	Begin physical therapy evaluation	
C	**Prepare for possible intubation and monitor airway**	**CORRECT**
D	Offer fluids and soft diet	

Q-116

SnleNotes.com

Student message:
palilalia كان مرة الجواب من اكثر يقولها جملة كل من كلمة اخر يردد كان patient يقول سؤال

Source:
quizlet.com

Which term describes the repetition of one's own words or sounds?

A	Coprolalia	
B	**Palilalia**	**CORRECT**
C	Echolalia	
D	None of the above	

Q-117

SnleNotes.com

Student message:
جاني سوالين يتكلم عن نساء حوامل في الاسبوع ٣٩ وش اعلمهم وحده كانت الاجابه عن pain management وثاني نفس طريقه

Source:
quizlet.com

A nurse is teaching a childbirth preparation class. Which information regarding discomfort during labor should the nurse be certain to include in her teaching?

A	Labor should be mostly pain free and uneventful.	
B	Breathing techniques will be taught to prevent the need for medication.	
C	Medication is given to women who experience painful labor contractions.	
D	**Comfort measures are available when the discomfort of contractions becomes excessive.**	**CORRECT**

Q-118

SnleNotes.com

Student message:
جاني برضو عن تقليل من انتشار tb يلي هو عن طريق فحص

Source:
quizlet.com

Performing a Mantoux skin test for tuberculosis screening, performing a mammography, and daily blood pressure monitoring fall under which level of prevention?

A	Primordial prevention	
B	Primary prevention	
C	**Secondary prevention**	**CORRECT**
D	Tertiary prevention	

Q-119

SnleNotes.com

Student message:
برضو ممرضه غلطت ف علاج وش تسوي ابلغ سوبر

Source:
quizlet.com

The nurse accidentally gives a patient a medication at the wrong time. What is the nurse's first priority?

A	Complete an occurrence report	
B	Notify the healthcare provider	
C	Inform the charge nurse of the error	
D	**Assess the patient for adverse effects**	**CORRECT**

Q-120

SnleNotes.com

Student message:
withhold وش نسوي Digoxin ويستعمل علاج 52 ومريض عنده نبض

Source:
quizlet.com

A client receiving intravenous digoxin has a baseline apical heart rate of 52 beats/min. What is the priority nursing action?

A	Administer the digoxin as prescribed	
B	**Withhold the digoxin and notify the healthcare provider**	**CORRECT**
C	Instruct the client to perform deep breathing exercises	
D	Recheck the heart rate in 4 hours and give the medication then	

Q-121

SnleNotes.com

Student message:
وبرضو واحد كبير سن وعنده هذيان وما يكمل علاجته وبنته وزوجته مو عنده بنفس منطقه نجيب له وش ننظم له جدول للادويه ولا نجيب له موظف رعايه منزليه يساعده ف اخذ الادويه

Source:
quizlet.com

An 81-year-old patient is being discharged home on seven different medications to be taken at four different times during the day. What would be most useful in helping this patient manage her medications?

A	The package inserts from all of the medications for the client to read	
B	**A pillbox with compartments for each day and each of the doses**	**CORRECT**
C	A written list of all the client's medications and administration routine	
D	A suggestion that the client's daughter administer the medications	

Q-122

SnleNotes.com

Student message:
ومريض طلع بعد عمليه ع وش ايش اول شي نشيك

Source:
quizlet.com

The PACU nurse is receiving the client from the OR. Which intervention should the nurse implement first?

A	**Assess the client's breath sounds.**	**CORRECT**
B	Apply oxygen via nasal cannula.	
C	Take the client's blood pressure.	
D	Monitor the pulse oximeter reading.	

Q-123

SnleNotes.com

Student message:
طفل ولد ف 38 اسبوع وزنه 1800 يصنف تحت ايش

Source:
quizlet.com

After completing an assessment of a newborn, the nurse determines that the newborn is small-for-gestational-age based on which weight assessment?

A	**weight of 2,400 g**	**CORRECT**
B	weight of 2,600 g	
C	weight of 2,800 g	
D	weight of 3,000 g	

Q-124

SnleNotes.com

Student message:
وجتني نوعين يلي تورمت يده من كانيولا لكن مكان بارد وش نوعه ويلي صار عنده رديس وش نوعه ومعها حراره

Source:
quizlet.com

The nurse notes that a peripheral IV site is cool, pale, and swollen and that the IV has stopped running. What has probably occurred?

A	Phlebitis	
B	Infection	
C	**Infiltration**	**CORRECT**
D	Thrombosis	

Q-125

SnleNotes.com

Student message:
Stoma what to br more concern ? اخترت color كانت لانها dark

Source:
quizlet.com

The nurse is providing care for a client with ulcerative colitis who underwent the creation of a transverse colostomy. Which observation requires immediate notification of the surgeon?

A	Stoma is beefy red and shiny.	
B	**Stoma has a purple discoloration.**	**CORRECT**
C	Skin excoriation is noted around the stoma.	
D	Semiformed stool is noted in the ostomy pouch.	

Q-126

SnleNotes.com

Student message:
MRSA MEDICATION سؤال

Source:
quizlet.com

A client developed a pressure area on the hip that has become infected. If the wound culture reveals methicillin-resistant Staphylococcus aureus, which medication would the nurse expect to be prescribed?

A	**Vancomycin**	**CORRECT**
B	Penicillin	
C	Erythromycin	
D	Metronidazole	

Q-127

SnleNotes.com

Student message:

سؤال ما اتذكره بس انو طفل عنده dehydration sever وما اذكر وش المطلوب بس كان فيه خيارين احترت بينهم intake and output or spicfic urin gravity

Source:

quizlet.com

The nurse is caring for a client with a diagnosis of severe dehydration. The client has been receiving intravenous (IV) fluids and nasogastric (NG) tube feedings. The nurse monitors fluid balance using which as the best indicator?

A	**Daily weight**	**CORRECT**
B	Urinary output	
C	IV fluid intake	
D	NG tube intake	

Q-128

SnleNotes.com

Student message:

ممرضه رايحة تزور البيت كيف تسوي dispasple للسرنج

Source:

quizlet.com

A family member is learning to administer subcutaneous injections at home. How should used needles and syringes be discarded?

A	Break off the needle and wrap it in newspaper before placing it in the trash	
B	Recap the needle before placing it in the garbage	
C	Save used needles for the visiting nurse to dispose of later	
D	**Place the needle and syringe, without recapping, into a large plastic container with a secure lid**	**CORRECT**

Q-129

SnleNotes.com

Student message:

ام طفلها عنده DM والدكتور يعلمها عن الcare صارت anxious وش الحل ؟ انا اخترت ان refer her to anxiety management شي زي كذا ما اذكر بعد

Source:

quizlet.com

A nurse is preparing to administer insulin to a child who's just been diagnosed with type 1 diabetes. When the child's mother stops the nurse in the hall, she's crying and anxious to talk about her son's condition. The nurse's best response is:

A	If you'll wait in your son's room, the physician will talk with you as soon as he's free.	
B	**I'm going to give your son some insulin. Then I'll be happy to talk with you.**	**CORRECT**
C	I can't talk now. I have to give your son his insulin as soon as possible.	
D	Everything will be just fine. I'll be back in a minute and then we can talk.	

Q-130

SnleNotes.com

Student message:
Nephrotic ayndrom sins: abdminal pain- consetpation

Source:
quizlet.com

A 7-year-old is diagnosed with nephrotic syndrome. Which sign would support this diagnosis?

A	Constipation	
B	Vesicular skin rash	
C	**Frothy urine**	**CORRECT**
D	Jaundice	

Q-131

SnleNotes.com

Student message:
Nurse give the antihypertension medcation to the wrong pt / what are the first 3 actions?

Source:
quizlet.com

You realize that you gave a drug to the wrong patient. What action should you take?

A	**Evaluate the patient's condition and notify the healthcare provider**	**CORRECT**
B	Submit a report only if the patient has an adverse reaction	
C	Inform the patient and complete an incident report	
D	Document the occurrence in the patient record	

Q-132

SnleNotes.com

Student message:
سؤال ان ام تبغى تسوي اجهاض عشان معتقداتها ف وش يسوي الممرض

Source:
quizlet.com

A nurse is caring for a patient who desires an elective abortion, but the nurse's religious and ethical values are strongly opposed. How should the nurse best handle the situation?

A	Attempt to educate the patient about the consequences of abortion	
B	**Refer the patient to a family planning center or another health professional**	**CORRECT**
C	Continue care and limit conversation as much as possible	
D	Tell the patient another nurse must care for her because of immoral issues	

Q-133

SnleNotes.com

Student message:
pyloric stenosis جاني تعريف

Source:
quizlet.com

A 1-month-old boy presents with projectile vomiting and dehydration, and an olive-shaped mass is palpated in the epigastric region. What pathology is present?

A	Biliary atresia	
B	Annular pancreas	
C	Choledochal cyst	
D	**Hypertrophic pyloric stenosis**	**CORRECT**

Q-134

SnleNotes.com

Student message:
بعد العملية Tonsillectomy /وضعية

Source:
quizlet.com

A nurse is preparing to care for a child after a tonsillectomy. Which position is most appropriate?

A	Supine	
B	Trendelenburg's	
C	**Side-lying**	**CORRECT**
D	High Fowler's	

Q-135

SnleNotes.com

Student message:
placenta Abruption /تعريف

Source:
quizlet.com

Abruptio placenta is most accurately defined as:

A	Separation of the placenta secondary to blunt maternal abdominal trauma.	
B	A placenta that implants low in the uterus and partially or fully covers the cervix.	
C	**Premature separation of a normally implanted placenta from the uterine wall.**	**CORRECT**
D	A condition in which the placenta progressively detaches from the uterine wall.	

Q-136

SnleNotes.com

Student message:

وأنو طفل مختون له ٥ أيام ونزل منه ماده صفراء بس ماف أي احمرار ولا شي ولا أي دلاله ع وجود عدوى إيش نقول للام

Source:

quizlet.com

A yellow crust has formed over the circumcision site 5 days after circumcision. Which response by the nurse is most appropriate?

A	**The yellow crust should not be removed**	**CORRECT**
B	This yellow crust is an early sign of infection	
C	Discontinue petroleum jelly to the tip of the penis	
D	Change the diaper frequently and fasten it snugly	

Q-137

SnleNotes.com

Student message:

A 75-year-old patient falls at home and complains of severe left hip pain. On assessment, the left leg appears shorter than the right leg and is- الرياض 17 أكتوبر
?externally rotated. Which of the following is the most likely diagnosis
A. Tibial fracture
B. Femoral neck fracture
C. hip dislocation

Source:

quizlet.com

A patient arrives after a fall. The left leg is shorter than the right and externally rotated. Which condition does the nurse suspect?

A	**Fractured hip**	**CORRECT**
B	Fractured pelvis	
C	Fractured tibia/fibula	
D	Nondisplaced fractured femur	

Q-138

SnleNotes.com

Student message:

A 75-year-old patient falls at home and complains of severe left hip pain. On assessment, the left leg appears shorter than the right leg and is internally rotated. Which of the following is the most likely diagnosis?
A. Tibial fracture
B. Femoral neck fracture
C. hip dislocation
ماني متذكر السؤال هل هو خارجي او داخلي

Source:

quizlet.com

A patient has severe hip pain after a fall. The leg is internally rotated and shortened. Which diagnosis is most likely?

A	Anterior dislocation of the hip	
B	Femoral neck fracture	
C	Hip fracture	
D	**Posterior dislocation of the hip**	**CORRECT**

Q-139

SnleNotes.com

Student message:

services. What level of prevention does this represent?
A. Primary prevention
B. Secondary prevention
C. Tertiary prevention
D. Rehabilitation

Source:

quizlet.com

During an immunization program for physically challenged children in a rehabilitation center, the nurse administered pneumonia vaccines to the children as a part of the program. The scenario meets which level of prevention?

A	**Primary prevention**	**CORRECT**
B	Secondary prevention	
C	Tertiary prevention	
D	Early diagnosis	

Q-140

SnleNotes.com

Student message:

when sitting upright. What is this symptom called?
A. Orthopnea
B. Apnea
C. Bradypnea
D. Hemoptysis

Source:

quizlet.com

When a client has increased difficulty breathing when lying flat, what is the client demonstrating?

A	**Orthopnea**	**CORRECT**
B	Dyspnea upon exertion	
C	Hyperpnea	
D	Paroxysmal nocturnal dyspnea	

Q-141

SnleNotes.com

Student message:

Antistreptolysin O titer اختبار الحمى الرماتزميه حطيت ٤

Source:

quizlet.com

A child with suspected rheumatic fever is prescribed an antistreptolysin O titer. What is the purpose of the test?

A	To indicate whether the child currently has rheumatic fever	
B	**To confirm a recent streptococcal infection**	**CORRECT**
C	To measure a therapeutic aminoglycoside level	
D	To confirm immunity to streptococcal infection	

Q-142

SnleNotes.com

Student message:

٥ ام عندها ايدز كيف تحمي ولدها من العدوى حطيت تتجنب الرضاعه الطبيعيه

Source:

quizlet.com

A pregnant client with HIV asks about feeding options for the newborn. Which response should the nurse make?

A	**You will need to bottle-feed your newborn**	**CORRECT**
B	You will need to feed your newborn by nasogastric tube	
C	You may breast-feed for 6 months then switch to bottle-feeding	
D	You may breast-feed for 9 months then switch to bottle-feeding	

Q-143

SnleNotes.com

Student message:
٦ نوع المناعه عند اطفال عندهم مناعه ضد الحصبه بدون ياخذون الفاكسين حطيت innate

Source:
quizlet.com

A child is brought to the clinic with a rash and is subsequently diagnosed with measles. The parent reports also having had measles as a young child. What type of immunity to measles develops after the initial infection?

A	**Natural active immunity**	**CORRECT**
B	Artificial active immunity	
C	Natural passive immunity	
D	Artificial passive immunity	

Q-144

SnleNotes.com

Student message:
٧ممرضه تمسك all aspects of care ايش نوعها primary care- functional ، البرايمري هو الصح

Source:
quizlet.com

In what nursing delivery model is a nurse assigned to a patient and works with that patient during every shift?

A	**Primary nursing**	**CORRECT**
B	Team nursing	
C	Patient-focused care	
D	Functional nursing	

Q-145

SnleNotes.com

Student message:
٨ايش السمه المميزه في الانفصام hepephrenic (قال ايش النوع اللي يضحك فجأة)

Source:
quizlet.com

A patient laughs while saying, 'My dog died yesterday.' The nurse documents this behavior using what terminology?

A	Autistic	
B	Ambivalence	
C	**Inappropriate affect**	**CORRECT**
D	Associative looseness	

Q-146

SnleNotes.com

Student message:

٩ مريض فصام حركته صار فيها rigidity من الخيارات parkinsonism – Tardive Dyskinesia شاتو يقول باركنسون الصح

Source:

quizlet.com

A patient taking chlorpromazine has a hand tremor and slowness of gait. Which adverse effect is most likely?

A	Tardive dyskinesia	
B	Akathisia	
C	Orthostatic hypotension	
D	**Parkinsonism**	**CORRECT**

Q-147

SnleNotes.com

Student message:

١١ واحد بالعنايه اعطيناه مانيتول وش نراقب؟ urine output

Source:

quizlet.com

Which assessment should the nurse perform specifically for the safe administration of intravenous mannitol?

A	Body weight daily	
B	**Urine output hourly**	**CORRECT**
C	Vital signs every 2 hours	
D	Level of consciousness every 8 hours	

Q-148

SnleNotes.com

Student message:

١٣ وش الماده اللي تتداخل مع مفعول المضادات الحيويه (يعني تخرب او تبطئ مفعولها) milk- grabes شاتو يقول الحليب وحتى انا اقوله

Source:

quizlet.com

A patient is prescribed levofloxacin for a urinary tract infection. Which foods should the nurse instruct the patient to avoid?

A	Sugary foods	
B	**Dairy products**	**CORRECT**
C	Fiber-rich foods	
D	Protein-rich foods	

Q-149

SnleNotes.com

Student message:

جاني مانع الحمل حق ال copper وش سلبيته ؟ انه ادخاله مؤلم

Source:

quizlet.com

Which of the following is a potential disadvantage for the patient who wishes to use an intrauterine device (IUD) as a method of birth control?

A	Insertion of the device prior to coitus resulting in decreased spontaneity	
B	**Ectopic pregnancy**	**CORRECT**
C	Protection against STDs	
D	Decrease in dysmenorrhea	

Q-150

SnleNotes.com

Student message:

١٧ واحد سوا عمليه cysto حقت المثانه وعنده الم باسفل البطن وش نسوي له ؟ حطيت sitz bath

Source:

quizlet.com

If a client develops lower abdominal pain after a cystoscopy, what should the nurse instruct the client to do?

A	Apply an ice pack to the pubic area	
B	Massage the abdomen gently	
C	Ambulate as much as possible	
D	**Sit in a tub of warm water**	**CORRECT**

Q-151

SnleNotes.com

Student message:

١٨ وش الوضعيه اللي تسهل empty gastric cavity للنونو كان في flat position- encourages frequent feeding وخيارات ما اذكرها وحطيت فلات شاتو يقول ممكن هي الصح بس ما يدري وش الخيارات اللي ناسيتها يمكن الصح من ضمنها

Source:

quizlet.com

An infant has a high gastric residual through a nasogastric tube. Which position promotes gastric emptying?

A	Supine	
B	**Prone**	**CORRECT**
C	Head of bed elevated 30 degrees	
D	Knees flexed to the chest	

Q-152

SnleNotes.com

Student message:
الصياغه متخلفه كذا which situation the nurse can break the confidentiality ١٩

Source:
quizlet.com

In which situation can a client's confidentiality be breached legally?

A	To answer a spouse's request about medication	
B	In a student nurse's clinical paper	
C	**When a client near discharge threatens to harm an ex-partner**	**CORRECT**
D	When an employer requests the diagnosis for claims	

Q-153

SnleNotes.com

Student message:
سؤال عن دراسه لشيء معين نسيت وش هو الزبده جاب سيرة ٢٠٢٣ و ٢٠٢٤ وحطيت retrospective يمكن غلط

Source:
quizlet.com

A study that carries out an investigation using observations or data that have already been collected in the past is considered a:

A	Prospective study	
B	**Retrospective study**	**CORRECT**
C	Cross-sectional study	
D	Longitudinal study	

Q-154

SnleNotes.com

Student message:
٢١ تطعيم حقين الحج للانفلونزا ايش يعتبر؟ primary prevention

Source:
quizlet.com

Immunizations are a form of:

A	**Primary prevention**	**CORRECT**
B	Secondary prevention	
C	Tertiary prevention	
D	Healthy associate prevention	

Q-155

SnleNotes.com

Student message:

٢٢ ايش فايده النقاط البيضاء اللي على خشم المولود (ما كتب Vernix caseosa يبيك تعرفين من نفسك) حطيت اجابة تقلل الاحتكاك مدري صح او لا

Source:

quizlet.com

Which condition would the nurse document in the electronic medical record for an infant with white pinpoint pimples on the nose and chin?

A	**Milia**	**CORRECT**
B	Acrocyanosis	
C	Vernix caseosa	
D	Mongolian spots	

Q-156

SnleNotes.com

Student message:

جاء انه ام جت المستوصف عشان تطعيم ولدها وقالت ماتبيه يتطعم كان السوال وش الرد الافضل من الممرضه

Source:

quizlet.com

A mother refuses the MMR vaccine, stating that her 2-year-old has not been sick yet. Which response by the nurse is best?

A	That's fine; the vaccine is optional	
B	**Let's discuss how vaccines protect even healthy children and the community**	**CORRECT**
C	Children only need vaccines if they attend daycare	
D	You can wait until the child starts school	

Q-157

SnleNotes.com

Student message:

the vaccine will prevent diseases هذا الصح

Source:

quizlet.com

Which statement by a client indicates correct understanding of vaccination?

A	Vaccines are only necessary during childhood.	
B	If I am healthy, I don't need vaccines.	
C	**Vaccinations can help prevent certain infectious diseases.**	**CORRECT**
D	Vaccines eliminate the need for other preventive care.	

Q-158

SnleNotes.com

Student message:
سوال من التجميعات انه ام بعد ولادتها بكم يوم راحت المستوصف وزوجها يقول انها بس تبكي ، الاجابه labor blues شيء فيه ازرق حق الاكتئاب

Source:
quizlet.com

A woman who is 4 days postpartum says she feels let down and cries for no reason. Which condition does the nurse recognize?

A	Taking-in phase	
B	Postpartum depression	
C	**Postpartum blues**	**CORRECT**
D	Attachment difficulty	

Q-159

SnleNotes.com

Student message:
جاء من التجميعات نونو ولد بالاسبوع ٢٤ ووزنه ١٨٠٠ جرام ، الاجابه small for gestational age

Source:
quizlet.com

A nurse is caring for a newborn who was born at 38 weeks of gestation, weighs 3,200 g, and is in the 60th percentile for weight. Based on the weight and gestational age, the nurse should classify this neonate as which of the following?

A	Low birth weight	
B	**Appropriate for gestational age**	**CORRECT**
C	Small for gestational age	
D	Large for gestational age	

Q-160

SnleNotes.com

Student message:
٢٧ نوع ال covid19 isolation

Source:
quizlet.com

A community health nurse is caring for a client who has COVID 19. Which of the following infection control precautions should the nurse use while caring for this client?

A	**airborne**	**CORRECT**
B	standard	
C	neutropenic	
D	contact	

Q-161

SnleNotes.com

Student message:
٣٠ البنات بسن المراهقه ١١-١٢ سنه وش نعطيهم فاكسين يحميهم من العدوى الجنسيه او شيء حولها
حطيت ال HPV حق الورم الحليمي

Source:
quizlet.com

The vaccine that the CDC recommends be given to 11- to 12-year-old girls to help fight off HPV and cervical cancer is called:

A	Niospan	
B	Diovan	
C	Geosporin	
D	**Gardasil**	**CORRECT**

Q-162

SnleNotes.com

Student message:
A nurse is monitoring a 2-month-old child with hydrocephalus. What sign or symptom of increased intracranial pressure should the nurse monitor for?
Answer: Bulging in both fontanels with or without enlargement.

Source:
quizlet.com

The nurse caring for an infant with a diagnosis of hydrocephalus would monitor the infant for which sign of increased intracranial pressure?

A	Proteinuria	
B	Bradycardia	
C	A drop in blood pressure	
D	**A bulging anterior fontanel**	**CORRECT**

Q-163

SnleNotes.com

Student message:
child with a ventriculoperitoneal (VP) shunt develops fever, swelling and redness in the site of the incision?
Answer: VP shunt infection

Source:
quizlet.com

Which of the following is a common complication of VP shunt placement in hydrocephalus?

A	Hypertension	
B	Seizures	
C	**Shunt infection**	**CORRECT**
D	Hyperglycemia	

Q-164

Student message:
A nurse is caring for a patient with hyperparathyroidism who presents with nausea, vomiting, abdominal pain, muscle weakness to manage the patient's hypercalcemia?
Answer: Administer IV fluids combined with calcitonin

Source:
quizlet.com

A nurse is caring for a client with hyperparathyroidism and notes that the client's serum calcium level is 13 mg/dL. Which medication should the nurse prepare to administer as prescribed?

A	Calcium chloride	
B	Calcium gluconate	
C	**Calcitonin (Miacalcin)**	**CORRECT**
D	Large doses of vitamin D	

Q-165

Student message:
9 year old child with arm fracture, when the fracture excepted to heal? 9–11 weeks

Source:
quizlet.com

A 10 y/o girl has a broken elbow and the family ask the nurse how long broke bones usually take to hea. the nurse responds by stating that most fractures for this age group heal:

A	2–3 wks	
B	4 wks	
C	**6–8 wks**	**CORRECT**
D	8–12 wks	

Q-166

Student message:
A pregnant woman prescribed folic acid for 3 months. Which statement by the mother indicates correct understanding of the teaching?
Answer: the folic acid will prevent my baby to get neural tube defects.

Source:
quizlet.com

Which statement indicates that a patient understands preconception folic acid teaching?

A	**It helps reduce the risk of spina bifida and anencephaly**	**CORRECT**
B	It prevents all congenital abnormalities	
C	I only need it once I feel fetal movement	
D	It primarily prevents gestational diabetes	

Q-167

SnleNotes.com

Student message:
A baby came to ER with Fever, rash filled with fluid, what is the diagnose? Chickenpox

Source:
quizlet.com

A child develops an itchy vesicular rash with lesions in different stages of development. Which disease is most likely?

A	**Chickenpox**	**CORRECT**
B	Smallpox	
C	Measles	
D	Ringworm	

Q-168

SnleNotes.com

Student message:
Patient take anti-psychotic developed muscle rigidity and restlessness, what the symptoms anticipate?

Source:
quizlet.com

A client with schizophrenia is receiving haloperidol and has benztropine prescribed as needed. Which behavior warrants administration of benztropine?

A	Tactile hallucinations	
B	Tardive dyskinesia	
C	**Restlessness and muscle rigidity**	**CORRECT**
D	Hearing voices	

Q-169

SnleNotes.com

Student message:
Pre-op intervention before TOF keep NPO

Source:
quizlet.com

Which of the following is an expected preoperative nursing intervention for an infant undergoing CHD surgery?

A	Initiating a high-salt diet	
B	Administering corticosteroids to reduce inflammation	
C	**Administering fluids to optimize hydration**	**CORRECT**
D	Preparing for blood transfusion	

Q-170

SnleNotes.com

Student message:
A women ask about non-invasive methods to prevent pregnancy, she has irregular periods what is most suitable for her? Male Condum

Source:
quizlet.com

A woman is 40 years old and a heavy smoker. She has a single sexual partner but has very irregular menstrual cycles. She wants a highly reliable contraceptive. Which method would be the best recommendation?

A	An ovulation suppressant	
B	A spermicidal suppository	
C	The rhythm (calendar) method	
D	**A diaphragm and spermicide**	**CORRECT**

Q-171

SnleNotes.com

Student message:
Questions about how Saudi Arabia controlled the transmission of dangue fever حطيت الاجابه ان سووا كنترول على تجمعات الباعوض والمياه الراكده

Source:
quizlet.com

The following are strategies implemented by the Department of Health to prevent mosquito-borne diseases. Which of these is most effective in the control of Dengue fever?

A	Stream seeding with larva-eating fish	
B	**Destroying breeding places of mosquitoes**	**CORRECT**
C	Chemoprophylaxis of non-immune persons going to endemic areas	
D	Teaching people in endemic areas to use chemically treated mosquito nets	

Q-172

SnleNotes.com

Student message:
Patient with asthma what you hear during auscultation? Wheezing

Source:
quizlet.com

A student nurse is working with a patient who has asthma. The primary nurse says wheezes can be heard on auscultation. What does the student expect to hear?

A	Coarse crackles and bubbling	
B	**High-pitched musical sounds**	**CORRECT**
C	Dry, grating noises	
D	Loud, low-pitched rumbling	

Q-173

SnleNotes.com

Student message:

Patient scheduled for leg amputation, the nurse did the pre-op measurement, when the patient transferred to OR he changed his mind about the surgery postpone the procedure and contact the OR and nurse manager

Source:

quizlet.com

A patient gives consent for surgery and now wishes to revoke the consent. What action should the nurse take next?

A	Inform the adult child	
B	**Inform the surgeon**	**CORRECT**
C	Try to persuade the patient to continue with surgery	
D	Inform the senior nurse who witnessed the consent	

Q-174

SnleNotes.com

Student message:

postpone the procedure and contact the HCP to repeat the consent ؟ ايش اسوي inform consent ال فاهم مو طلع اعطيه جيت ولما دم بياخذ مريض سيناريو كمان

Source:

quizlet.com

A client tells the nurse that he really does not understand the surgical procedure and is concerned because he will be awake during surgery. Which action by the nurse is appropriate?

A	Ask the client why he signed the consent form.	
B	**Contact the surgeon to report that the client has questions and concerns about the surgery.**	**CORRECT**
C	Tell the client not to be concerned because a large drape will cover the operative area.	
D	Tell the client that he will not be awake and that the anesthesiologist will explain it later.	

Q-175

SnleNotes.com

Student message:

؟ سؤال في الاختبار عن امرأة حامل وعندها جنين وفجأة انخفض مستوى الأكسجين لدى الام الاولويه

Source:

quizlet.com

A pregnant client is admitted to the high-risk unit with abdominal pain and heavy vaginal bleeding. What is the nurse's priority intervention?

A	**Starting oxygen therapy**	**CORRECT**
B	Administering an opioid	
C	Elevating the head of the bed	
D	Drawing blood for laboratory tests	

Q-176

SnleNotes.com

Student message:
سؤال مريض عنده كحه مع دم وchest pain

Source:
quizlet.com

Priority Decision: A patient diagnosed with class 3 TB 1 week ago is admitted to the hospital with symptoms of chest pain and coughing. What nursing action has the highest priority?

A	administering the patient's antitubercular drugs.	
B	**admitting the patient to an airborne-infection isolation room.**	**CORRECT**
C	preparing the patient's room with suction equipment and extra linens.	
D	placing the patient in an intensive care unit where he can be closely monitored.	

Q-177

SnleNotes.com

Student message:
سؤال تطعيم الحج (برايمري)

Source:
quizlet.com

Indicate the level of prevention that is represented in each question: Immunization against rubella

A	**Primary Prevention Active**	**CORRECT**
B	Primary Prevention Passive	
C	Secondary Prevention	
D	Tertiary Prevention	

Q-178

SnleNotes.com

Student message:
سؤال انه اش اهم حاجه في ال hand hygiene (infection control)

Source:
quizlet.com

A nurse is caring for a client who is intubated and has a subclavian central venous catheter. Which nursing intervention is most important to prevent the spread of infection to this client?

A	**Frequent hand hygiene**	**CORRECT**
B	No artificial nails	
C	Use of chlorhexidine bath wipes	
D	Wearing personal protective equipment	

Q-179

SnleNotes.com

Student message:
what is convenient contraceptive for mother who breastfeeding?

Source:
quizlet.com

A patient presents to the office for a 6-week postpartum visit desiring contraception. Which of the following would be the most appropriate and effective choice of birth control if the patient was breastfeeding?

A	Barrier methods	
B	Combination pill	
C	Emergency contraception	
D	**Progestin-only pill (minipill)**	**CORRECT**

Q-180

SnleNotes.com

Student message:
A nurse is preparing an order of Amydramine 30 mg PO BD. The available check is 15 mg /5 ml. What is the

Source:
quizlet.com

A nurse is preparing an order of Amydramine 30 mg PO BD. The available supply/dose is 15 mg / 5 mL. What is the correct dosage to be administered?

A	5 mL	
B	**10 mL**	**CORRECT**
C	15 mL	
D	20 mL	

Q-181

SnleNotes.com

Student message:
room. What type of precaution measure has the nurse activated?

Source:
quizlet.com

A patient with pulmonary TB is being admitted to the unit. Which type of precautions should be implemented?

A	**Airborne precautions**	**CORRECT**
B	Droplet precautions	
C	Wound care precautions	
D	Contact precautions	

Q-182

SnleNotes.com

Student message:
operations and procedures. What type of leadership style is this?

Source:
quizlet.com

The nurse manager is considered a "great communicator." She can be found on the unit talking with staff, keeping them informed and asking their opinions. She believes that nurses are motivated by internal means and that they want to participate in making decisions about the unit although the final decision always rests with her. The nurses recognize that this nurse manager is what type of leader?

A	Autocratic	
B	**Democratic**	**CORRECT**
C	Bureaucratic	
D	Laissez-faire	

Q-183

SnleNotes.com

Student message:
For which of the following issues should the nurse observe the movie closely during the 4

Source:
quizlet.com

For which of the following issues should the nurse observe the mother closely during the 4th stage of labor?

A	Uterine irritability	
B	Signs of infection	
C	**Signs of bleeding**	**CORRECT**
D	Unwillingness to breastfeed	

Q-184

SnleNotes.com

Student message:
سؤال عن طفل ولد ٢٩ اسبوع ووزنه ٩٥٠ هل هو

Source:
quizlet.com

After the initial assessment of the newborn infant, the infant's weight, length, and head circumference are plotted out on a growth chart. The growth chart shows that the infant's weight is at the 15th percentile, length is at the 20th percentile, and head circumference is at the 30th percentile. These results indicate that the infant is:

A	small for gestational age	
B	large for gestational age	
C	**appropriate for gestational age**	**CORRECT**
D	none of the above	

Q-185

SnleNotes.com

Student message:
3 years ago at 10 weeks. Using the GTPAL format the nurse should identify that the client is:

Source:
quizlet.com

A pregnant client is making her first antepartum visit. She has a 2-year-old son born at 40 weeks, a 5-year-old daughter born at 38 weeks, and 7-year-old twin daughters born at 35 weeks. She had a spontaneous abortion 3 years ago at 10 weeks. How would the nurse, using the GTPAL format, document the client's obstetric history?

A	G4 T3 P2 A1 L4	
B	G5 T2 P2 A1 L4	
C	**G5 T2 P1 A1 L4**	**CORRECT**
D	G4 T3 P1 A1 L4	

Q-186

SnleNotes.com

Student message:
infant is born with spinal bifida Which of the following complication is always found in these Infants?

Source:
quizlet.com

The birth parent of an infant with myelomeningocele asks if the child is likely to have any other defects. The nurse responds based on the understanding that myelomeningocele is commonly associated with which disorder?

A	**Excessive cerebrospinal fluid within the cranial cavity.**	**CORRECT**
B	Abnormally small head.	
C	Congenital absence of the cranial vaults.	
D	Overriding of the cranial sutures.	

Q-187

SnleNotes.com

Student message:
shivering what the nursing priority

Source:
quizlet.com

The nurse caring for a patient receiving a transfusion notes that 15 minutes after the infusion of packed red blood cells (PRBCs) has begun, the patient is having difficulty breathing and complains of severe chest tightness. What is the most appropriate initial action for the nurse to take?

A	Notify the patient's physician	
B	**Stop the transfusion immediately**	**CORRECT**
C	Remove the patient's IV access	
D	Assess the patient's chest sounds and vital signs	

Q-188

SnleNotes.com

Student message:
TEM 36.8 . which of the following the infant is more liable to immediately after?

Source:
quizlet.com

Which major neonatal complication is carefully monitored after the birth of the infant of a diabetic mother?

A	**Hypoglycemia**	**CORRECT**
B	Hypercalcemia	
C	Hypoinsulinemia	
D	Hypobilirubinemia	

Q-189

SnleNotes.com

Student message:
burn injury on the lower anterior leg. During routine assessment, the nurse notices the wound is bleeding

Source:
quizlet.com

The nurse observes that a postsurgical client has hemorrhaged and is in hypovolemic shock. Which nursing intervention will manage and minimize hemorrhage and shock?

A	Elevating the head of the bed	
B	**Reinforcing dressings or applying pressure if bleeding is frank**	**CORRECT**
C	Rubbing the back	
D	Encouraging the client to breathe deeply	

Q-190

SnleNotes.com

Student message:
When caring for a client who has acute respiratory distress syndrome, a nurse elevates the head of the bed

Source:
quizlet.com

When caring for a client who has acute respiratory distress syndrome (ARDS), the nurse elevates the head of the bed 30 degrees. What is the reason for this intervention?

A	**To reduce abdominal pressure on the diaphragm**	**CORRECT**
B	to promote retraction of the intercostal accessory muscle of respiration	
C	to promote bronchodilation and effective airway clearance	
D	to decrease pressure on the medullary center which stimulates breathing	

Q-191

SnleNotes.com

Student message:
سؤال اعراض الولادة الكاذبه

Source:
quizlet.com

A nurse is caring for a client who reports contractions every 8 to 10 minutes that stop after hydration and rest. Which finding indicates false labor?

A	Progressive cervical dilation	
B	Regular contractions that increase in intensity	
C	**Contractions relieved by hydration and rest**	**CORRECT**
D	Bloody show	

Q-192

SnleNotes.com

Student message:
سوال طفل ولد بعملية قيصرية

Source:
quizlet.com

A newborn weighing 9 lb 14 oz has a cesarean birth because of cephalopelvic disproportion. The Apgar scores are 7 at 1 minute and 9 at 5 minutes. What should the nurse do after the initial physical assessment?

A	Administer oxygen by hood	
B	**Determine the blood glucose level**	**CORRECT**
C	Pass a gavage tube for a formula feeding	
D	Transfer the newborn to the neonatal intensive care unit	

Q-193

SnleNotes.com

Student message:
جاني ام فيها هربس كيف افضل طريقه لها للولاده

Source:
quizlet.com

A nurse is teaching a client who has active genital herpes simplex virus, type 2. Which of the following statements should the nurse include in the teaching?

A	**You will have a cesarean birth prior to the onset of labor.**	**CORRECT**
B	Your baby will receive erythromycin eye ointment after birth to treat the infection.	
C	You should take oral metronidazole for 7 days prior to 37 weeks gestation.	
D	You should schedule a cesarean birth after your water breaks.	

Q-194

SnleNotes.com

Student message:
سؤال طفله عمرها 7 سنوات و وزنها 25 كم تحتاج سوائل طوال 24 ساعه اللي بعد العمليه

Source:
quizlet.com

A 25 kg child needs fluids. What should the daily maintenance fluid requirement be?

A	900 mL/day	
B	1300 mL/day	
C	6700 mL/day	
D	**1600 mL/day**	**CORRECT**

Q-195

SnleNotes.com

Student message:
وش الفحص اللي نستخدمه لـ سرطان عنق الرحم

Source:
quizlet.com

Which screening test is commonly used to diagnose cervical cancer?

A	Colonoscopy	
B	**Pap test**	**CORRECT**
C	PSA test	
D	Mammogram	

Q-196

SnleNotes.com

Student message:
ام في 37 اسبوع و اشتبهنا انها placenta praiva وش نسوي ؟

Source:
quizlet.com

Which routine nursing assessment is contraindicated for a patient admitted with suspected placenta previa?

A	**Determining cervical dilation and effacement**	**CORRECT**
B	Monitoring fetal heart rate and maternal vital signs	
C	Observing vaginal bleeding or leakage of amniotic fluid	
D	Determining frequency, duration, and intensity of contractions	

Q-197

SnleNotes.com

Student message:
المريض النفسي اللي عنده هلوسه و يسمع احد يتكلم باذنه عرضه ان يصير له ايش ؟

Source:
quizlet.com

A client diagnosed with brief psychotic disorder tells a nurse about voices telling him to kill the president. Which nursing diagnosis should the nurse prioritize for this client?

A	Disturbed sensory perception	
B	Altered thought processes	
C	**Risk for violence: directed toward others**	**CORRECT**
D	Risk for injury	

Q-198

SnleNotes.com

Student message:
و مريض عنده bleeding وش نعطيه و كان الخيار الوحيد المقنع Vitamin K

Source:
quizlet.com

A patient who has been anticoagulated with warfarin (Coumadin) has been admitted for gastrointestinal bleeding. The history and physical examination indicates that the patient may have taken too much warfarin. The nurse anticipates that the patient will receive which antidote?

A	Vitamin E	
B	**Vitamin K**	**CORRECT**
C	Protamine sulfate	
D	Potassium chloride	

Q-199

SnleNotes.com

Student message:
مريض نفسي كان يكرر كلمه وحده TOP TOP وش اسمه ؟

Source:
quizlet.com

A client with schizophrenia repeatedly uses the same word, phrase, or idea despite attempts to change the topic. Which language disturbance is the client exhibiting?

A	Echolalia	
B	Neologism	
C	Concretism	
D	**Perseveration**	**CORRECT**

Q-200

SnleNotes.com

Student message:
ام صار لها اجهاض و من ضمن سياق السؤال ان باقي فيه اجزاء وش يسمى الإجهاض ذا ؟

Source:
quizlet.com

A client presents with heavy vaginal bleeding, severe lower abdominal pain, and an open cervix. Ultrasound reveals some products of conception still in the uterus. What type of abortion is this?

A	Missed abortion	
B	Inevitable abortion	
C	**Incomplete abortion**	**CORRECT**
D	Complete abortion	

Q-201

SnleNotes.com

Student message:
و مريض رحنا له البيت و قسنا السكر له و طلع عالي و قلت له رح المستشفى وش يعتبر ؟ اللي هو سكندري

Source:
quizlet.com

Which intervention should the college health clinic nurse implement as a secondary prevention strategy to identify students at risk for diabetes?

A	Nutrition education on high-protein food availability	
B	Promotion of registration in fitness classes	
C	**Blood glucose screening at the health fair**	**CORRECT**
D	Administration of prescribed insulin	

Q-202

SnleNotes.com

Student message:
و meningitis وش العزل المخصص له

Source:
quizlet.com

The nurse cares for a client with bacterial meningitis. Which isolation precaution will the nurse apply?

A	Standard	
B	Contact	
C	**Droplet**	**CORRECT**
D	Airborne	

Q-203

SnleNotes.com

Student message:

وش العزل له RSV و

Source:

quizlet.com

An infant with bronchiolitis is hospitalized, and the causative organism is respiratory syncytial virus (RSV). What type of isolation is required?

A	Reverse isolation	
B	Airborne isolation	
C	**Contact precautions**	**CORRECT**
D	Standard precautions only	

Q-204

SnleNotes.com

Student message:

و مريض جانا الطواري يصارخ و يقول ان زوجتي تنزف بالسياره وش نسوي ؟

Source:

quizlet.com

The nurse in an emergency department notices a patient's husband, pacing in the hallway, muttering to himself, and looking angrily around the emergency department. Which statement should the nurse make to the spouse to help prevent escalation and/or violence?

A	You need to stay with your wife. She needs you.	
B	Hey, what's up? You look out of control.	
C	I am calling security to deal with your behavior.	
D	**You appear upset. Can I help you with anything?**	**CORRECT**

Q-205

SnleNotes.com

Student message:

و فيه بيشنت نضغط على الجهه اليمين من بطنه و يحس الالم يسار وش اسم العلامه ذي ؟

Source:

quizlet.com

A 29-year-old man has right lower-quadrant abdominal pain. Palpation of the left lower quadrant causes pain in the right lower quadrant. What is the name of this sign?

A	Blumberg sign	
B	Psoas sign	
C	Obturator sign	
D	**Rovsing sign**	**CORRECT**

Q-206

SnleNotes.com

Student message:

mantoux سوال اختبار ل مرض السل

Source:

quizlet.com

A nurse is preparing to administer a Mantoux skin test to a client. What is the purpose of a Mantoux skin test using purified protein derivative (PPD)?

A	Identify if a client lacks immunity to tuberculosis	
B	Find out if a client has active tuberculosis	
C	Decrease the hypersensitivity of the client's reaction to PPD	
D	**Identify if the client has been infected with Mycobacterium tuberculosis**	**CORRECT**

Q-207

SnleNotes.com

Student message:

right lower quadrant. Which sign is being demonstrated?
A. McBurney's point tenderness
B. Rovsing's sign
C. Cullen's sign
D. Murphy's sign
Correct answer: B. Rovsing's sign

Source:

quizlet.com

Which of the following describes a positive Rovsing's sign?

A	**Referred pain is felt in the right lower quadrant when deep pressure is applied to the left lower quadrant**	**CORRECT**
B	Pain is felt in the left lower quadrant when pressure is applied to the left lower quadrant	
C	Pain is felt in the right lower quadrant when pressure is applied to the right lower quadrant	
D	A deep breath is aborted due to sharp pain during palpation of the gallbladder	

Q-208

SnleNotes.com

Student message:

3- A nurse responsible for narcotic medications discovers that one ampule of morphine is missing. She reports the problem to the nurse manager. According to the SBAR approach, which statement should she say first?

Source:

quizlet.com

When providing an SBAR report, what information belongs in the "Situation" section?

A	The client's medical history	
B	The nurse's recommendation	
C	**What is happening with the client now**	**CORRECT**
D	Results of previous treatments	

Q–209

SnleNotes.com

Student message:

opinions. Which leadership style is being used?
A. Autocratic
B. Democratic
C. Laissez–faire
D. Coercive
Correct answer: B. Democratic leadership

Source:

quizlet.com

Which leadership style is reflected when the nurse leader asks the team, 'What do you think should be done in this situation?'

A	Autocratic	
B	Situational	
C	**Democratic**	**CORRECT**
D	Laissez–faire	

Q–210

SnleNotes.com

Student message:

5– A newborn needs help maintaining body temperature. Which nursing intervention is appropriate?
A. Place a cap on the newborn's head
B. Bathe the newborn immediately
C. Leave the newborn uncovered
D. Place the newborn near an open window
Correct answer: A. Place a cap on the newborn's head

Source:

quizlet.com

The nurse's initial action when caring for an infant with a slightly decreased temperature is to:

A	Notify the physician immediately	
B	**Place a cap on the infant's head**	**CORRECT**
C	Keep the infant in the nursery for the next 4 hours	
D	Assess for other signs of inaccurate gestational age	

Q-211

SnleNotes.com

Student message:

given even though it has not yet been administered. What should the nurse do?
A. Ignore the error
B. Report the error to the Head Nurse
C. Write another entry without reporting it
D. Continue with the medication administration without clarification
Answer: B. Report the error to the Head Nurse

Source:

quizlet.com

A charge nurse is observing a newly licensed nurse administer medications to a client. Which of the following actions by the newly licensed nurse should prompt the charge nurse to intervene?

A	Verifies the medication against the prescription and medication label.	
B	Scans the bar code on the medication administration record and the client's arm band.	
C	Checks the provider's orders and confirmed dosage in a medication reference guide.	
D	**Documents medication administration prior to administering it.**	**CORRECT**

Q-212

SnleNotes.com

Student message:

سوال نفس الطريقه ذي مثلاً الممرضه كيف تتصرف اذا شافت او سمعت حاجه غلط هل تكلم الممرضه برايفت او تقول للهدنيرس

Source:

quizlet.com

A nurse overhears a coworker make an inappropriate comment. What action should the nurse take first?

A	Complain to another coworker about the comment	
B	Notify the supervisor before speaking to the nurse directly	
C	Ignore the comment and continue with client care	
D	**Approach the nurse privately and ask to speak about the comment**	**CORRECT**

Q-213

SnleNotes.com

Student message:

7- A primigravida attend the antenatal clinic for her routine visit the nurse performed an abdominal palpitation and found the fundus to be midway between the symphysis pubis and the umbilicus what are the weeks of gestation according to this findings ?
B. 16 weeks

Source:

quizlet.com

The nurse is assessing a pregnant client at 16 weeks of gestation. Where should the fundus of the uterus be located?

A	At the umbilicus	
B	Just above the symphysis pubis	
C	At the level of the xiphoid process	
D	**Midway between the symphysis pubis and the umbilicus**	**CORRECT**

Q-214

SnleNotes.com

Student message:
8- A 15 month old child is admitted for hypospadias repair. After surgery, which of the following instruction should be given to the parents?
A. Limit activity for 2 week

Source:
quizlet.com

A nurse is providing discharge teaching to the guardian of an infant following a hypospadias repair. Which instruction should the nurse include?

A	Clamp the infant's catheter for 30 minutes each day	
B	Give the infant a tub bath once per day	
C	**Apply antibacterial ointment to the infant's penis once per day**	**CORRECT**
D	Decrease the infant's fluid intake for 3 days	

Q-215

SnleNotes.com

Student message:
Projectile vomiting و pyloric stenosis عن سؤالين

Source:
quizlet.com

The nurse is caring for a child admitted with pyloric stenosis. Which clinical manifestation would likely have been noted?

A	Explosive diarrhea	
B	**Projectile vomiting**	**CORRECT**
C	Severe abdominal pain	
D	Frequent urination	

Q-216

SnleNotes.com

Student message:
Randomized controlled trial عن وسؤال

Source:
quizlet.com

What is the main feature of a randomized controlled trial (RCT)?

A	Participants choose their own treatment group	
B	Only the control group receives a placebo treatment	
C	The study focuses solely on observational data without intervention	
D	**Researchers assign participants to different groups by randomization and compare outcomes**	**CORRECT**

Q-217

SnleNotes.com

Student message:
TB حق Screening عن سؤال

Source:
quizlet.com

A primary care provider has ordered a Mantoux test. The nurse explains that this test is used to screen for which condition?

A	Lyme disease	
B	Lung cancer	
C	Valley fever	
D	**Tuberculosis**	**CORRECT**

Q-218

SnleNotes.com

Student message:
Knee-chest position و Tetralogy of Fallot سؤال

Source:
quizlet.com

An infant with tetralogy of Fallot suddenly becomes cyanotic during a hypercyanotic spell. Which position should the nurse place the infant in?

A	Prone	
B	**Knee-chest**	**CORRECT**
C	High-Fowler's	
D	Reverse Trendelenburg	

Q-219

SnleNotes.com

Student message:
supine position الاجابه حطيت Avoid during seizure عن سؤال

Source:
quizlet.com

While the nurse is performing morning care, a client begins to have a seizure. What should the nurse do?

A	Insert a tongue blade into the client's mouth	
B	**Loosen any clothing around the neck and chest**	**CORRECT**
C	Restrain the client	
D	Turn the client to the supine position if possible	

Q-220

SnleNotes.com

Student message:
high fowler بيكون Nasogastric tube عن سؤال

Source:
quizlet.com

The nurse is preparing to insert a nasogastric tube into a client. Which position should the nurse use for insertion?

A	Right side	
B	Low Fowler's	
C	**High Fowler's**	**CORRECT**
D	Supine with the head flat	

Q-221

SnleNotes.com

Student message:
Under the tongue بيكون nitroglycerin عن المريض فهم شنو عن سؤال

Source:
quizlet.com

The nurse teaches a patient about taking a sublingual nitroglycerin tablet. Which statement indicates understanding? I should place it:

A	On my skin	
B	Inside my cheek	
C	**Under my tongue**	**CORRECT**
D	In the lower lid of my eye	

Q-222

SnleNotes.com

Student message:
Feeding الاجابه cleft palate عن سؤال

Source:
quizlet.com

Which information concerning a safe feeding technique would the nurse provide to a mother whose newborn infant son has a cleft lip and palate?

A	Because he tires easily, it's best to have him lying in bed while he is being fed.	
B	Hold him in a horizontal position and feed him slowly to help prevent aspiration.	
C	**Give him frequent rest periods and frequent burpings during feedings so he can get rid of swallowed air.**	**CORRECT**
D	Try using a soft nipple with an enlarged opening so he can get the milk through a chewing motion.	

Q-223

SnleNotes.com

Student message:
سؤال ما اتذكر بالضبط ولكن فيه ممرضه night shift وشافت فيه دواء موصوف غلط ودقت على الدكتور وقال لها انه ما يتذكر ف شنو مفروض تسوي

Source:
quizlet.com

A nurse has concerns that an order written for a client is not appropriate. The provider is contacted and insists the order is correct, but the nurse still has reservations. What is the appropriate action?

A	**Inform the supervisor about the concerns regarding the order**	**CORRECT**
B	Carry out the order because it is part of the prescribed plan of care	
C	Refuse the order and document the reason in the medical record	
D	Discuss it with the client and inform the client of the right to refuse treatment	

Q-224

SnleNotes.com

Student message:
وسؤال عن ممرضه فوضت الى ممرضه ثانيه شغل وذي الممرضه غلطت ف مين المسؤول
حطيت الاجابه على الممرضه اللي فوضت لانها ماسوت لها سوبرفايزر لكن مدري اذا صح

Source:
quizlet.com

Who is ultimately accountable for the appropriateness and supervision of a delegated task?

A	**The nurse who delegated the task**	**CORRECT**
B	The UAP who accepted the task	
C	The nursing manager	
D	The hospital CEO	

Q-225

SnleNotes.com

Student message:
سؤال عن Vitamin A حق النظر

Source:
quizlet.com

A patient complains of difficulty seeing at night. Exam reveals dry conjunctivae with white patches. These findings are consistent with a deficiency of what vitamin?

A	**Vitamin A**	**CORRECT**
B	Vitamin B12	
C	Vitamin D	
D	Niacin	

Q-226

SnleNotes.com

Student message:
Folic Acid والاجابه spina bifida سؤال عن

Source:
quizlet.com

The nurse is teaching pregnant women about diet. Which nutrient decreases the incidence of neural tube defects?

A	Vitamin A	
B	Vitamin C	
C	Vitamin D	
D	**Folic acid**	**CORRECT**

Q-227

SnleNotes.com

Student message:
سؤال مرة مصابة مدري كيف ومعها مرض وش يعتبر هذا أولي ثانوي ثالث يحط الثالث

Source:
quizlet.com

A community mental health nurse is implementing a tertiary prevention activity. Which of the following interventions is most likely being completed?

A	Disseminating information about mental health to community organizations	
B	Partnering with school health nurses for early identification of children who have evidence of mental health problems	
C	**Providing case management services that link clients with serious mental illnesses to mental health and community support services**	**CORRECT**
D	Screening high-risk clients for the presence of mental disorders	

Q-228

SnleNotes.com

Student message:
سوال مريض بيدخل عمليه الممرضه بتدخل غرفه المريض عشان تعطيه دواء

Source:
quizlet.com

The nurse enters the patient's room to give medications. Which action is most appropriate to identify the 'right patient'?

A	Ask the patient to state their name	
B	**Ask the patient to state their name and birth date**	**CORRECT**
C	Ask the patient's primary nurse to identify the patient	
D	State the patient's name and date of birth and request validation	

Q-229

SnleNotes.com

Student message:
جاني مريض بيشيل مويه عينه قبل العمليه وش الي لازم اسويه ـ اقيس نظر قبل

Source:
quizlet.com

During the preoperative assessment of a patient scheduled for right cataract extraction and intraocular lens implantation, what is most important for the nurse to assess?

A	**Visual acuity of the left eye**	**CORRECT**
B	How long the patient has had the cataract	
C	A white pupil in the right eye	
D	History of reactions to general anesthetics	

Q-230

SnleNotes.com

Student message:
جاني عن الي يتكلم عن معلومات المريض قدام الكل وش اسوي معاه

Source:
quizlet.com

As an RN stands in line for the cafeteria cashier, he overhears the staff in front of him talking about a client the RN took care of earlier in the week. The client's room number is mentioned along with the diagnosis and prognosis. Which of the following actions should the RN take?

A	Join in the conversation in case the RN is assigned to care for the client in the future	
B	**Remind the staff members that they are in a public location and sharing this information is a breach of the Health Insurance Portability and Accountability Act (HIPAA)**	**CORRECT**
C	Correct a statement made by one of the staff members	
D	Ignore the conversation	

Q-231

SnleNotes.com

Student message:
جاني عن انفورمتك نيرس تفتح ملف المرضى وتقرى معلوماتهم هذا وش يعتبر

Source:
quizlet.com

Which of the following scenarios constitutes a violation of HIPAA?

A	A healthcare provider discussing a patient's medical condition with another provider involved in the patient's care	
B	A doctor sharing patient information with an insurance company for billing purposes	
C	A nurse accessing a patient's medical records to verify medication dosages for a scheduled procedure	
D	**An employee of a medical facility sharing a patient's health information with a friend without the patient's consent**	**CORRECT**

Q-232

SnleNotes.com

Student message:
جاني طفل استنشق المكونيوم وش الفحص اللي نسويه

Source:
quizlet.com

The nurse is providing care to a newborn with severe meconium aspiration syndrome. The nurse is reviewing diagnostic test results. Which finding would the nurse expect?

A	**Patchy, fluffy infiltrates on chest X-ray**	**CORRECT**
B	Vocal cords negative for meconium	
C	Elevated blood pH	
D	Increased PaO2	

Q-233

SnleNotes.com

Student message:
جاني وش لون المكونيوم للطفل

Source:
quizlet.com

A new mother is changing the diaper of her 12-hour-old newborn and asks why the stool is black and sticky. Which response by the nurse is most appropriate?

A	The stool is dark because of iron received before birth	
B	**This is meconium and is normal for a newborn**	**CORRECT**
C	A stool sample is needed to test for bleeding	
D	This is unusual and should be reported immediately	

Q-234

SnleNotes.com

Student message:
جاني ان فيه داليشن بحجم 8 cm وش نسوي كانت اقرب اجابه نجهزها للولاده في الطواري

Source:
quizlet.com

A 39-week pregnant client arrives to the labor and delivery unit. Upon cervical exam, the client is 8 cm dilated, 100% effaced, and the fetus is at +2 station. What is the priority action of the nurse?

A	Put oxygen on the client	
B	**Prepare for delivery**	**CORRECT**
C	Go get help	
D	Have the client walk the unit	

Q-235

SnleNotes.com

Student message:
وش الي صح لمريض عنده سكري عن رعايه القدم أتوقع شفتها بالتسريبات بس ما كان من ضمن الخيارات يجفف رجله-5

Source:
quizlet.com

A nursing student is providing foot care to a client with diabetes. Which action by the student indicates a need for further teaching?

A	Avoid soaking the feet	
B	Dry the feet thoroughly, including between the toes	
C	Consult a physician or podiatrist about nail trimming	
D	**Apply lotion on the dorsal and plantar surfaces and between the toes**	**CORRECT**

Q-236

SnleNotes.com

Student message:
مريض يحس بتنميل برجله نوع الألم-6

Source:
quizlet.com

Which type of pain would the nurse suspect if a patient reports numbness and tingling sensation interspersed with shooting or electric-like pain?

A	Idiopathic	
B	**Neuropathic**	**CORRECT**
C	Nociceptive visceral	
D	Nociceptive somatic	

Q-237

SnleNotes.com

Student message:
سيناريو ناسيته بس المريض يحس بتنميل نقص ليش اخترت-7 B12

Source:
quizlet.com

A patient describes numbness in the arms and hands with a tingling sensation. The patient also frequently stumbles when walking. What vitamin deficiency does the nurse determine may cause some of these symptoms?

A	Thiamine	
B	**Vitamin B12**	**CORRECT**
C	Iron	
D	Folate	

Q-238

SnleNotes.com

Student message:
9- مريض عنده كحه بدم وحراره وألم صدر نوع العزل حطيت Airborne

Source:
quizlet.com

A client is admitted with suspected tuberculosis and productive sputum while testing is pending. Which precaution should the nurse use to prevent exposure?

A	**Airborne precautions**	**CORRECT**
B	Droplet precautions	
C	Contact precautions	
D	Sterile technique	

Q-239

SnleNotes.com

Student message:
10- مريض تو طالع من القسطره القلبيه وش تنصحه ناسيه الخيارات بس اخترت يترك اليد مرتاحه الي دخلو منها عشان البليدينق

Source:
quizlet.com

Which key point should the nurse include when teaching a client about postprocedural care after cardiac catheterization?

A	There are no restrictions after the procedure	
B	You will be able to get out of bed within 2 hours	
C	**You will have to stay almost flat in bed with limited position changes for 4 to 6 hours**	**CORRECT**
D	Family visitors will be restricted until the next day	

Q-240

SnleNotes.com

Student message:
11- Arteriovenous Fistula يسأل مريض مسوي ويده صارت بارده وشاحب وش نسوي
اخترت نسمعها

Source:
quizlet.com

After an arteriovenous graft is inserted in a patient's right forearm, the patient reports pain and coldness in the right fingers. Which action would the nurse take?

A	Remind the patient to take a daily low-dose aspirin tablet.	
B	**Report the patient's symptoms to the health care provider.**	**CORRECT**
C	Elevate the patient's arm on pillows above the heart level.	
D	Teach the patient about normal arteriovenous graft function.	

Q-241

SnleNotes.com

Student message:
12-اهم علامه في nephrotic syndrome

Source:
quizlet.com

What is a hallmark of the diagnosis of nephrotic syndrome?

A	Hyponatremia	
B	**Proteinuria**	**CORRECT**
C	Hyperalbuminemia	
D	Hypokalemia	

Q-242

SnleNotes.com

Student message:
15- مريض عنده فشل قلبي وعنده اديميا وواضح انه السوائل زائده بجسمه وش نسوي حطيت Restrict fluid

Source:
quizlet.com

A patient with heart failure has excessive aldosterone secretion and is continuously asking for water. What instruction does the nurse give the unlicensed assistive personnel?

A	Severely restrict fluid to 500 mL plus the previous 24-hour output	
B	Give the patient as much water as desired	
C	**Restrict fluid to a normal 2 L daily, with accurate intake and output**	**CORRECT**
D	Frequently offer ice chips and moistened toothettes	

Q-243

SnleNotes.com

Student message:
16- وش اهم شي نراقبه قبل الموروفين طبعا نعدل التنفس

Source:
quizlet.com

A class of new nursing students is learning how to administer medications to clients. What should the instructor teach the students about giving opiates?

A	Assess the client's vital signs hourly	
B	Delay the ordered dose if respirations are below 15 bpm	
C	**Assess the respiratory rate before giving a dose of opiates**	**CORRECT**
D	Give a dosage only if you think it is necessary	

Q-244

SnleNotes.com

Student message:
17- تسمم الماغنسيوم حطيت نعطيه antidote calcium

Source:
quizlet.com

What should the nurse be prepared to administer in a client with signs of magnesium toxicity?

A	Oxygen	
B	Potassium chloride	
C	Epinephrine	
D	**Calcium gluconate**	**CORRECT**

Q-245

SnleNotes.com

Student message:
20-مريض مسوي عمليه تثبيت داخلي للفخذ وش الهدف الواقعي الي تتوقعه قبل خروجه ناسيه الاجابه بس كان كانت يستجيب لأداويه تخفيف الألم

Source:
quizlet.com

Which goal is most appropriate for a patient who has had a total hip replacement?

A	The patient will ambulate briskly on the treadmill by the time of discharge	
B	**The patient will walk 100 feet using a walker by the time of discharge**	**CORRECT**
C	The nurse will assist the patient to ambulate in the hall two times a day	
D	The patient will ambulate by the time of discharge	

Q-246

SnleNotes.com

Student message:
23-نصبحه لمريض Asthma عن جهاز Inhaler كانت الاجابه slow and Deep

Source:
quizlet.com

How should a typical metered-dose inhaler be inhaled?

A	Quickly and forcefully without pressing a canister	
B	**Slowly and deeply while coordinating with canister activation**	**CORRECT**
C	With no inhalation effort	
D	Only through the nose	

Q-247

SnleNotes.com

Student message:
25-The most safe and non -invasive site to measure the temperature is:

Source:
quizlet.com

Which is considered the safest and most non-invasive method of temperature taking?

A	Oral	
B	Rectal	
C	Tympanic	
D	**Axillary**	**CORRECT**

Q-248

SnleNotes.com

Student message:
27-سوال تطعيم الحج

Source:
quizlet.com

A nurse is planning a community health initiative. Which intervention best reflects primary prevention?

A	Teaching a patient how to manage diabetes	
B	**Administering influenza vaccines at a clinic**	**CORRECT**
C	Scheduling colonoscopy screenings	
D	Referring a patient to cardiac rehabilitation	

Q-249

SnleNotes.com

Student message:
28-ممرضه بتغير لمريض تتوقع راح تنعدل القافز حقتها وش تأخذ معها حطيت single pice clean gloves

Source:
quizlet.com

The nurse is preparing to change the soiled linen of a patient's unoccupied bed. Which precaution minimizes the risk of transmitting microorganisms?

A	**Perform hand hygiene and apply clean gloves.**	**CORRECT**
B	Place fresh linen on a clean bedside table or chair.	
C	Put soiled linen in a pillow case before placing in a hamper.	
D	Roll soiled linen together with the dirty sides toward the center.	

Q-250

SnleNotes.com

Student message:
29- أم تروش البيبي حقها ناخذ البيبي يفقد حراره عن طريقه ايش حطيت Evpration

Source:
quizlet.com

Failing to dry a newborn immediately after birth causes heat loss primarily by:

A	Conduction	
B	Radiation	
C	**Evaporation**	**CORRECT**
D	Convection	

Q-251

SnleNotes.com

Student message:
31- وش اهم شي نراقبه لبيبي أمه عنه سكر حمل حطيت نراقبه السكر للبيبي

Source:
quizlet.com

The nurse is caring for a newborn born to a mother with Type 2 Diabetes Mellitus who takes insulin. Upon assessment, the nurse notes that the respiratory rate is 68, temperature is 97.5 and the newborn is jittery. What is the nurse's priority action?

A	Document the findings in the medical record	
B	Initiate an intravenous line with D10W	
C	Notify the provider	
D	**Check the blood glucose level**	**CORRECT**

Q-252

SnleNotes.com

Student message:
35- newborn is diagnosed with hypospadias. When teaching the parents of this child, the nurse should tell them to avoid

Source:
quizlet.com

During a routine well-child check, a clinician identifies anterior hypospadias in a 2-month-old male. The parents ask if he can be circumcised next week. Which recommendation is most appropriate?

A	Proceed with circumcision normally	
B	**Defer circumcision because the preputial skin may be useful for surgical reconstruction**	**CORRECT**
C	Perform a dorsal slit now and complete circumcision at 6 months	
D	Delay circumcision only until a renal ultrasound is normal	

Q-253

SnleNotes.com

Student message:

which of the following before the hypospadias repair ?
A. circumcision
36-إم بعد ساعه من الولاده لاحظنا السرير مليان دم وش اهم شي نشيك على funds

Source:

quizlet.com

A woman delivered a 9-lb, 10-ounce baby 1 hour ago and is lying in a puddle of blood with two saturated pads. What is the nurse's first action?

A	Call for help	
B	**Assess the fundus for firmness**	**CORRECT**
C	Take her blood pressure	
D	Check the perineum for lacerations	

Q-254

SnleNotes.com

Student message:

37- أم عندها كوفيد نقولها عادي رضعي باحتياطات
38-lv كان محمر ودافي وش المشكله
Thrombophlebitis حطيت
39-صوره CTG طبيعيه

Source:

quizlet.com

The nurse notes that the site of a client's peripheral IV catheter is reddened, warm, painful, and slightly edematous proximal to the insertion point. How should the nurse document this complication?

A	**Phlebitis of the vein**	**CORRECT**
B	Infiltration of the IV line	
C	Hypersensitivity to the IV solution	
D	Allergic reaction to the IV catheter material	

Q-255

SnleNotes.com

Student message:

40- سيناريو سوبرفايزر تبي توفر بيئه سيف للمرضى والموظفين اكثر أجابه منطقيه احتياطات infections control
41-سيناريو والله ناسيته بالضبط بس كان يخص المشاركين ببحث اهم شي حطيت IRB = Institutional Review Board
42-سوال يراجع اكثر من دراسه الجواب systemic review
43-Cluster: اختاروا مجموعات كاملة، مثل 10 مستشفيات من عدة مستشفيات.
44-سوال دكتور يسوي إجراءات مو سيف ويشتغل على كيفه الاجابه نبلغ
45-schizophrenia اهم شي نصيحه لمريض حطيت يلتزم بالأدويه

Source:

quizlet.com

A researcher obtains a random sample of hospitals, acquires a list of every aide working in those hospitals, and randomly selects two aides from each hospital. What sampling technique is used?

A	Quota sampling	
B	Stratified random sampling	
C	Purposive sampling	
D	**Cluster sampling**	**CORRECT**

Q-256

SnleNotes.com

Student message:
46- مريض عنده Meningitis ناسيه الخيارات بس كان الصح نخفف الضوء والبيئه تكون هاديه لان عندهم تحسس من الضوء

Source:
quizlet.com

A patient with severe headache, photophobia, stiff neck, fever, nausea, and vomiting is suspected of having meningitis. Which nursing intervention is the priority to reduce the risk of increased intracranial pressure?

A	Administer an antipyretic to manage fever	
B	Encourage the patient to cough and deep breathe	
C	Position the patient in high-Fowler's position	
D	**Provide a quiet and dimly lit environment**	**CORRECT**

Q-257

SnleNotes.com

Student message:
47- تقول للدكتور الأعراض بكل زياره متلازمه ما قبل الحيض أتذكر اخترت الجواب
48-omplication لل cephalohematoma، فقد يرتبط بـ jaundice بسبب تكسّر الدم المتجمع.

Source:
quizlet.com

Infants who develop cephalohematoma are at increased risk for which complication?

A	Infection	
B	**Jaundice**	**CORRECT**
C	Caput succedaneum	
D	Erythema toxicum	

Q-258

SnleNotes.com

Student message:
سؤال عن طفل عنده Glomerulonephritis اكثر أجابه منطقيه اخليه يرتاح إذا نوبات فرط النشاط
50-18 تطعيمه monthe
HapitiA
HapitiB
MMR
51- سوال عن Atelectasis ناسيه والله وش فكرته بس كانه يسأل وش نقوله بعد العمليه
52-Cor Pulmonale مرتبط
COPD
53- جاء

Source:
quizlet.com

What is the most common cause of cor pulmonale?

A	Hypertension	
B	Diabetes	
C	**Chronic obstructive pulmonary disease (COPD)**	**CORRECT**
D	Congestive heart failure	

Q-259

SnleNotes.com

Student message:

سؤال عن حديث ولادة عنده انتفاخ بالبطن (Abdominal distension) ورفض الرضاعة (Feeding intolerance)، غالبًا يشير إلى NEC (Necrotizing Enterocolitis) — نخر الأمعاء عند حديثي الولادة، خصوصًا

Source:

quizlet.com

Necrotizing enterocolitis is an inflammatory disease of the gastrointestinal mucosa. Which findings are characteristic of NEC?

A	Hypertonia, tachycardia, and metabolic alkalosis	
B	**Abdominal distention, temperature instability, and grossly bloody stools**	**CORRECT**
C	Hypertension, absence of apnea, and ruddy skin color	
D	Scaphoid abdomen, no residual with feedings, and increased urinary output	

Q-260

SnleNotes.com

Student message:

patient with schizophrenia says something like: “We wanted a bus ... the airport is in the sea ... [something about a sea creature or coral].” What is this an example of?
A. Word salad
B. Loose associations (Loss of association)
C. Delusion
D. Hallucination

Source:

quizlet.com

A newly hospitalized patient experiencing psychosis says, 'Red chair out town board.' Which term should the nurse use to document this finding?

A	**Word salad**	**CORRECT**
B	Anhedonia	
C	Neologism	
D	Echolalia	

Q-261

SnleNotes.com

Student message:

A patient with a sulfa allergy is taking a medication and develops blurred vision and a headache. Which medication should the nurse instruct the patient to stop taking and report to the healthcare provider?
B. Acetazolamide
C. [Other medication]دوا ضغط االظاهر

Source:

quizlet.com

The nurse is admitting a patient with glaucoma who states that she is allergic to all sulfa drugs. Which medication order should the nurse question and report to the health care provider?

A	Carteolol	
B	Dipivefrin	
C	Carbachol	
D	**Acetazolamide**	**CORRECT**

Q-262

SnleNotes.com

Student message:
A nurse is assessing a patient experiencing anxiety. The patient exhibits changes in vital signs, agitation, and disturbed communication. Which level of anxiety is the patient most likely experiencing?

Source:
quizlet.com

Assessment reveals difficulty communicating verbally, hyperventilation, tachycardia, headache, nausea, and dizziness. Which level of anxiety is the client experiencing?

A	Mild	
B	Moderate	
C	**Severe**	**CORRECT**
D	Panic	

Q-263

SnleNotes.com

Student message:
A newborn is delivered and appears pink, active, and crying vigorously. Which nursing intervention should be performed immediately after birth?

Source:
quizlet.com

After the baby is born, what should be the first action performed?

A	Clamp and cut the cord	
B	**Dry the baby**	**CORRECT**
C	Suction the baby's mouth and nose	
D	Do foot printing	

Q-264

SnleNotes.com

Student message:
nurse is preparing to administer digoxin to a patient. The patient's apical pulse and potassium level are within normal limits. However, the patient's serum magnesium level is كان نازل شوي/L. What is the most appropriate nursing action?

Source:
quizlet.com

Prior to administering a client's daily dose of digoxin to treat heart failure, the nurse reviews the client's laboratory data and notes the following results: serum calcium, 9.8 mg/dL (2.45 mmol/L); serum magnesium, 1.0 mEq/L (0.4 mmol/L); serum potassium, 4.1 mEq/L (4.1 mmol/L); serum creatinine, 0.9 mg/dL (79.5 mcmol/L). Which result would alert the nurse that the client is at risk for digoxin toxicity?

A	Serum calcium level	
B	Serum potassium level	
C	Serum creatinine level	
D	**Serum magnesium level**	**CORRECT**

Q-265

SnleNotes.com

Student message:
concealed placental abruption. Which of the following clinical findings is most consistent with this condition?
A. Rigid, board-like abdomen.
B. Large abdomen high than expected

Source:
quizlet.com

At 37 weeks, a woman has sudden intense abdominal pain, a rigid board-like abdomen, and no vaginal bleeding. What should the nurse do next?

A	Insert a Foley catheter	
B	**Assess fetal heart rate**	**CORRECT**
C	Prepare the client for an epidural	
D	Administer oxygen by face mask	

Q-266

SnleNotes.com

Student message:
patient with a history of myocardial infarction presents with crackles, dyspnea, and orthopnea. Which cardiac chamber is most likely affected?
A. Right atrium
B. Left atrium
C. Right ventricle
D. Left ventricle

Source:
quizlet.com

A client has a myocardial infarction in the left ventricle and develops bilateral crackles, three-pillow orthopnea, an S3 heart sound, and a cough with pink frothy sputum. What do these signs and symptoms indicate?

A	The development of cor pulmonale	
B	**The development of left-sided heart failure**	**CORRECT**
C	The development of chronic obstructive pulmonary disease (COPD)	
D	The development of right-sided heart failure	

Q-267

SnleNotes.com

Student message:
A patient with a tumor is scheduled for cryosurgery. Which technique is used in this treatment?

Source:
quizlet.com

Which type of cryotherapy is most commonly used, effective, and can be applied with a swab or cryoprobe?

A	Histobreeze (-50 C)	
B	Carbon dioxide slush (-78.5 C)	
C	Nitrous oxide (-89.5 C)	
D	**Liquid nitrogen (-196 C)**	**CORRECT**

Q-268

SnleNotes.com

Student message:

patient complains of dry mouth (xerostomia) and is currently taking antipsychotic medication. What is the most likely cause of this symptom?
C. Medication s
باقي الخيارات مكتوب الغذا والنوم وو

Source:

quizlet.com

The nurse is conducting an ongoing assessment of a client prescribed loxapine. Which finding is most likely attributable to this medication?

A	Skin dryness	
B	Hypertension	
C	Bradycardia	
D	**Dry mouth**	**CORRECT**

Q-269

SnleNotes.com

Student message:

A nurse manager plans to implement a new procedure in the department. However, several staff members resist the change. Which action is most appropriate for the nurse manager?
A. Implement the change without consulting the staff.
C. Collaborate with the staff, listen to their concerns, and develop a solution.

Source:

quizlet.com

A nurse manager is coping with a staff member who is very resistant to change. Which strategy would be beneficial?

A	**Maintain open communication with the staff member to establish trust**	**CORRECT**
B	Help the staff member focus on parts of the change rather than the whole	
C	Take over all processes of the change	
D	Ignore any hidden agendas brought by the staff member	

Q-270

SnleNotes.com

Student message:

A woman in labor has a 8 dilated cervix and is experiencing regular, frequent uterine contractions. Which nursing intervention is most appropriate at this stage?.
B.Prepare to administer oxytocin to strengthen contractions.
C. Coach the woman with pushing during contractions.
D. “Assess for placental separation and prepare for delivery of the placenta.

Source:

quizlet.com

A patient's cervix is 8 cm dilated and she is 100% effaced. What action by the nurse is most important currently?

A	Allow the support person to be at the bedside	
B	Encourage the woman to bear down	
C	**Have the woman avoid pushing**	**CORRECT**
D	Instruct the woman to rest between contractions	

Q-271

SnleNotes.com

Student message:

An 11-month-old infant presents with a rash around the mouth. The lesions initially appear pink, then develop fluid-filled blisters that rupture and form crusts. Which condition is the most likely diagnosis?

Source:

quizlet.com

A nurse assesses a child's skin and finds moist, thin-roofed vesicles that have ruptured to form thick honey-colored crusts around the mouth and nose. What is the most likely diagnosis?

A	**Impetigo**	**CORRECT**
B	Herpes zoster	
C	Atopic dermatitis	
D	Tinea corporis	

Q-272

SnleNotes.com

Student message:

pediatric patient presents with fever and difficulty breathing. A chest X-ray shows infiltrates in the lung parenchyma. What is the most likely diagnosis?
A. Asthma
B. Pneumonia
C. Croup

Source:

quizlet.com

Which of the following symptoms would most likely indicate pneumonia in a pediatric patient?

A	Wheezing and clear breath sounds	
B	**High fever, nasal flaring, and abdominal pain**	**CORRECT**
C	Low-grade fever and frequent urination	
D	Rash and swollen lymph nodes	

Q-273

SnleNotes.com

Student message:

woman undergoes a mammogram to detect breast cancer at an early stage, before symptoms appear. This activity is an example of which of the following?
A. Health promotion
B. Disease prevention
C. Health protection
D. Health improvement

Source:

quizlet.com

A community health clinic promotes annual screening mammograms to detect early-stage breast tumors before symptoms appear. Which level of disease prevention does this represent?

A	Primary prevention	
B	**Secondary prevention**	**CORRECT**
C	Tertiary prevention	
D	Quaternary prevention	

Q-274

SnleNotes.com

Student message:
A patient presents with systemic venous congestion, hepatomegaly. Which of the following is the most likely underlying cause?

Source:
quizlet.com

A patient with chronic lung disease presents with elevated jugular veins, hepatomegaly, and ankle edema. What best explains these findings?

A	**Right-sided heart failure caused by pulmonary disease (cor pulmonale)**	**CORRECT**
B	Left-sided heart failure causing pulmonary congestion	
C	Acute myocardial infarction	
D	Left ventricular diastolic dysfunction	

Q-275

SnleNotes.com

Student message:
بعد ولادة الطفل وش نختار من دول

Source:
quizlet.com

The health care provider hands a neonate to the nurse immediately after birth. Which is the most appropriate action for the nurse to take next for this newborn?

A	Perform an abbreviated physical assessment.	
B	Administer oxygen until cyanosis disappears.	
C	Cut the umbilical cord and attach an umbilical clip.	
D	**Dry the infant and provide skin-to-skin contact with the mother.**	**CORRECT**

Q-276

SnleNotes.com

Student message:
جاني كمان وكان في الخيارات انو نسوي فحص للبيبي ونعطيه فيتامينk او نغطيه ونحطه على صدر الام اللي هو skin to skin كان في الجواب او الرضاعه واصح شي اننا نغطيه ونعطي الام لان اساسا سوينا له فحص اللي هو الابقرسكور

Source:
quizlet.com

Which evidence-based care practice is recommended during the immediate newborn period?

A	Take the healthy newborn to the nursery for a complete assessment	
B	After drying, give the infant to the mother wrapped in a receiving blanket	
C	**Encourage skin-to-skin contact of mother and baby**	**CORRECT**
D	Have the support person hold the infant while awaiting delivery of the placenta	

Q-277

SnleNotes.com

Student message:
سؤال تطعيمة ال MMR ايش هي

Source:
quizlet.com

What type of vaccine is MMR?

A	Conjugate	
B	**Live, attenuated**	**CORRECT**
C	Subunit, viral	
D	Toxoid	

Q-278

SnleNotes.com

Student message:
سوال ايش الجزء المسؤل عن الأفكار في المخ

Source:
quizlet.com

Which of the following lobes are involved in planning, memory, and personality?

A	Temporal lobes	
B	Parietal lobes	
C	**Frontal lobes**	**CORRECT**
D	Occipital lobes	

Q-279

SnleNotes.com

Student message:
Q1. Where is the apical pulse best auscultated in an adult?Fifth intercostal space, left midclavicular line

Source:
quizlet.com

Where should the nurse place the stethoscope to assess an adult client's apical pulse?

A	Third left intercostal space at the midclavicular line	
B	Fourth left intercostal space at the midclavicular line	
C	**Fifth left intercostal space at the midclavicular line**	**CORRECT**
D	Second left intercostal space at the midclavicular line	

Q-280

SnleNotes.com

Student message:
Q2. Which vitamin is administered to reverse the effects of warfarin?Vitamin K

Source:
quizlet.com

A nurse is beginning warfarin sodium therapy. Which medication should be available on the unit as the antidote for warfarin?

A	**Vitamin K**	**CORRECT**
B	Aminocaproic acid	
C	Potassium chloride	
D	Protamine sulfate	

Q-281

SnleNotes.com

Student message:
Q3. What is the safest sleeping position for an infant to reduce the risk of SIDS? back

Source:
quizlet.com

A nurse provides safety teaching to parents of a 1-week-old infant. Which statement indicates the need for further teaching?

A	We will place our infant in a rear-facing car seat in the back seat	
B	**We will position our infant on his side for sleeping**	**CORRECT**
C	We will swaddle our son to keep him quiet and warm to sleep	
D	We will give our son a pacifier before placing him in his crib	

Q-282

SnleNotes.com

Student message:
Q5. A patient reports persistent fatigue and excessive sleepiness. Which vitamin deficiency may be associated with these symptoms?Vitamin D

Source:
quizlet.com

The nurse is reviewing conditions caused by nutrient deficiencies. Conditions such as infantile rickets, tetany, and osteomalacia are caused by a deficiency in which vitamin or mineral?

A	**Vitamin D**	**CORRECT**
B	Vitamin C	
C	Zinc	
D	Cyanocobalamin (vitamin B12)	

Q-283

SnleNotes.com

Student message:
Q8. Which medication reverses the effects of opioid overdose? Naloxone

Source:
quizlet.com

Which medication is the antidote for opioid overdose?

A	Protamine sulfate	
B	**Naloxone**	**CORRECT**
C	Flumazenil	
D	Vitamin K	

Q-284

SnleNotes.com

Student message:
سؤال الحج : primary

Source:
quizlet.com

The Centers for Disease Control and Prevention has predicted that the flu will be very contagious this season. Based on this information, nurses set up flu vaccine clinics in local churches and senior citizen centers. Which level of prevention is this an example of?

A	**Primary**	**CORRECT**
B	Secondary	
C	Tertiary	
D	Restorative	

Q-285

SnleNotes.com

Student message:
وعن newborn انسوى لها ابقرسكور بالدقيقه الاولى ومن ثم بالدقيقه الخامسه وكان 9 وجسمها لونه بكل وخلاص ايش خطوه الي بعدها كانت الاجابات مو منطقيه مافي الا نعطي vitamins K

Source:
quizlet.com

A client gives birth to a full-term male with an 8/9 Apgar score. What should the immediate nursing care include?

A	**Identify the infant, assess respirations, and keep him warm**	**CORRECT**
B	Apply eye prophylaxis, administer vitamin K, and bathe him	
C	Aspirate the oropharynx, rush him to the nursery, and stimulate him often	
D	Weigh him, place him in a crib, and wait until the mother is ready to hold him	

Q-286

SnleNotes.com

Student message:
لكل 6 ساعات doctor order 500mg ومعادلة

Source:
quizlet.com

The provider orders 500 mg of a medication. The available medication is 250 mg per tablet. How many tablets should the nurse administer?

A	0.5 tablet	
B	1 tablet	
C	**2 tablets**	**CORRECT**
D	4 tablets	

Q-287

SnleNotes.com

Student message:
سؤال عن الدواء الي نعطيه في preeclampsia

Source:
quizlet.com

A nurse is caring for a client who is 36 weeks pregnant with severe preeclampsia. Which order should the nurse expect to receive?

A	Immediate delivery	
B	Diuretic	
C	Strict bed rest	
D	**Magnesium sulfate**	**CORRECT**

Q-288

SnleNotes.com

Student message:
عشان يمنع seizure اخترت magnesium sulfate

Source:
quizlet.com

After oral labetalol for gestational hypertension, a pregnant patient has a blood pressure of 178/96 mm Hg with headache and blurry vision. Which order should the nurse anticipate?

A	Up ad lib	
B	Lisinopril	
C	Salt-free diet	
D	**Magnesium sulfate**	**CORRECT**

Q-289

SnleNotes.com

Student message:
جاء اسم الدواء وايش يسوي اخترت prevent conclusion اعتقد

Source:
quizlet.com

When administering magnesium sulfate to a client with preeclampsia, the nurse understands that this drug is given to:

A	**Prevent seizures**	**CORRECT**
B	Reduce blood pressure	
C	Slow the process of labor	
D	Increase diuresis	

Q-290

SnleNotes.com

Student message:
ومريضه عندها chlamydia بيكون بدون اعراض

Source:
quizlet.com

In women, chlamydia usually:

A	Causes frequent urination	
B	Produces a thick, purulent vaginal discharge	
C	**Is asymptomatic**	**CORRECT**
D	Leads to a rigid abdomen with rebound tenderness	

Q-291

SnleNotes.com

Student message:
وطفل شخص بهيرشنق قبل العملية وش نسوي اخترت enema

Source:
quizlet.com

Enemas are ordered preoperatively for a child with Hirschsprung disease. What solution should the nurse use?

A	Tap water	
B	**Normal saline**	**CORRECT**
C	Oil retention	
D	Phosphate	

Q-292

SnleNotes.com

Student message:
وسؤال عن ممرضه تهاوشت مع الهيد بخصوص الديوتي نوع الكميونكيشن حطيت interpersonal

Source:
quizlet.com

The nurse and the physical therapist discuss the therapy schedule and goals for a patient on a rehabilitation unit. What type of communication is occurring between the nurse and the therapist?

A	Organizational	
B	Small-group	
C	Intrapersonal	
D	**Interpersonal**	**CORRECT**

Q-293

SnleNotes.com

Student message:
وسؤال عن ممرضه راحت تتغدى وفوضت ممرضه وطاح المريض مين الي يكتب incident report

Source:
quizlet.com

Who is responsible for filling out an incident report?

A	The physician in charge of the patient's care	
B	**The nurse involved in the incident**	**CORRECT**
C	The patient or a family member	
D	None of the above	

Q-294

SnleNotes.com

Student message:
وسؤال حامل حملت ٣ بنات من قبل وهالحمل طلع ولد وتبي تجهض الخيار الوحيد الصح ان الممرضه تكون calm وتهديها

Source:
quizlet.com

A nurse is caring for a client who has just been told that their fetus carries a genetic disorder associated with significant health-related issues. The client asks, "Should I have an abortion?" What is the most appropriate response by the nurse?

A	Do you understand what you have been told? Caring for this child will be hard to navigate.	
B	It sounds like you are afraid to birth an infant with a genetic complication. Tell me about your fears.	
C	This is a choice you have to make on your own. You can seek guidance from your partner.	
D	**You seem concerned about whether to continue this pregnancy. Let's talk about options.**	**CORRECT**

Q-295

SnleNotes.com

Student message:
ومريض عنده الم بالبطن وش ترتيب الفحص حق البطن

Source:
quizlet.com

A nurse is preparing to perform an abdominal assessment. In which order should the nurse perform the assessment techniques?

A	Inspection, percussion, palpation, auscultation	
B	Auscultation, inspection, percussion, palpation	
C	**Inspection, auscultation, percussion, palpation**	**CORRECT**
D	Palpation, inspection, auscultation, percussion	

Q-296

SnleNotes.com

Student message:
ومريض عنده الم واحمرار في iv حطيت stope

Source:
quizlet.com

The nurse is preparing to give a medication by intravenous bolus. The IV insertion site is warm, reddened, and tender. What action should the nurse take first?

A	Slow the infusion rate and slowly inject the medication	
B	**Discontinue the IV infusion**	**CORRECT**
C	Inject a local anesthetic to relieve the tenderness	
D	Apply warm compresses over the insertion site	

Q-297

SnleNotes.com

Student message:
وام ماتبي تطعم طفلها وش تقول لها الممرضه اخترت immunization prevent diseases

Source:
quizlet.com

A mother refuses the MMR vaccine for her child because she believes childhood diseases help children fight infections later. What is the nurse's most appropriate response?

A	Tell her the child could expose pregnant women to infection	
B	Honor the request without further discussion	
C	Tell her that her belief is wrong	
D	**Explain the potential complications of the infections**	**CORRECT**

Q-298

SnleNotes.com

Student message:
deit and exercise وحامل فيها سكر وش ننصحها

Source:
quizlet.com

A client at 27 weeks gestation has been diagnosed with gestational diabetes. Which therapy will most likely be ordered?

A	Oral hypoglycemic agents	
B	**Diet control with exercise**	**CORRECT**
C	Regular insulin injections	
D	Inhaled insulin	

Q-299

SnleNotes.com

Student message:
membrane وفيها complete ان تكون ايش اهم شئ placenta عن الطلاب تعلم تنصح ممرضه

Source:
quizlet.com

The nurse understands that late postpartum hemorrhage may be prevented by:

A	Manually removing the placenta	
B	**Inspecting the placenta after birth**	**CORRECT**
C	Administering broad-spectrum antibiotics	
D	Pulling on the umbilical cord to hasten delivery of the placenta	

Q-300

SnleNotes.com

Student message:
mechanic lift نستخدم معه patient too havey وسؤال

Source:
quizlet.com

The nurse has four clients. Which client would require the use of a mechanical lift?

A	**A client who is quadriplegic**	**CORRECT**
B	An older adult client with a recent knee replacement	
C	A client who has partial weight-bearing	
D	A client with limited mobility in the right foot	

Q-301

SnleNotes.com

Student message:
positive Ortolani اخترت DHD عنده طفل

Source:
quizlet.com

A nurse performs the Barlow and Ortolani maneuvers on a newborn. Which finding does the nurse document as a positive sign of hip instability or dislocation?

A	A soft, high-pitched click as the hip is moved	
B	**A palpable clunk as the femoral head moves in or out of the acetabulum**	**CORRECT**
C	Symmetric gluteal and thigh skin folds	
D	Equal knee heights when the hips and knees are flexed	

Q-302

SnleNotes.com

Student message:
Patient with weight loss السؤال باقي اتذكر ما

Source:
quizlet.com

A middle-aged female client reports anxiety, insomnia, weight loss, the inability to concentrate, and eyes feeling "gritty." Thyroid function tests reveal the following findings. A 6-hour radioactive iodine uptake test showed a diffuse uptake of 85%. Based on these assessment findings, which condition would the nurse suspect?

A	Thyroiditis	
B	Multinodular goiter	
C	**Graves' disease**	**CORRECT**
D	Hashimoto's thyroiditis	

Q-303

SnleNotes.com

Student message:
سؤال مريض عنده جفاف وايش الي يدل عليه بالتحاليل
اخترت هيموجلوبين وهيماتوكريت

Source:
quizlet.com

The nurse admits a client with severe dehydration. Which laboratory result supports the admitting diagnosis?

A	Hemoglobin 15.8 g/dL	
B	Sodium 143 mEq/L	
C	Potassium 4.8 mEq/L	
D	**Hematocrit 55%**	**CORRECT**

Q-304

SnleNotes.com

Student message:
وحامل نزلت موية الجنين وايش التحليل الي يؤكده
Nitrazine اخترت

Source:
quizlet.com

A client states, 'I think my water broke!' The nurse tests the fluid with nitrazine paper and confirms membrane rupture if the swab turns which color?

A	Yellow	
B	Olive green	
C	Pink	
D	**Blue**	**CORRECT**

Q-305

SnleNotes.com

Student message:
ومريض سيكاتريك ياخذ ادويه وعند جفاف بالفم بسبب ايش حطيت الادويه

Source:
quizlet.com

A client with a history of mental illness who takes an antipsychotic medication complains of constant xerostomia. Which factor is the most likely cause?

A	The client's diet	
B	The client's dehydration	
C	**The client's medications**	**CORRECT**
D	The client's history of substance abuse	

Q-306

SnleNotes.com

Student message:
CNS depression ولا Respiratory depression وش الاعراض الي بتأثر ع البيبي opioids وحده حامل تاخذ

Source:
quizlet.com

A woman in labor received an opioid close to the time of birth. The nurse should assess the newborn for which effect?

A	**Respiratory depression**	**CORRECT**
B	Urinary retention	
C	Abdominal distention	
D	Hyperreflexia	

Q-307

SnleNotes.com

Student message:

A researcher want to conduct a research for measles vaccine at 1 year of age then will remeasure again at age of 6 years in the relation to healthy child. What is the type of research?)
A. Longitudinal/correlation
ذا

Source:

quizlet.com

Researchers measure the same participants every year for 10 years. Which timeline is represented?

A	Cross-sectional	
B	**Longitudinal**	**CORRECT**
C	Historical	
D	Retrospective	

Q-308

SnleNotes.com

Student message:

metabolic disorder السؤال الثاني اختترت انها

Source:

quizlet.com

A parent of a newborn presents to the clinic for the first newborn visit. The provider discusses the positive newborn screening for Phenylketonuria (PKU). The parent asks the nurse, "Why didn't they find this while I was pregnant?" Which of the following responses should the nurse provide?

A	Your child's metabolism in utero is too slow.	
B	**PKU is a metabolic disorder that requires the newborn to eat before screening.**	**CORRECT**
C	It is not routine to test for PKU during pregnancy.	
D	Your diet must have altered the results.	

Q-309

SnleNotes.com

Student message:

والخيارات Dehydration او low iron او من دواء ماخذته الام او دواء ماخذته البيي الجواب الجفاف اتوقع لانه هو شي طبيعي اللي اعرفه

Source:

quizlet.com

While changing a female newborn's diaper, the nurse observes a mucus-like, slightly bloody vaginal discharge. Which action would the nurse do next?

A	**Document this as pseudo menstruation.**	**CORRECT**
B	Notify the primary care provider immediately.	
C	Obtain a culture of the discharge.	
D	Inspect for engorgement.	

Q-310

SnleNotes.com

Student message:
جاني من علامات الولادة الطبيعيه

Source:
quizlet.com

At 39 weeks' gestation, a client asks about the difference between true and false labor. Which information regarding true labor contractions should the nurse include?

A	Usually fluctuate in length	
B	Continuous, without relaxation	
C	Related to time of membrane rupture	
D	**Accompanied by progressive cervical dilation**	**CORRECT**

Q-311

SnleNotes.com

Student message:
مع المورفين نشوف التنفس اخترت

Source:
quizlet.com

A nurse is caring for a cancer patient receiving subcutaneous morphine sulfate for pain. Which nursing action is most important?

A	Monitor urine output	
B	**Monitor respiratory rate**	**CORRECT**
C	Monitor heart rate	
D	Monitor temperature	

Q-312

SnleNotes.com

Student message:
HS اخترت bedtime والدواء

Source:
quizlet.com

Which of the following describes hs?

A	Four times a day	
B	**At bedtime**	**CORRECT**
C	Every hour	
D	When needed	

Q-313

SnleNotes.com

Student message:
Meconium Aspiration Syndrome – MAS السؤال يخص حالة

Source:
quizlet.com

Which newborn challenge occurs when the newborn inhales amniotic fluid mixed with meconium in utero or at birth?

A	Respiratory distress syndrome	
B	**Meconium aspiration syndrome**	**CORRECT**
C	Transient tachypnea	
D	Neonatal asphyxia	

Q-314

SnleNotes.com

Student message:
سوال متى يبدون يحطون مونتر داخلي عشان يراقبون نبض الببي

Source:
quizlet.com

The nurse is preparing a client for internal fetal monitoring. Which finding is required?

A	Intact membranes	
B	**Ruptured membranes**	**CORRECT**
C	Completely closed cervix	
D	Fourth-stage labor	

Q-315

SnleNotes.com

Student message:
سوال عن بيبي كان وزن اول ما ولد 3.3 وبعدها صار 6.3

Source:
quizlet.com

When assessing the weight of a 5-month-old infant, which finding indicates healthy growth?

A	**Doubling of birth weight**	**CORRECT**
B	Tripling of birth weight	
C	Quadrupling of birth weight	
D	Stabilizing of birth weight	

Q-316

SnleNotes.com

Student message:
سؤال ان ام تبغى تسوي اجهاض عشان معتقداتها ف وش يسوي الممرض

Source:
quizlet.com

The nurse is working with a 16-year-old pregnant girl who tells the nurse that she needs an abortion. The nurse provides the patient with information on alternatives to abortion, but after several sessions, the patient still insists on having the abortion. The competency of the nurse as a consultant requires what of the nurse?

A	Insist that the patient speak with a right-to-life advocate.	
B	**Provide a referral to an abortion service.**	**CORRECT**
C	Refuse to provide a referral to an abortion service.	
D	Delay providing a referral to an abortion service.	

Q-317

SnleNotes.com

Student message:
pyloric stenosis جاني تعريف

Source:
quizlet.com

A nurse is assessing a child with pyloric stenosis. Which finding is most likely?

A	Currant jelly stools	
B	Regurgitation	
C	Steatorrhea	
D	**Projectile vomiting**	**CORRECT**

Q-318

SnleNotes.com

Student message:
وضعية/ Tonsillectomy بعد العملية

Source:
quizlet.com

The 20-year-old who has laser surgery to remove the tonsils should be positioned postoperatively in which position?

A	Side-lying	
B	**Semi-Fowler's**	**CORRECT**
C	Prone	
D	Supine	

Q-319

SnleNotes.com

Student message:
placenta Abruption /تعريف

Source:
quizlet.com

Which statement best defines abruptio placentae?

A	Placenta abnormally implants in the lower uterine segment near or over the cervical os	
B	**Premature separation of a normally implanted placenta from the uterine wall**	**CORRECT**
C	Failure of placental attachment to the fundus	
D	Physiologic separation of the placenta during the third stage of labor	

Q-320

SnleNotes.com

Student message:
برضو جتني مريضة معطية صمت عقابي للتمريض وش اسم ذا؟

Source:
quizlet.com

A client's wife states that her husband has been giving her the cold shoulder. The nurse identifies this behavior as which of the following?

A	Denial	
B	Defensive	
C	**Passive-aggressive**	**CORRECT**
D	Hidden agenda	

Q-321

SnleNotes.com

Student message:
سوال بعد عن مريض ببيبي cpap

Source:
quizlet.com

A 29-week infant receiving CPAP develops nasal flaring, grunting, and worsening retractions. What is the nurse's priority response?

A	Continue routine care and reassess in one hour.	
B	**Promptly assess airway, breathing, oxygen saturation, and CPAP interface/function, initiate appropriate support, and notify the neonatal team.**	**CORRECT**
C	Offer an oral feeding to assess feeding ability.	
D	Reduce monitoring to avoid disturbing the infant	

Q-322

SnleNotes.com

Student message:
سؤال عن tb انه سعودية ودها تقلل

Source:
quizlet.com

A nurse is planning primary prevention activities related to the emergence of tuberculosis (TB) in the local community. Which activity would the nurse implement?

A	Offer screening tests for TB in the community	
B	Discuss the referral process with community members diagnosed with TB	
C	**Educate community members about TB infection and transmission**	**CORRECT**
D	Monitor medication compliance for community members diagnosed with TB	

Q-323

SnleNotes.com

Student message:
سوال ان وحدة من نسوان حامل زوجها يشتغل بالصحة تتوقعون وش بيركز عليه اكثر حطيت انه يركز على مواعيد

Source:
quizlet.com

Ms. Kiyawasew, a 23-year-old First Nations woman, is pregnant with her first child. Based on the statistics for infant mortality, which intervention is most important for the nurse to implement?

A	Perform a nutrition assessment.	
B	Refer the woman to a social worker.	
C	Advise the woman to see an obstetrician, not a midwife.	
D	**Explain to the woman the importance of keeping her prenatal care appointments.**	**CORRECT**

Q-324

SnleNotes.com

Student message:
سوال وش نسوي عشان نقلل من وفيات اللي تصير بعد الولادة

Source:
quizlet.com

What is the most effective intervention to reduce maternal mortality in rural communities?

A	Increase private hospitals	
B	Focus on family planning	
C	**Strengthen referral systems and skilled birth attendance**	**CORRECT**
D	Train traditional healers	

Q-325

SnleNotes.com

Student message:
اولاً ان ممرضة تراقب العدوى اللي تصير بالعناية للمرضى بعد خروجهم وش نوع ذا ؟

Source:
quizlet.com

The nurse manager of a quality improvement program asks a nurse to conduct a retrospective audit. Which action should the auditing nurse plan to perform?

A	Check documentation written by a new graduate on assigned clients at the end of the shift	
B	Review assessment checklists for current clients to ensure assessments are being conducted	
C	**Obtain a discharged client's medical record to review documentation made during the hospital stay**	**CORRECT**
D	Check the crash cart to ensure needed supplies are available	

Q-326

SnleNotes.com

Student message:
سوال بعد ان ممرضة كومينتي راحت للمدرسة ولاحظت ان فيه مشكلة بالوزن وبعد ست شهور ماصار قيه تغير كانت تقترح تسوي زوم وش تسوي اول شيء؟

Source:
quizlet.com

A student health nurse is counseling a college student who wants to lose weight. At the first evaluation, the student has lost only 1 lb instead of the projected 5 lb. Which is the best nursing response?

A	Congratulate the student and continue the care plan	
B	Terminate the care plan since it is not working	
C	Give the student more time to reach the targeted outcome	
D	**Modify the care plan after discussing possible reasons for the student's partial success**	**CORRECT**

Q-327

SnleNotes.com

Student message:
سؤال ان في ام ترضع جاها الم بالثدي وش تنصحينها؟

Source:
quizlet.com

A mother who has been breastfeeding for three months reports fever, unilateral breast swelling, pain, and redness. What is the appropriate nursing response?

A	Pump and discard the milk until antibiotics are finished	
B	Massaging the area while breastfeeding will treat the infection	
C	**The milk is not infected, so continue breastfeeding while an antibiotic is prescribed**	**CORRECT**
D	Be more diligent about cleaning pump supplies	

Q-328

SnleNotes.com

Student message:
patient centr care سؤال عن

Source:
quizlet.com

To foster family-centered care, which action should the nurse take?

A	**Welcome parents during change-of-shift report, rounds, and admissions**	**CORRECT**
B	Individualize the infant's plan of care based only on what the nurse thinks is best	
C	Offer parents participation in care only after the infant has stabilized	
D	Ask parents to leave the bedside when IVs are started	

Q-329

SnleNotes.com

Student message:
system سؤال ان فيه طالبان تمريض جمعهتهم تشارج تشرح لهم عن

Source:
quizlet.com

Which is the best password practice for a nurse using an electronic health record?

A	Share it with a trusted coworker	
B	Write it on a sticky note at the workstation	
C	**Keep it private and log out when leaving the computer**	**CORRECT**
D	Use the unit's generic login	

Q-330

SnleNotes.com

Student message:
statment indicate for intergrtiy والمطلوب وش

Source:
quizlet.com

When signing in to the electronic medical record, a nurse is prompted to change their password. Which best-practice guideline does the nurse use to formulate the new password?

A	**Password should be at least 8 characters long and unique.**	**CORRECT**
B	Passwords should be memorable and used in other applications.	
C	Date of birth makes an ideal password.	
D	Nurses should share their passwords with their nurse managers.	

Q-331

SnleNotes.com

Student message:
سوال ان ممرضة لاحظت ان فيه زيادة عدوى ب icu بعد مايطلعون

Source:
quizlet.com

The nurse manager is analyzing patient outcomes after knee replacement surgeries, so the nurse manager collects data on all patients who have had knee replacement surgery five years after discharge. Which type of audit is the nurse manager conducting?

A	Process audit	
B	Concurrent audit	
C	Peer review audit	
D	**Retrospective audit**	**CORRECT**

Q-332

SnleNotes.com

Student message:
سوال يتكلم عن وصف الستيج فور من الجرح و بتعرفون على طول لانه محطوط العظم ظاهر

Source:
quizlet.com

A client has a wound on the left trochanter with black tissue at the perimeter and exposed bone. What is the nurse's best action?

A	Document a stage I pressure ulcer and apply a transparent dressing	
B	Document a stage II pressure ulcer and start wet-to-dry gauze	
C	**Document a stage IV pressure ulcer and prepare for debridement**	**CORRECT**
D	Document a stage III pressure ulcer and start antibiotic therapy	

Q-333

SnleNotes.com

Student message:
419- What are the parameters of fluid deficit after pyloric surgery? A. Weight loss
B. Vomiting

Source:
quizlet.com

When developing the plan of care for an infant with pyloric stenosis, the nurse identifies deficient fluid volume related to prolonged vomiting. Which parameter should the nurse use when evaluating the client outcome?

A	Abdominal distention	
B	**Weight loss**	**CORRECT**
C	Vomiting	
D	Respiratory effort	

Q-334

SnleNotes.com

Student message:
The nurse is caring for a patient who has abdominal pain last three days. The nurse teaches the patient about the most likely active- producing foods. What are the foods that are mostly useful to produce

Source:
quizlet.com

A nurse is teaching a patient about healthy bowel elimination habits. Which of the following foods should the nurse recommend to help prevent constipation?

A	Cheese	
B	**Bran**	**CORRECT**
C	Pasta	
D	Eggs	

Q-335

SnleNotes.com

Student message:
39- In the year 1930, children had developed immunity against measles without being vaccinated, and as a result, the infection rate among children decreased. What is type of immunity?
A. Artificial
B. Passive C. Herd
D. Innate

Source:
quizlet.com

Which immunity type becomes active as a result of infection by a specific microorganism?

A	Naturally acquired passive immunity	
B	Artificially acquired passive immunity	
C	Artificially acquired active immunity	
D	**Naturally acquired active immunity**	**CORRECT**

Q-336

SnleNotes.com

Student message:
What causes a decrease in respiratory rate in children post- operatively, leading to alterations in vital signs?
A. Opioid
B. Hypothermia
C. Hyperthermia

Source:
quizlet.com

During an examination of a pediatric patient admitted for postoperative pain management, the nurse notes a decreased respiratory rate. What is the most likely cause?

A	Fever	
B	Anxiety	
C	**Opioid analgesic**	**CORRECT**
D	Alkalosis	

Q-337

SnleNotes.com

Student message:

163- How to check jaundice in dark skin patients? A. Nail beds
B. Palm of hand
C. Hard palate D. Lip

Source:

quizlet.com

An African American female is suspected of having vitamin B12 deficiency anemia. Because jaundice can occur, which body part is the best indicator?

A	Conjunctiva of the eye	
B	Soles of the feet	
C	**Roof of the mouth**	**CORRECT**
D	Shins	

Q-338

SnleNotes.com

Student message:

The patient reported having pain and taking morphine, but the pain increased, leading the patient to request an increase in the dose. What is the patient experiencing?
A. Drug addiction
B. Drug tolerance

Source:

quizlet.com

The spouse of a client with cancer asks why breakthrough doses of morphine need to be higher and more frequent to achieve pain relief. Which response is appropriate?

A	**The client has developed tolerance to morphine**	**CORRECT**
B	The client is now addicted to morphine	
C	The client has physical dependence on morphine	
D	Morphine has more drug interactions with other medications	

Q-339

SnleNotes.com

Student message:

D,A , C, فيتامين الخيارات في وكان الكالسيوم امتصاص على يساعد اللي Vitamin ايش

Source:

quizlet.com

Which nutrient enhances the absorption of calcium?

A	Vitamin C	
B	**Vitamin D**	**CORRECT**
C	Potassium	
D	Riboflavin	

Q-340

SnleNotes.com

Student message:
حطيت اقل من العدوى

Source:
quizlet.com

When planning care for a laboring woman whose membranes have ruptured, the nurse recognizes that the woman's risk for which condition has increased?

A	**Intrauterine infection**	**CORRECT**
B	Hemorrhage	
C	Precipitous labor	
D	Supine hypotension	

Q-341

SnleNotes.com

Student message:
السؤال عن امرأة حامل صار عندها (Rupture of membranes (ROM)، يعني تمزّقت الأغشية ونزل ماء الجنين، وليش نحدّ من الـ Vaginal Examination.

Source:
quizlet.com

A postpartum patient delivered vaginally after 20 hours of ruptured membranes. On day 2 postpartum, she reports pelvic pain and chills. The fundus is tender, and her temperature is 101.9°F (38.8°C). Lochia has a foul odor. The nurse suspects endometritis. Which statement made by the new nurse indicates a need for further education?

A	Endometritis is an infection of the uterine lining after birth.	
B	A tender fundus and fever are common signs of endometritis.	
C	I should prepare to start IV broad-spectrum antibiotics as ordered.	
D	**Frequent vaginal exams help monitor progression of the infection.**	**CORRECT**

Q-342

SnleNotes.com

Student message:
وجاني سوالين عن Incentive spirometer وش اهم معلومه لازم تقولها للمريض عن هالجهاز؟

Source:
quizlet.com

The nurse is teaching a patient how to use an incentive spirometer. Which instruction is most appropriate?

A	Exhale forcefully into the device, then inhale slowly.	
B	**Inhale slowly and deeply through the mouthpiece to raise the indicator and hold for 3-6 seconds.**	**CORRECT**
C	Use the device only once a day for best effect.	
D	Place the mouthpiece in the nose and inhale through the nose.	

Q-343

SnleNotes.com

Student message:
والسوال الثاني عن المعلومه الصح عنه جايب خيارات قريبه جداً عن بعض

Source:
quizlet.com

A nurse is teaching a patient how to perform flow type incentive spirometry prior to his scheduled thoracic surgery. What instruction should the nurse provide to the patient?

A	Hold the spirometer at your lips and breathe in and out like you normally would.	
B	When youre ready, blow hard into the spirometer for as long as you can.	
C	Take a deep breath and then blow short, forceful breaths into the spirometer.	
D	**Breathe in deeply through the spirometer, hold your breath briefly, and then exhale.**	**CORRECT**

Q-344

SnleNotes.com

Student message:
برضوا بخاخ الربو وش المعلومة الاهم اللي لازم تقولها للمريض تو تشخص بAsthma

Source:
quizlet.com

The nurse is teaching a client newly diagnosed with asthma about triggers. Which statement by the client indicates the client understands the teaching plan?

A	I will spray my bed and carpeting with dust mite killer.	
B	**I will use my air conditioner.**	**CORRECT**
C	I will move my pet out of my bed and onto the bedroom floor.	
D	I will wash my bedding monthly.	

Q-345

SnleNotes.com

Student message:
شي كذا والخيارات غريبه اخترت الم بالظهر والبطن

Source:
quizlet.com

A nurse is collecting data from a client who has an abdominal aortic aneurysm. Which manifestation should the nurse expect?

A	Midsternal chest pain	
B	Thrill	
C	Pitting edema in the lower extremities	
D	**Lower back discomfort**	**CORRECT**

Q-346

SnleNotes.com

Student message:
وطفل بيسوون له عمليه اللوز واهله يبون يهيئون له كيف اساعدهم؟

Source:
quizlet.com

A nurse is preparing a school-age child for a tonsillectomy. Which of the following actions should the nurse take?

A	**Schedule the child for a preoperative visit to the facility**	**CORRECT**
B	Inform the child he will be put to sleep for the procedure	
C	Read the child a story about a cartoon character having a similar operation	
D	Tell the child the appointment is to have his throat checked	

Q-347

SnleNotes.com

Student message:
جاني وش اسوي إلى سرطان الرحم الاختبار

Source:
quizlet.com

A nurse is providing teaching to a client who is scheduled for a Papanicolaou (Pap) test. The nurse should inform the client that the Pap test is used to screen for which condition?

A	Uterine cancer	
B	**Cervical cancer**	**CORRECT**
C	Ovarian cysts	
D	Fibroids	

Q-348

SnleNotes.com

Student message:
سؤال شخصوا طفل ب ويلمز وان وش تتوقعين اول رد فعل للاهل حطيت disbelief

Source:
quizlet.com

The parents of a school-age child are told that their child is diagnosed with leukemia. As the nurse caring for this child, what is the expected first response of the parents to the diagnosis of chronic illness in their child?

A	Anger and resentment	
B	Sorrow and depression	
C	**Shock and disbelief**	**CORRECT**
D	Acceptance and adjustment	

Q-349

SnleNotes.com

Student message:
طفل عندي تيكستوي ومسوين له خروج فجأه صار ما يتنفس زين وش تسوين؟ حطيت سكشن.

Source:
quizlet.com

You are called to a residence for a ventilator-dependent child with respiratory distress. Upon your arrival, the child's mother tells you that the child was doing fine, but then suddenly began experiencing labored breathing. She further tells you that the child's home ventilator was recently replaced with a newer one. Assessment of the child reveals that she is in marked respiratory distress and has intercostal retractions. Your FIRST action should be to:

A	suction the child's tracheostomy tube to rule out secretions as the problem.	
B	assess the patency of the tracheostomy tube to determine if it is dislodged.	
C	remove the tracheostomy tube and replace it with a similar-sized ET tube.	
D	**disconnect the child from the ventilator and begin bag-mask ventilations.**	**CORRECT**

Q-350

SnleNotes.com

Student message:
سؤال تيتشنق عن uti لطفل وش اللي غلط من الام انها تمسح من باك تو فرونت

Source:
quizlet.com

A school-age female is diagnosed with a urinary tract infection caused by Escherichia coli. When teaching the child and parents how to prevent a recurrence, the nurse should emphasize which intervention as most important?

A	Avoid bubble baths and nylon underwear	
B	Increase fluids, especially acidic fluids	
C	Use a schedule for voiding	
D	**Cleanse the perineum from front to back**	**CORRECT**

Q-351

SnleNotes.com

Student message:
سؤال وحده عندها اوستيارثرايتس ودايم تحس بألم وماتتحرك زين ، مانج البين وانكورج موبلتي.

Source:
quizlet.com

An elderly woman with osteoarthritis has difficulty ambulating and reports chronic pain. Which nursing intervention best promotes mobility?

A	Encourage her to push through the pain while walking	
B	**Administer the prescribed analgesic to facilitate mobility**	**CORRECT**
C	Arrange a visit from another person with osteoarthritis	
D	Have her walk only in the afternoon rather than the morning	

Q-352

SnleNotes.com

Student message:
سؤال وحده عندها انيميا ومعها الم شديد مره ، وش البرايورتي حطيت hydration.

Source:
quizlet.com

Which action will the nurse perform first when caring for a client who is in sickle cell crisis?

A	**Provide pain medication**	**CORRECT**
B	Ask the client about possible crisis triggers	
C	Ensure adequate oral and IV fluid intake	
D	Teach the client about barrier forms of contraception	

Q-353

SnleNotes.com

Student message:
سؤال فيه قسم مليان اخطاء بالمدكيشن وش ممكن نسوي ؟ حطيت انه نخلي النظام يسوون alert اذا فيه

Source:
quizlet.com

How can information technology be used to increase patient safety?

A	By creating redundancy in medication processes	
B	By removing nurse verification requirements	
C	**By analyzing errors to develop prevention strategies**	**CORRECT**
D	By eliminating bar-code medication administration	

Q-354

SnleNotes.com

Student message:
Which hormone is primarily responsible for breast enlargement and uterine growth during pregnancy?

Source:
quizlet.com

Which hormone is responsible for uterine growth?

A	**Estrogen**	**CORRECT**
B	Progesterone	
C	hCG	
D	LH	

Q-355

SnleNotes.com

Student message:
A patient has just undergone ventriculoperitoneal (VP) shunt insertion. Which nursing intervention is the priority post op?

Source:
quizlet.com

Which nursing intervention is most important immediately after a child has a ventriculoperitoneal shunt inserted?

A	Place the child in reverse Trendelenburg position	
B	**Position the child on the non-operative side and keep flat for 24 hours**	**CORRECT**
C	Sit the child upright to assist drainage	
D	Pump the shunt reservoir every hour	

Q-356

SnleNotes.com

Student message:
Before administering albuterol to a patient with asthma, which assessment is particularly important before medication?

Source:
quizlet.com

A patient is scheduled to receive a beta-agonist. Before administration, which assessment finding should concern the nurse most?

A	SpO2 of 88%	
B	Blood pressure of 100/60 mm Hg	
C	Respiratory rate of 28/min	
D	**Heart rate of 110/min**	**CORRECT**

Q-357

SnleNotes.com

Student message:
A patient diagnosed with syphilis presents with a generalized skin rash involving the planters and palms . Which stage of syphilis is most likely?

Source:
quizlet.com

A sexually active client presents with a sore throat and a generalized rash. The client states that a chancre that had been present healed approximately three months ago. The physical assessment and serologic test findings indicate syphilis. What stage is the client experiencing?

A	Primary	
B	**Secondary**	**CORRECT**
C	Latent	
D	Tertiary	

Q-358

SnleNotes.com

Student message:
A patient with a known diagnosis of asthma he has the episode and the nurse receives prescribed medications. Which level of prevention does this intervention represent?

Source:
quizlet.com

A school nurse is demonstrating the use of a peak flow meter to help children with chronic asthma recognize when they need to use a rescue inhaler. Which level of prevention is being used by the nurse?

A	Primary	
B	Secondary	
C	**Tertiary**	**CORRECT**
D	Both primary and secondary	

Q-359

SnleNotes.com

Student message:
patient is diagnosed with an RVS. The nurse implements isolation precautions as part of early case management to control the spread of infection. Which level of prevention?

Source:
quizlet.com

Which infectious disease intervention best represents the use of secondary prevention?

A	Clients with HIV infection are given medications to improve immunological response.	
B	Clients with HIV infection are encouraged to use condoms to protect sexual partners.	
C	Healthcare workers are encouraged to receive annual influenza vaccinations.	
D	**Healthcare workers are required to have a tuberculosis skin test or chest x-ray.**	**CORRECT**

Q-360

SnleNotes.com

Student message:
A hospital notices an increase in healthcare-associated infections. The infection control nurse searches the electronic database and retrieves records of patients who developed infections. Which data management function is being performed?

Source:
quizlet.com

A nurse accesses an EHR to retrieve immunization history before administering vaccines. Which EHR feature is being used?

A	Data processing	
B	Patient demographics	
C	Clinical documentation	
D	**Information retrieval**	**CORRECT**

Q-361

SnleNotes.com

Student message:
A patient is diagnosed with nephrotic syndrome. Which dietary recommendation is most appropriate?

Source:
quizlet.com

When caring for a patient with nephrotic syndrome, which food selection indicates the patient understands the diet teaching provided?

A	Peanut butter and crackers	
B	One small grilled pork chop	
C	**Salad made of fresh vegetables**	**CORRECT**
D	Spaghetti with canned spaghetti sauce	

Q-362

SnleNotes.com

Student message:
A researcher investigates the relationship between anti.blame culture and patient satisfaction. Which research design is being used?

Source:
quizlet.com

Nurse Serge is analyzing survey data to find correlations between patient satisfaction and the number of follow-up visits. Which research approach is he employing?

A	**Correlational Quantitative**	**CORRECT**
B	Phenomenological	
C	Exploratory Qualitative	
D	Experimental	

Q-363

SnleNotes.com

Student message:
A researcher uses a structured search strategy to identify, critically appraise, and synthesize findings from multiple studies addressing the same clinical question. Which type of research is this?

Source:
quizlet.com

Which type of research study, if well done, in the hierarchy of evidence is most likely to provide reliable answers to a specific clinical question?

A	**Systematic review**	**CORRECT**
B	Randomized controlled trials	
C	Descriptive studies	
D	Quality improvement projects	

Q-364

SnleNotes.com

Student message:
A pregnant woman delivers a newborn weighing 4,500 grams. Which maternal condition is most strongly associated with fetal macrosomia?

Source:
quizlet.com

Which of the following maternal condition is associated with fetal macrosomia?

A	**diabetes**	**CORRECT**
B	alcoholism	
C	hypertension	
D	smoking	

Q-365

SnleNotes.com

Student message:
A pregnant woman is diagnosed with complete placenta previa. The physician plans a cesarean delivery. What is the primary reason for this decision?

Source:
quizlet.com

What is the standard delivery approach when placenta previa persists near delivery?

A	Vaginal delivery	
B	**Cesarean delivery**	**CORRECT**
C	Forceps delivery	
D	No monitoring needed	

Q-366

SnleNotes.com

Student message:
When should the newborn receive the first hepatitis B vaccine dose?

Source:
quizlet.com

An infant is born at 39 weeks to a mother whose HBsAg status is negative. The infant is medically stable and weighs 3,100 g. When should the first dose of monovalent HepB vaccine be given?

A	**Within 24 hours of birth**	**CORRECT**
B	At 1 month of age	
C	At 2 months of age	
D	It is not needed since the mother is HBsAg–negative	

Q-367

SnleNotes.com

Student message:
A hospitalized infant is diagnosed with respiratory syncytial virus (RSV). Which isolation precautions are generally recommended?

Source:
quizlet.com

An infant is hospitalized for respiratory syncytial virus (RSV) bronchiolitis. Which precautions should the nurse implement?

A	Large-droplet precautions	
B	Airborne precautions	
C	**Contact precautions**	**CORRECT**
D	Protective precautions	

Q-368

SnleNotes.com

Student message:
A patient is admitted with suspected meningococcal meningitis. Which type of isolation should the nurse initiate?

Source:
quizlet.com

Which isolation precaution should the nurse implement for a client with meningitis?

A	**Droplet**	**CORRECT**
B	Contact	
C	Standard	
D	Reverse	

Q-369

SnleNotes.com

Student message:
سؤال مريض عنده كوفيد١٩ والممرضه حطته بغرفه وجهزت كل ppe equipment بشكل عام

Source:
quizlet.com

Which infection requires a negative pressure room?

A	**COVID-19 (aerosolizing procedure)**	**CORRECT**
B	Seasonal influenza	
C	Group A strep pharyngitis	
D	Impetigo	

Q-370

SnleNotes.com

Student message:
جاني عن فقدان الحرارة كان السوال بعد ولادة الطفل و الخيارات كلهم متشابهه بس حطيت المنطقي إلى أنا شفته في المستشفى انه اسوي دراي إلى الطفل و أحطه على صدر الأم و أغطيه بالبطانيه الخيارات الثانيه كانت انه اسوي دراي و أحطه في مكان الساخن و لا أغطيه بالبطانيه والرابع ناسيه ايش تاكدوا منه لو مر عليكم السوال ذا

Source:
quizlet.com

At birth, which should the nurse do to prevent heat loss in the newborn?

A	**Dry the infant.**	**CORRECT**
B	Place the infant on a flat surface.	
C	Monitor the temperature.	
D	Rub the infant's back.	

Q-371

SnleNotes.com

Student message:
سوال انه واحد معاه إيدز و نسيبه معاه في البيت وش اسوي كان في خيارين محتاره فيهم و حطيت انه يغسل ايده و ما يتعرض إلى التواصل واجد عشان المناعه بس مدري إذا صح علي او لا

Source:
quizlet.com

The nurse is obtaining vital signs for a client who has acquired immune deficiency syndrome (AIDS). Prior to entering the room, the nurse should do which of the following?

A	Wear gloves and a gown.	
B	**Perform hand hygiene.**	**CORRECT**
C	Review the client's viral load.	
D	Obtain a disposable stethoscope.	

Q-372

SnleNotes.com

Student message:
جاني طالبه كانت تهتم في طفل و بعدين جات مريضة ثانيه و قالت لها عن حالة الطفل الأول وش يعتبر سوت الطالبه يعتبر انه اخترقت سريه المريض

Source:
quizlet.com

A nurse preceptor is working with a student nurse. Which behavior by the student nurse will require the nurse preceptor to intervene?

A	The student nurse reads the patient's plan of care.	
B	The student nurse reviews the patient's medical record.	
C	**The student nurse shares patient information with a friend.**	**CORRECT**
D	The student nurse documents medication administered to the patient.	

Q-373

SnleNotes.com

Student message:
سوال الي احسب الحروق ٤,٥+٩+٩ و الوزن ٦٢ و نضربها في أربعه دي نسخ لصق احفظوها عشان تخزنون وقت

Source:
quizlet.com

Calculate the total fluid to be infused in the first 8 hours after arrival for an adult burn victim weighing 81 kg with a TBSA of 19%:

A	2,798 mL	
B	**3,078 mL**	**CORRECT**
C	12,312 mL	
D	6,156 mL	

Q-374

SnleNotes.com

Student message:
airborne جاني المليسا يعتبر ايش

Source:
quizlet.com

Which type of isolation precautions should be used for a patient suspected of having rubeola?

A	**airborne**	**CORRECT**
B	contact	
C	standard precautions	
D	droplet	

Q-375

SnleNotes.com

Student message:
A patient who had an above-the-knee amputation (AKA) due to diabetes complications complains of pain and itching in the missing ankle. What is the most appropriate initial nursing response?
A) Refer the patient to a psychiatrist.
B) Refer the patient to a neurologist.
C) Reassure the patient that phantom limb sensation is a real neurological phenomenon and validate his symptoms.
D) Inform the patient that the leg has been amputated and the sensation is impossible.

Source:
quizlet.com

Which statement best explains phantom limb pain after a below-knee amputation?

A	It has no physiological basis and is only in the client's mind	
B	It originates in superficial subcutaneous tissue	
C	**It is pain experienced as if it arises from the amputated limb**	**CORRECT**
D	It arises only from deep internal receptors	

Q-376

SnleNotes.com

Student message:

A female patient presents to the clinic complaining of severe symptoms related to premenstrual syndrome (PMS). Which of the following lifestyle modifications should the nurse recommend to help relieve her symptoms?
A) Increase caffeine intake.
B) Maintain complete bed rest.
C) Engage in regular physical activity.
D) Follow a strict sugar-free diet

Source:

quizlet.com

What should the gynecology clinic nurse recommend for the client experiencing premenstrual syndrome (PMS)?

A	Increase your consumption of red meat when you feel symptoms, and eat three large meals per day.	
B	**Engage in aerobic activity often throughout the month, and continue exercising when your symptoms begin.**	**CORRECT**
C	Decrease your dietary intake of dairy and soy slightly during the month, and especially during your days of bleeding.	
D	Eat more chocolate and drink more caffeine beginning a week prior to when your menstrual cycle bleeding should begin.	

Q-377

SnleNotes.com

Student message:

A physician is planning to conduct a sensory system assessment for a patient. Which of the following set of equipment should the nurse prepare for this procedure?

Source:

quizlet.com

The nurse is preparing to collect data during the reassessment of a patient's neurologic status. Which equipment is unnecessary for this procedure?

A	Clean gloves	
B	**Reflex hammer**	**CORRECT**
C	Cotton ball	
D	Pointed object	

Q-378

SnleNotes.com

Student message:

سوال وحده جت العياده تبي تاخذ تطعيمة HPV وعمرها ٣٢

Source:

quizlet.com

Which action should the nurse take when a 35-yr-old patient has a Pap test result of minor cellular changes?

A	Teach the patient about colposcopy.	
B	Teach the patient about punch biopsy.	
C	**Schedule another Pap test in 4 months.**	**CORRECT**
D	Administer human papillomavirus (HPV) vaccine.	

Q-379

SnleNotes.com

Student message:
اقولها تروح تسوي فحص

Source:
quizlet.com

Which of the following factors does not need to be considered when utilizing shared decision-making to evaluate the need to vaccinate an adult (27-45 years of age) with 9vHPV vaccine?

A	Patient's immunocompetency	
B	**HPV antibody test results**	**CORRECT**
C	Patient's sexual history, including lifetime sexual partners.	
D	Patient current relationship status	

Q-380

SnleNotes.com

Student message:
primary prevention سؤال تطعيمة الحج

Source:
quizlet.com

The nurse is working in a clinic that is designed to provide health education and immunizations. Which type of preventive care is the nurse providing?

A	**Primary prevention**	**CORRECT**
B	Secondary prevention	
C	Tertiary prevention	
D	Risk factor prevention	

Q-381

SnleNotes.com

Student message:
undergone a surgical repair for a cleft lip on the left side. Which of the following post-operative positions should the nurse place the child to minimize bleeding and protect the suture line?
A) Prone position
B) Right side-lying position
C) Left side-lying position
D) Supine flat on the back
B حطيت

Source:
quizlet.com

A nurse is caring for an infant who just underwent surgery for a cleft lip. In which position should the nurse place the infant?

A	Prone	
B	**Low Fowler**	**CORRECT**
C	Left side-lying	
D	Caregiver's shoulder	

Q-382

SnleNotes.com

Student message:
سؤال واحد حساب دوز وكان سهل

Source:
quizlet.com

The healthcare provider prescribes furosemide (Lasix) 15 mg IV stat. On hand is Lasix 20 mg/2 ml. How many milliliters should the nurse administer?

A	1 ml.	
B	**1.5 ml.**	**CORRECT**
C	1.75 ml.	
D	2 ml	

Q-383

SnleNotes.com

Student message:
جاني وكان يقول كيف طريقة عمل التلقيح الصناعي الخيارات نقل الحيوان إلى الرحم نقل البويضة إلى الخارج ـ نقل الحيوان والبيويضة إلى المختبر ثم الرحم

Source:
quizlet.com

Which assisted reproductive technology involves fertilizing an egg and sperm in a laboratory before transferring the embryo to the uterus?

A	Artificial insemination	
B	Surrogacy	
C	Tubal ligation reversal	
D	**In-vitro fertilization (IVF)**	**CORRECT**

Q-384

SnleNotes.com

Student message:
nursing interventions اي

Source:
quizlet.com

A client is receiving IV potassium. The IV pump displays an occlusion alarm. The tubing is free of occlusions, and the IV flushes easily without symptoms of infiltration. Which action should the nurse take next?

A	Discard the potassium and document administration of a partial dose.	
B	**Exchange the IV pump with a different one.**	**CORRECT**
C	Insert a new IV catheter in a different location.	
D	Remove the pump and administer the medication by gravity drip.	

Q-385

SnleNotes.com

Student message:
جاني كرايسيس لواحد عنده فازو كونستركشن كيف تعرفي انا الدنيا تمام معا اكوسجين ولا تشوفي الالم الجواب الالم

Source:
quizlet.com

The nurse completes an admission assessment on a child with sickle cell anemia who is experiencing a painful vaso-occlusive crisis. Which nursing action would be a priority for the nurse to implement?

A	Provide oxygen therapy	
B	**Administer an analgesic**	**CORRECT**
C	Initiate a blood transfusion	
D	Monitor intravenous fluids	

Q-386

SnleNotes.com

Student message:
سوال icp مرتفعه لطفل عمره 2 بلجينق

Source:
quizlet.com

A nurse is assessing an infant for increased ICP. Which finding is most concerning?

A	Soft anterior fontanel	
B	**Bulging fontanel**	**CORRECT**
C	Regular feeding pattern	
D	Equal pupil size	

Q-387

SnleNotes.com

Student message:
جاني كيف نمنع البيبي انه يفقد الحراره بـevaporation و conduction الجواب ننشفه اول بعدين نلفه في بطانيه والباقي الخيارات غلط

Source:
quizlet.com

Nurses can prevent evaporative heat loss in the newborn by:

A	**drying the baby after birth and wrapping the baby in a dry blanket.**	**CORRECT**
B	keeping the baby out of drafts and away from air conditioners.	
C	placing the baby away from the outside wall and the windows.	
D	warming the stethoscope and the nurse's hands before touching the baby.	

Q-388

Student message:
A newborn girl born to a mother with diabetes mellitus is transferred to the NICU after delivery. The newborn refuses both breastfeeding and formula feeding. Which of the following is the most appropriate nursing intervention?

Source:
quizlet.com

Four hours after delivery of a healthy neonate of an insulin-dependent diabetic woman, the baby appears jittery, irritable, and has a high-pitched cry. Which nursing action has top priority?

A	Start an intravenous line with D5W.	
B	Notify the clinician stat.	
C	Document the event in the nurses' notes.	
D	**Test for blood glucose level.**	**CORRECT**

Q-389

Student message:
A woman is undergoing induced labor with an oxytocin infusion. She has 1–2 uterine contractions every 10 minutes, lasting 60–80 seconds each. The mother's vital signs are stable, and the fetal heart rate is 130–140 beats/min. What is the most appropriate nursing action?
A. Increase the oxytocin dose and inform the physician.
B. Maintain the current oxytocin dose.
C. Decrease the oxytocin dose, reposition the mother, and inform the physician.

Source:
quizlet.com

A pregnant patient is being induced with oxytocin, which has been infusing for 1 hour. The initial rate was 6 milliunits/min, and the rate now is 18 milliunits/min. The nurse notes regular contractions occurring every 3 minutes, each lasting 35 seconds. The nurse will:

A	Increase the rate by 1 to 2 milliunits/min every 15 to 40 minutes.	
B	**Increase the rate by 3 to 6 milliunits/min every 15 to 40 minutes.**	**CORRECT**
C	Interrupt the infusion and monitor the patient before restarting it.	
D	Interrupt the infusion and notify the provider of oxytocin toxicity.	

Q-390

Student message:

An adult patient is diagnosed with latent tuberculosis (TB) infection. The healthcare provider prescribes treatment to prevent the infection from تقريبًا كذا كان السؤال progressing to active TB disease. For how long should the patient take the medication?

A. 1 month
B. 3 months
C. 6 months
D. 12 months

Source:

quizlet.com

The nurse is educating the patient who will be started on an anti-tuberculosis medication regimen. The patient asks the nurse, "How long will I have to be on these medications?" What should the nurse tell the patient?

A	3 weeks	
B	3 months	
C	**6-12 months**	**CORRECT**
D	13-18 months	

Q-391

Student message:

Which condition means newborn's Enlarged tests ?

Source:

quizlet.com

Which medical condition would cause a patient's scrotum to have a red glow of serous fluid upon transillumination?

A	Hernia	
B	**Hydrocele**	**CORRECT**
C	Orchitis	
D	Testicular tumor	

Q-392

Student message:

Secondary infertility: Previous pregnancy, but unable to conceive again.

Source:

quizlet.com

What does the diagnosis of secondary infertility refer to?

A	Has never conceived	
B	Is infertile because of repeated infection	
C	**Has conceived but is now unable to do so**	**CORRECT**
D	Is over the age of 38	

Q-393

SnleNotes.com

Student message:

A nurse is providing dietary education to a pregnant woman. Which food should the nurse advise her to avoid?
A. Pasteurized milk
B. Well-cooked meat
C. Uncooked meat and fish
D. Fresh fruits and vegetables

Source:

quizlet.com

A midwife is providing instructions to a group of pregnant clients regarding measures to prevent toxoplasmosis. Which statement if made by one of the clients indicates a need for further instructions?

A	I need to cook meat thoroughly.	
B	I need to avoid touching mucous membranes of the mouth or eyes while handling raw meat.	
C	**I need to drink unpasteurized milk only.**	**CORRECT**
D	I need to avoid contact with materials that are possibly contaminated with cat feces.	

Q-394

SnleNotes.com

Student message:

is caring for a woman in the postpartum period. Which life-threatening complication is the client at increased risk of developing?
A. Hypoglycemia
B. Pulmonary embolism
C. Hyperthyroidism
D. Appendicitis

Source:

quizlet.com

Which of the following findings indicates a possible pulmonary embolism in a postpartum woman?

A	Gradual leg swelling and tenderness	
B	**Sudden sharp chest pain, tachypnea, and cyanosis**	**CORRECT**
C	Painful, reddened breast with fever	
D	Heavy vaginal bleeding with a boggy uterus	

Q-395

SnleNotes.com

Student message:

A nurse visits an older adult patient at home for a follow-up after hospital discharge. The nurse finds the patient confused and disoriented. Which condition should the nurse suspect?
A. Alzheimer's disease
B. Delirium
C. Depression
D. Anxiety disord

Source:

quizlet.com

A family member reports that the client had been oriented and able to carry on a logical conversation last evening, but this morning is confused and disoriented. The nurse can suspect that the client is displaying symptoms associated with which cognitive disorder?

A	Amnesic disorder	
B	Selective inattention	
C	**Delirium**	**CORRECT**
D	Dementia	

Q-396

SnleNotes.com

Student message:

سؤال مريض عنده زهايمر ايش التدخل الي يضمن ال safety ناسيه الخيرات بس غالبًا كان فيها انو اقفل باب البيت او انو نحط سجاد ثابت وكذا

Source:

quizlet.com

An action the psychologist can advise a family to take in the home setting to enhance safety for the family member with Alzheimer's disease is:

A	placing throw rugs on tile or wooden floors.	
B	instructing patient on cooking safety.	
C	allowing patient to smoke unattended.	
D	**having patient wear an identification bracelet with name, address, and telephone number.**	**CORRECT**

Q-397

SnleNotes.com

Student message:

Hypermesis gravidium is a common accurance for pregnant women, and there is home remedies that has been proven to relive nausea and vomiting. Which one of the following is one of them?

Source:

quizlet.com

the client who is 8 weeks pregnant, tells the nurse that she wants to try an herbal remedy for treating nausea. Which herb should the nurse suggest?

A	**ginger**	**CORRECT**
B	milk thistle	
C	black cohosh	
D	echinacea	

Q-398

SnleNotes.com

Student message:
A nurse manager involves staff members in decision-making and encourages then to work together. Which term best describes this approach?

Source:
quizlet.com

A nurse manager encourages staff to openly discuss concerns and develop a shared solution that benefits all parties. Which strategy is MOST effective?

A	Avoiding	
B	Competing	
C	**Collaborating**	**CORRECT**
D	Smoothing	

Q-399

SnleNotes.com

Student message:
nurse visits a woman for her first postpartum follow-up 15 days after delivery. The nurse observes bright red vaginal bleeding (lochia rubra). Which assessment should the nurse perform?
A. Assess uterus size and location

Source:
quizlet.com

A woman gave birth 2 hours ago. The nurse notes small clots and a moderate amount of lochia accumulated on the perineal pad. What is the nurse's first action?

A	Perform urinary catheterization.	
B	Measure the amount of blood loss.	
C	**Check the fundus for position and consistency.**	**CORRECT**
D	Request an oxytocin prescription.	

Q-400

SnleNotes.com

Student message:
infection = يدل على ايش discharge (Purulent) from wound سؤال عن

Source:
quizlet.com

A nurse assessing a client's wound documents the finding of purulent drainage. What is the composition of this type of drainage?

A	Clear, watery blood	
B	Large numbers of red blood cells	
C	Mixture of serum and red blood cells	
D	**White blood cells, debris, bacteria**	**CORRECT**

Q-401

SnleNotes.com

Student message:

A nurse is caring for a woman who develops uterine atony after delivery. Which of the following is a risk factor for this condition?
A. Prolonged labor

Source:

quizlet.com

After birth, the nurse monitors the mother for postpartum hemorrhage secondary to uterine atony. Which clinical finding would increase the nurse's concern regarding this risk?

A	Hypovolemia	
B	Iron–deficiency anemia	
C	**Prolonged use of oxytocin**	**CORRECT**
D	Uteroplacental insufficiency	

Q-402

SnleNotes.com

Student message:

حامل وخايفه عندها UTI لأن صاير عندها frequent urination و النيرس تقولها طبيعي بالحمل ايش نعطيها انستركشن؟

Source:

quizlet.com

A nurse in a prenatal clinic is caring for a client who is at 7 weeks of gestation. The client reports urinary frequency and asks if this will continue until delivery. Which of the following responses should the nurse make?

A	It's a minor inconvenience, which you should ignore.	
B	In most cases it only lasts until the 12th week, but it will continue if you have poor bladder tone.	
C	There is no way to predict how long it will last in each individual client.	
D	**It occurs during the first trimester and near the end of the pregnancy.**	**CORRECT**

Q-403

SnleNotes.com

Student message:

وحده حامل ايش الاكل الي ممنوع تاكله كان فيه بالاختيارات Uncooked meat and fish

Source:

quizlet.com

A nurse is reinforcing safe food practices with a pregnant client. Which food should the nurse tell her to avoid?

A	Pasteurized yogurt	
B	Grilled salmon	
C	**Sushi with raw tuna**	**CORRECT**
D	Cooked shrimp	

Q-404

SnleNotes.com

Student message:
A patient with rubella needs admission to the ward, but no room with negative pressure or isolation facilities is available. What should the charge nurse do?

Source:
quizlet.com

A school-age patient with rubella is placed in droplet precautions. Which action should the nurse take when implementing these precautions?

A	Use a mask with a HEPA filter.	
B	Instruct to cough into the hands.	
C	**Wear a mask when providing care.**	**CORRECT**
D	Assign to a negative air pressure room.	

Q-405

SnleNotes.com

Student message:
على طول تغير الماسك ?Bath for patients with chickenpox and her mask becomes wet what should the nurse do النيرس كانت تسوي

Source:
quizlet.com

The surgical mask the perioperative nurse is wearing becomes moist. Which action will the perioperative nurse take next?

A	**Apply a new mask.**	**CORRECT**
B	Reapply the mask after it air-dries.	
C	Change the mask when relieved by next shift.	
D	Do not change the mask if the nurse is comfortable.	

Q-406

SnleNotes.com

Student message:
HIV vaccine شخص جاي ياخي

Source:
quizlet.com

An HIV-positive client questions the nurse about a vaccine for HIV. Which response by the nurse is most accurate?

A	**Scientists are far from developing a vaccine to prevent HIV.**	**CORRECT**
B	The HIV vaccines developed can prevent fatal consequences of the virus.	
C	Scientists currently have many HIV vaccines in clinical trials.	
D	Scientists are close to discovering a vaccine for HIV.	

Q-407

Student message:
ولا تسوي اديكايشن عن ال vaccine

Source:
quizlet.com

Which of the following statements regarding HIV is correct?

A	HIV is far more contagious than hepatitis B.	
B	**There is no vaccine against HIV infection.**	**CORRECT**
C	HIV is easily transmittable in the EMS field.	
D	HIV is transmitted exclusively via blood.	

Q-408

Student message:
جاني السؤال اللي الام حملت المره الثالثه في بنت وتبكي وزعلانه وتبي تجهض وان اهلها مايبون بنت وش نسوي مع حالته

Source:
quizlet.com

What nursing intervention is best when a patient is struggling with the decision to abort an abnormally developing fetus discovered during genetic testing in the first trimester of pregnancy?

A	Recommend additional testing	
B	Refer the patient to an abortion clinic	
C	**Listen to the patient's concerns**	**CORRECT**
D	Discuss regional adoption agencies	

Q-409

Student message:
جاني نيرس لقت عند البيشنت علبة دواء فاضيه ومو مكتوبه بالاوردر النيرس عطت المريض دواء غلط

Source:
quizlet.com

What is the nurse's FIRST action upon discovering a medication error that caused no harm to the client?

A	Document the error in the nurse's notes.	
B	Notify the provider.	
C	Complete an incident report.	
D	**Assess the client.**	**CORRECT**

Q-410

SnleNotes.com

Student message:
سؤال امي عندها سكر وولدت بس البيبي مايرضع لا طبيعي ولا صناعي وش نسوي؟ في خيار نعطيه ديكستروز 5 و الخيار الثاني كان تدفين البيبي والباقي غلط مالهم دخل

Source:
quizlet.com

Which is the primary treatment for hypoglycemia in newborns with feeding intolerance?

A	Oral glucose feedings	
B	**Intravenous infusion of glucose**	**CORRECT**
C	Short-term insulin therapy	
D	Formula or breast milk feedings at least every 2 hours	

Q-411

SnleNotes.com

Student message:
سؤال مريض عنده الم تحت يمين واحتمال زايده وسوا فحص يلف الرجل والحوض وش اسم الاختبار ذا

Source:
quizlet.com

You suspect appendicitis in an 18-year-old client. With his right hip and knee flexed, you slowly rotate his right leg internally. He reports pain in the right lower quadrant. Which sign did you elicit?

A	Rovsing sign	
B	Psoas sign	
C	**Obturator sign**	**CORRECT**
D	McBurney sign	

Q-412

SnleNotes.com

Student message:
وش اسم الجهاز اللي يفحص البريست كانسر

Source:
quizlet.com

The American College of Radiology and ACOG recommend that average-risk women begin routine screening mammography at age:

A	30	
B	**40**	**CORRECT**
C	55	
D	65	

Q-413

SnleNotes.com

Student message:
سؤال حامل عندها انقباضات غير منتظمه وش تسوي عشان يخف ترتاح او تمشي؟

Source:
quizlet.com

Which characteristic is associated with false labor contractions?

A	Painless contractions	
B	**Decrease in intensity with ambulation**	**CORRECT**
C	A regular pattern of frequency	
D	Progressively increased intensity and duration	

Q-414

SnleNotes.com

Student message:
Research Study about covid19 in period of march 2023 until October2024. Which types of research? شي زي كذا

Source:
quizlet.com

In which type of study is the researcher aware of the outcome and works backward to investigate potential causes?

A	Prospective	
B	Cross-sectional	
C	**Retrospective**	**CORRECT**
D	Longitudinal	

Q-415

SnleNotes.com

Student message:
Retrospective ذا الجواب لانه يدرس شي بالماضي

Source:
quizlet.com

A study utilized the medical records of nursing home residents as the source of data for the study. This is an example of which type of study?

A	Longitudinal	
B	**Retrospective**	**CORRECT**
C	Prospective	
D	Cross-sectional	

Q-416

SnleNotes.com

Student message:
researcher want to conduct a research for measles vaccine at 1 year of age then will remeasure again at age of 6 years in the relation to healthy child. What is the

Source:
quizlet.com

Professor Sanchez is interested in studying development of motor skills. She collects data from 200 one-year-olds and follows and assesses them for a period of five years. What type of research design is Professor Sanchez using?

A	Cohort	
B	**Longitudinal**	**CORRECT**
C	Correlational	
D	Cross-sectional	

Q-417

SnleNotes.com

Student message:
type of research?
A. Longitudinal/correlation الاجابه ذي فيه علاقه ومدتها طويله
B. Longitudinal/ Cross sectional
C. Cross sectional/correlation

Source:
quizlet.com

Data collection instruments were sent to the same sample of women at six different times during the first year of living with breast cancer. What type of study design does this exemplify?

A	Cross-sectional	
B	Retrospective	
C	**Longitudinal**	**CORRECT**
D	Correlational	

Q-418

SnleNotes.com

Student message:
الرضاعه للطفل وش يكون?

Source:
quizlet.com

A primiparous client who is beginning to breast-feed her neonate asks the nurse, "Is it important for my baby to get colostrum?" When instructing the client, the nurse would explain that colostrum provides the neonate with:

A	More fat than breast milk.	
B	Vitamin K, which the neonate lacks.	
C	Delayed meconium passage.	
D	**Passive immunity from maternal antibodies.**	**CORRECT**

Q-419

SnleNotes.com

Student message:
كيف تكشف اذا فيه sickle cell anemia?

Source:
quizlet.com

Which of the following tests distinguish between whether a person has the sickle trait or sickle cell disease?

A	Sickledex	
B	**Hgb electrophoresis**	**CORRECT**
C	Blood culture	
D	Urinalysis	

Q-420

SnleNotes.com

Student message:
مريض يعاني من nocturia وش تقول له؟

Source:
quizlet.com

To minimize nocturia, what should the nurse teach the patient to do?

A	Perform perineal hygiene after urinating.	
B	Set up a toileting schedule.	
C	Double void.	
D	**Limit fluids before bedtime.**	**CORRECT**

Q-421

SnleNotes.com

Student message:
جاني ان الفسيولجي وش وحاطين من الخيارات Gastric outlet obstruction حطيتها

Source:
quizlet.com

A nurse is teaching a group of nursing students about the pathophysiology of hypertrophic pyloric stenosis. Which statement indicates correct understanding?

A	HPS results from a failure of neural crest cell migration.	
B	**The pyloric sphincter becomes hypertrophied, leading to gastric outlet obstruction.**	**CORRECT**
C	HPS is caused by an absence of ganglion cells in the intestines.	
D	A lack of surfactant production leads to hypertrophy of the pyloric sphincter.	

Q-422

SnleNotes.com

Student message:
جاني زي ذا بس حاطين انهم فحصوا التنفس والقلب والنيورو وايش باقي وحاطين خيارات

Source:
quizlet.com

Which assessment components are included in the initial PACU assessment?

A	**Airway, breathing, circulation, disability (neuro), pain, dressings/incisions, IVs/drains, temperature/skin color, hydration**	**CORRECT**
B	Only vital signs and pain	
C	Only dressings and neuro checks	
D	Only oxygen saturation	

Q-423

SnleNotes.com

Student message:
وطفله كيف امنع عنها uti

Source:
quizlet.com

A nurse is educating a female about hygiene measures to reduce her risk for urinary tract infection. What does the nurse instruct the client to do?

A	Douche–but only once a month.	
B	Use only white toilet paper.	
C	**Wipe from your front to your back.**	**CORRECT**
D	Wipe with the softest toilet paper available.	

Q-424

SnleNotes.com

Student message:
infiltration حقت واعراض ببروده ويحس iv مركب ومريض

Source:
quizlet.com

The nurse assesses a peripheral IV site and finds pallor, swelling, cool skin, and a damp dressing. Which complication should the nurse suspect?

A	Phlebitis	
B	**Infiltration**	**CORRECT**
C	Cellulitis	
D	Fluid overload	

Q-425

SnleNotes.com

Student message:
ومريضه حامل مدري كم الاسبوع بس قليل وجاها Braxton Hicks contractions وداقه خايفه وش تقولها

Source:
quizlet.com

A pregnant client is seen for a regular prenatal visit and tells the nurse about experiencing irregular contractions. The nurse determines that the client is experiencing Braxton Hicks contractions. On the basis of this finding, which nursing action is appropriate?

A	Contact the primary health care provider.	
B	Instruct the client to maintain bed rest for the remainder of the pregnancy.	
C	**Inform the client that these contractions are common and may occur throughout the pregnancy.**	**CORRECT**
D	Call the maternity unit and inform them that the client will be admitted in a preterm labor condition.	

Q-426

SnleNotes.com

Student message:
ومريض الدكتور كتب له ١٢٥ مل بالساعه وركبت له الممرضه ٥٠٠ مل وبعد ساعه شافت ان الباق فاضيه وش تسوي؟

Source:
quizlet.com

When the nurse checked the patient an hour ago, 800 ml was left in the bag. The bag is now empty. What should the nurse do first?

A	Check the IV site for infiltration.	
B	**Assess vital signs, lungs, and urine output and notify the practitioner.**	**CORRECT**
C	Hang another bag and run it at half the usual rate.	
D	Hang another bag so the IV site does not clot.	

Q-427

SnleNotes.com

Student message:
سوال وش تجيب معك اذا بتفحص النيرف ٩-١٠

Source:
quizlet.com

What equipment would be necessary to complete an evaluation of cranial nerves 9 and 10 during a physical assessment?

A	A cotton ball	
B	A penlight	
C	An ophthalmoscope	
D	**A tongue depressor and flashlight**	**CORRECT**

Q-428

SnleNotes.com

Student message:

مريض نفسي اخذ benzodiazepine overdose والدكتور عطاه flumazenil(antidot) وش تنتبه عليه قبل تعطي المريض؟

Source:

quizlet.com

You are performing procedural sedation to repair a complex facial laceration on a child in the ED. Unfortunately your patient is progressing from clinical signs of moderate sedation to deep sedation and is in need of reversal using flumazenil. In which of the following scenarios is the use of flumazenil appropriate?

A	**Patient is younger than 3 years old and had a glass of milk four hours ago**	**CORRECT**
B	Patient has been given IV ketamine as a single agent for sedation	
C	Patient exhibits signs of seizure activity during procedural sedation	
D	Patient has been given IV fentanyl as a single agent for sedation	

Q-429

SnleNotes.com

Student message:

واحد مركب peacemaker وش اقول مايسوي صراحه كانت غريبه ومافيه ان مايدخل mri كالمعتاد بس حطيت ان مايشيل وزن اكثر ٢٠ والمفترض ٤

Source:

quizlet.com

A client with a new pacemaker asks if they can use a cellphone. Which teaching is best?

A	You should never use a cellphone again.	
B	**Keep the cellphone away from the pacemaker site.**	**CORRECT**
C	Place the cellphone directly over the pacemaker to check if it works.	
D	Only use a cellphone if the pacemaker is temporary.	

Q-430

SnleNotes.com

Student message:

المعادلات جاتني فقط معادلتين drop factor و doctor oreder

Source:

quizlet.com

A client with acute kidney injury is receiving a fluid challenge of 500 mL of normal saline over 1 hour. With a drop factor of 20 drops/mL, how many drops per minute does the nurse infuse?

A	188 gtts/min	
B	172 gtts/min	
C	**167 gtts/min**	**CORRECT**
D	152 gtts/min	

Q-431

SnleNotes.com

Student message:
A nurse is monitoring a 2-month-old child with hydrocephalus. What sign or symptom of increased intracranial pressure should the nurse monitor for?
Answer: Bulging in both fontanels with or without enlargement.

Source:
quizlet.com

What clinical manifestations suggest hydrocephalus in an infant?

A	Closed fontanel and high-pitched cry	
B	**Bulging fontanel and dilated scalp veins**	**CORRECT**
C	Constant low-pitched cry and restlessness	
D	Depressed fontanel and decreased blood pressure	

Q-432

SnleNotes.com

Student message:
child with a ventriculoperitoneal (VP) shunt develops fever, swelling and redness in the site of the incision?
Answer: VP shunt infection

Source:
quizlet.com

A 10-month-old infant with hydrocephalus is admitted for suspected shunt infection. Which assessment finding should the nurse report to the healthcare provider immediately?

A	The infant is irritable and has a high-pitched, piercing cry.	
B	**There is a visible 3 cm area of redness and swelling along the subcutaneous shunt tract on the neck.**	**CORRECT**
C	The anterior fontanel is flat when the infant is held in a sitting position.	
D	The infant's heart rate is 118 beats per minute while sleeping.	

Q-433

SnleNotes.com

Student message:
A nurse is caring for a patient with hyperparathyroidism who presents with nausea, vomiting, abdominal pain, muscle weakness to manage the patient's hypercalcemia?
Answer: Administer IV fluids combined with calcitonin

Source:
quizlet.com

What is the recommended initial fluid therapy for everyone with confirmed hypercalcemia?

A	Intravenous Lactated Ringer's (LR)	
B	**Intravenous Normal Saline (NS)**	**CORRECT**
C	Dextrose 5% in Water (D5W)	
D	Half-Normal Saline (0.45% NS)	

Q-434

SnleNotes.com

Student message:
9 year old child with arm fracture, when the fracture excepted to heal? 9-11 weeks

Source:
quizlet.com

A 3-year-old child has a femoral shaft fracture. The nurse recognizes that the approximate healing time for this child is how long?

A	2 weeks	
B	**4 weeks**	**CORRECT**
C	6 weeks	
D	8 weeks	

Q-435

SnleNotes.com

Student message:
A pregnant woman prescribed folic acid for 3 months. Which statement by the mother indicates correct understanding of the teaching?
Answer: the folic acid will prevent my baby to get neural tube defects.

Source:
quizlet.com

The nurse is providing nutrition counseling for a patient planning pregnancy. Which nutrient should be emphasized to prevent neural tube defects?

A	**Folic acid**	**CORRECT**
B	Calcium	
C	Protein	
D	Vitamin D	

Q-436

SnleNotes.com

Student message:
A baby came to ER with Fever, rash filled with fluid, what is the diagnose? Chickenpox

Source:
quizlet.com

A 6-month-old infant presents to the pediatrician's office with a two-day history of increased fussiness, poor feeding, low-grade fever and rash. The family returned from a trip to India last week. The rash appears on the trunk in several stages of erythematous macules, vesicular papules and pustules. Which of the following is the most likely diagnosis?

A	Herpes simplex	
B	Measles	
C	Pityriasis rosea	
D	**Varicella**	**CORRECT**

Q-437

SnleNotes.com

Student message:
Patient take anti-psychotic developed muscle rigidity and restlessness, what the symptoms anticipate?

Source:
quizlet.com

A client is diagnosed with schizophrenia. A physician orders haloperidol (Haldol) 50 mg bid, benztropine (Cogentin) 1 mg prn, and zolpidem (Ambien) 10 mg HS. Which client behavior would warrant the nurse to administer benztropine?

A	Tactile hallucinations	
B	Tardive dyskinesia	
C	**Restlessness and muscle rigidity**	**CORRECT**
D	Reports of hearing disturbing voices	

Q-438

SnleNotes.com

Student message:
A women ask about non-invasive methods to prevent pregnancy, she has irregular periods what is most suitable for her? Male Condum

Source:
quizlet.com

She knows she has been taking too many risks in her sexual encounters and would like to begin using contraception. She is also concerned about acquiring a sexually transmitted infection. Which method of contraception should the nurse recommend to April?

A	Injectable depot medroxyprogesterone	
B	Nexplanon	
C	Intrauterine device	
D	**Male condom**	**CORRECT**

Q-439

SnleNotes.com

Student message:
Questions about how Saudi Arabia controlled the transmission of dangue fever حطيت الاجابه ان سووا كنترول على تجمعات الباعوض والمياه الراكده

Source:
quizlet.com

Which of these is an example of a 'source reduction' strategy to prevent dengue fever or zika virus?

A	**Dumping or draining all sources of standing water**	**CORRECT**
B	wearing long sleeves	
C	using insect repellent	
D	sleeping under a mosquito	

Q-440

SnleNotes.com

Student message:
سوال عن فاميلي يبون يشغلون قران وش يسوي الممرض

Source:
quizlet.com

A Muslim patient is scheduled for transplant surgery. The patient asks the nurse to postpone the operation for an hour so that the evening prayers can be completed before the operation. How would the nurse respond to such a request?

A	Ask the patient to finish his prayers early.	
B	Offer to pray on his behalf so the operation is on time.	
C	Ask the family to persuade the patient to be on time for surgery.	
D	**Agree to the patient's request and postpone surgery.**	**CORRECT**

Q-441

SnleNotes.com

Student message:
سوال عن الqid في 24 ساعه حسبه دواء

Source:
quizlet.com

A client is prescribed 1 tablespoon of guaifenesin (Robitussin) every 6 hours. Over the last 24 hours, how many milliliters of the medication has the client ingested?

A	15 mL	
B	30 mL	
C	**60 mL**	**CORRECT**
D	6 mL	

Q-442

SnleNotes.com

Student message:
سوال مدير يسوي براكتس للبلود ترانفيوشن وش الحاله الي يختارها للممرضين الجدد ، حطيت واحد عمره 18 عنده انيميا

Source:
quizlet.com

A hospitalized client with severe anemia is to receive a unit of blood. Which facet of care is most appropriate for the newly licensed practical nurse?

A	Initiating the IV of normal saline	
B	**Monitoring the client's vital signs**	**CORRECT**
C	Initiating the blood transfusion	
D	Notifying the physician of a reaction	

Q-443

SnleNotes.com

Student message:

سوال عن بيشنت تشخصت بمرض سرطان الثدي و مو مصدقه تقول عيدو التحاليل

Source:

quizlet.com

A client receives a diagnosis of cancer after a biopsy of a suspicious lymph node. The client states, "You must have made a mistake, I want a second opinion." Which stage of grief is the client experiencing?

A	**Denial**	**CORRECT**
B	Anger	
C	Bargaining	
D	Despair	

Q-444

SnleNotes.com

Student message:

A patient with schizophrenia has pulled out his IV cannula four times within 12 hours. Which of the following is the most appropriate nursing intervention?
A. Apply physical restraints
B. Ignore the patient's behavior
C. Increase the dose of Haloperidol (Haldol) as prescribed.
D. Reinsert the the patient in the bed

Source:

quizlet.com

An older adult client who receives intravenous (IV) fluids is making wide gesticulations with her arms and loudly insulting the nursing staff. Which intervention should the nurse implement to maintain safe, effective nursing care initially?

A	Apply bilateral upper extremity restraints.	
B	Administer haloperidol for agitation.	
C	Close the door to her room to reduce the noise.	
D	**Determine the patient's needs.**	**CORRECT**

Q-445

SnleNotes.com

Student message:

جاني الجواب تحط تورنكيت بعد ماتختار مكان الiv

Source:

quizlet.com

A nurse is preparing to start peripheral intravenous (IV) therapy. In which order will the nurse perform the steps starting with the first one? 1. Clean site. 2. Select vein. 3. Apply tourniquet. 4. Release tourniquet. 5. Reapply tourniquet. 6. Advance and secure. 7. Insert vascular access device.

A	1, 3, 2, 7, 5, 4, 6	
B	1, 3, 2, 5, 7, 6, 4	
C	3, 2, 1, 5, 7, 6, 4	
D	**3, 2, 4, 1, 5, 7, 6**	**CORRECT**

Q-446

SnleNotes.com

Student message:
child with ADHD has difficulty maintaining attention. Which instruction should the nurse give to the parents?
A. Avoid giving the child rewards for appropriate behavior.
B. Give the child short, clear, and simple instructions.
C. Give several instructions at the same time.
D. Punish the child whenever he becomes distracted.

Source:
quizlet.com

Sophie is 11 years old and has a diagnosis of ADHD. Her parents report and provide documentation from her teachers that Sophie is distracted easily and is unable to complete classroom activities, even in the presence of minimal stimulation. A nursing diagnosis of noncompliance with task expectations has been determined, with a short-term goal that Sophie will participate in and cooperate during therapeutic activities. Which nursing intervention is most appropriate?

A	Establish goals that allow Sophie to complete part of the task, rewarding each step completion with a break for physical activity.	
B	Ask Sophie to repeat instructions to you.	
C	Provide assistance on a one-to-one basis, beginning with simple, concrete instructions.	
D	**Provide an environment for task efforts that is as free of distractions as possible.**	**CORRECT**

Q-447

SnleNotes.com

Student message:
magnesium sulfate develops signs of magnesium toxicity. Which medication is the antidote?

Source:
quizlet.com

Calcium gluconate is the antidote for:

A	**Magnesium sulfate toxicity**	**CORRECT**
B	Hyperkalemia	
C	Digoxin toxicity	
D	Heparin overdose	

Q-448

SnleNotes.com

Student message:
When is routine screening for gestational diabetes usually performed?

Source:
quizlet.com

Gestational diabetes is routinely screened at what gestational age?

A	16–18 weeks	
B	20–22 weeks	
C	**24–28 weeks**	**CORRECT**
D	32–34 weeks	

Q-449

Student message:
A pregnant patient has a blood pressure of 190/110 mmHg. How should the nurse interpret this finding?

Source:
quizlet.com

A 31-year-old client at 34 weeks gestation is admitted with BP 166/112, headache, visual spots, 4+ reflexes, and ankle clonus. Which condition is the client most likely experiencing?

A	Gestational hypertension	
B	**Severe preeclampsia**	**CORRECT**
C	Chronic hypertension	
D	HELLP syndrome	

Q-450

Student message:
A patient develops a rash after receiving a medication. Which term describes this possible medication-related reaction?

Source:
quizlet.com

The nurse observes that a patient has a rash, itchy skin, inflammation and swelling of the nasal passages, and raised skin eruptions after intravenous drug administration. Which type of drug effect is the patient experiencing?

A	Side effect	
B	Toxic effect	
C	**Allergic effect**	**CORRECT**
D	Adverse effect	

Q-451

Student message:
A premature newborn has respiratory distress syndrome due to surfactant deficiency. How is surfactant administered?

Source:
quizlet.com

By which route of administration would the nurse give beractant?

A	Intravenous	
B	Intramuscular	
C	Intrathecal	
D	**Intratracheal**	**CORRECT**

Q-452

SnleNotes.com

Student message:
A nurse is providing discharge education to a blind patient. Which method is most appropriate?

Source:
quizlet.com

Which teaching tool is beneficial for patients with reading comprehension problems and visual deficits?

A	Graphs	
B	Physical objects	
C	**Audiovisual materials**	**CORRECT**
D	Computer instruction	

Q-453

SnleNotes.com

Student message:
What is the recommended total weight gain during pregnancy for a woman with a normal pre-pregnancy BMI?

Source:
quizlet.com

A client presents to the health care clinic for her first prenatal visit. The client's current nonpregnant weight is normal for her height. What recommendation for proper weight gain should the nurse discuss with the client?

A	15 to 25 pounds	
B	**25 to 35 pounds**	**CORRECT**
C	35 to 40 pounds	
D	35 to 45 pounds	

Q-454

SnleNotes.com

Student message:
28. How is the BMI classified?

Source:
quizlet.com

Your patient has a BMI of 28. The APN considers this patient to be:

A	Underweight	
B	Normal weight	
C	**Overweight**	**CORRECT**
D	Obese	

Q-455

SnleNotes.com

Student message:
A patient with schizophrenia repeatedly removes the IV cannula. What is the most appropriate nursing approach?

Source:
quizlet.com

The nurse is caring for a patient who suddenly becomes confused and tries to remove an intravenous (IV) infusion. Which priority action will the nurse take?

A	**Assess the patient.**	**CORRECT**
B	Gather restraint supplies.	
C	Try alternatives to restraint.	
D	Call the health care provider for a restraint order.	

Q-456

SnleNotes.com

Student message:
A researcher evaluates the effectiveness of a teaching program on students' knowledge. What is the dependent variable?

Source:
quizlet.com

What is the dependent variable in the research question, "Does computerized note taking improve test scores for nursing students?"

A	Nursing students	
B	Computers	
C	**Test scores**	**CORRECT**
D	Computerized note taking	

Q-457

SnleNotes.com

Student message:
A patient is taking iron supplements but has a low hemoglobin level. Which instruction can help improve iron absorption?

Source:
quizlet.com

A patient with anemia receives a new prescription for oral iron supplements. What should the nurse include in the medication education related to improving the absorption of the supplement?

A	Take it with meals.	
B	Take it one hour after eating.	
C	**Take it one hour before breakfast, with orange juice.**	**CORRECT**
D	Take it on an empty stomach with a full glass of water.	

Q-458

SnleNotes.com

Student message:
A patient with dementia is prescribed a medication in capsule form for the first time. What is the most appropriate nursing action?

Source:
quizlet.com

Which consideration is important for a patient taking oral medications?

A	**The patient's ability to swallow**	**CORRECT**
B	The patient's admission weight in kilograms as stated by the patient	
C	Administering powdered medications 1 hour after mixing them at the bedside	
D	The use of an injectable medication syringe to administer oral medication	

Q-459

SnleNotes.com

Student message:
A patient with threatened abortion is admitted to the hospital. Which intervention is appropriate according to the recalled examination question?

Source:
quizlet.com

Which order should the nurse expect for a patient admitted with a threatened abortion?

A	**Bed rest**	**CORRECT**
B	Ritodrine IV	
C	NPO	
D	Narcotic analgesia every 3 hours, prn	

Q-460

SnleNotes.com

Student message:
A nurse needs to obtain a urine specimen from a patient with an indwelling urinary catheter. Where should the specimen be collected?

Source:
quizlet.com

The provider orders a urine culture for a client with an indwelling Foley catheter. Where should the nurse obtain the sample?

A	The bottom of the drainage bag.	
B	The tubing after disconnecting it from the catheter.	
C	**The designated disinfected sampling port.**	**CORRECT**
D	The outside surface of the catheter.	

Q-461

SnleNotes.com

Student message:

Which action requires the nurse to stop administering medication through an epidural catheter and assess the situation?

Source:

quizlet.com

When assessing a local infusion pump site, which finding requires intervention?

A	The device is labeled, indicating that an anesthetic is being used.	
B	**The catheter connections are loose.**	**CORRECT**
C	Surgical dressings are dry and intact.	
D	No blood backup is present in the tubing.	

Q-462

SnleNotes.com

Student message:

A patient has a colostomy. Which intervention helps prevent peristomal skin impairment?

Source:

quizlet.com

When changing the pouching system, which routine step best minimizes irritation of the skin surrounding the stoma?

A	Using adhesive remover	
B	Emptying the ostomy bag only when full	
C	**Avoiding unnecessary changes of the pouching system**	**CORRECT**
D	Wearing clean gloves	

Q-463

SnleNotes.com

Student message:

Correct answer: D. Rehabilitation of a patient to reduce disability and improve quality of life.

Source:

quizlet.com

Which is an example of tertiary health promotion?

A	**Rehabilitation**	**CORRECT**
B	Family counseling	
C	Water treatment	
D	Pap tests	

Q-464

SnleNotes.com

Student message:
سوال بعد عمليت البلوريكستنوزيز وش المتوقع يصير الخيارات

Source:
quizlet.com

Which postoperative finding would indicate normal recovery after pyloromyotomy?

A	No feedings for 24 hours	
B	**Feedings begin 4-6 hours after surgery**	**CORRECT**
C	Persistent projectile vomiting	
D	Green bilious emesis	

Q-465

SnleNotes.com

Student message:
سوال مرض ينتقل دروبليت اتوقع مينجايتس المهم يقول وش الغرفه الي تحطه بيها حطيت نقتف برشر

Source:
quizlet.com

Which intervention would the nurse perform when an adolescent client is admitted to the pediatric unit with a diagnosis of suspected meningococcal meningitis?

A	Complete admission questionnaire.	
B	Place in contact isolation.	
C	**Initiate droplet precautions.**	**CORRECT**
D	Institute seizure precautions.	

Q-466

SnleNotes.com

Student message:
1-صوره تخطيط فيها ST elvated بال تشوفيها الي الساين ايش قال بس السوال من تقدري تحلي تقدري تحددي الافاليتيد من السوال بس حاطها عشان تقدري هو بس حاطها صوره تشخيص الصورهecg ماطلب من منها ناكد وكذا st elvated or depresed وبالخيارات MI تشخصيص

Source:
quizlet.com

Which electrocardiogram (ECG) finding indicates a transmural myocardial infarction (MI)?

A	T wave flattening in multiple leads	
B	ST-segment depression that resolves with rest	
C	**ST-segment elevation in contiguous leads**	**CORRECT**
D	Prolonged QT interval with normal T waves	

Q-467

SnleNotes.com

Student message:
سوال بعد الولاده وخروج البلازينتا

Source:
quizlet.com

How often should vital signs be monitored during the first two hours postpartum?

A	Every 5 minutes	
B	Every 10 minutes	
C	**Every 15 minutes**	**CORRECT**
D	Every 30 minutes	

Q-468

SnleNotes.com

Student message:
سوال طفل جاه سكين راش وحدد لي اماكنها بجسمه وبالاخيارات هل هذا تشكن بوكس ولا الحصبه ولا الحصبه جيرمان ف اعرفو الفرق بين كل واحد ايش اعراضه بالجسم

Source:
quizlet.com

Which communicable infection would a nurse in the pediatric clinic be concerned about after receiving a call from the mother of a 12-month-old infant who has had a fever, runny nose, cough, and white spots in the mouth for 3 days with a rash that started on the face and has now spread to the entire body?

A	Rubella	
B	**Rubeola**	**CORRECT**
C	Pertussis	
D	Varicella	

Q-469

SnleNotes.com

Student message:
جاتني صوره ecg وقال بالسوال ان فيه MI ايش متوقع يكون عند المريض وبالخيارات st مرتفعه حطيتها

Source:
quizlet.com

A new-onset myocardial infarction (MI) can be recognized by what electrocardiogram (ECG) change?

A	Q waves	
B	Smaller R waves	
C	Widened QRS	
D	**ST segment elevation**	**CORRECT**

Q-470

SnleNotes.com

Student message:
الفونتانيل عند الطفل كيف تكون سوفت وفلات ولا سوفت وغايره ع جوا الجواب سوفت وفلات الصح

Source:
quizlet.com

You expect the anterior fontanel of a normal neonate to be:

A	hard and triangular	
B	diamond-shaped and bulging	
C	**soft and flat**	**CORRECT**
D	very large and moderately depressed	

Q-471

SnleNotes.com

Student message:
جاني 3 مسائل 2 دوا سهله و 1 عن مستوى الانتشار لمرض الي فيها تقسم العددين بالسوال وتضرب ب100 عشان يعطيك ٪

Source:
quizlet.com

A study starts with 80 people. Of these, 28 people have the disease in question. What is the prevalence per 100 people?

A	37.3 per 1,000	
B	25 per 1,000	
C	5.45 per 100 or 5.45%	
D	**35 per 100 or 35%**	**CORRECT**

Q-472

SnleNotes.com

Student message:
جاني مريض عنده امساك كونستبيشن وش نعطيها حطيت سوائل والياف

Source:
quizlet.com

A client with chronic constipation asks how to promote regular bowel function. What should the nurse recommend?

A	Take laxatives daily.	
B	**Increase dietary fiber and water intake.**	**CORRECT**
C	Avoid physical activity.	
D	Limit fruits and vegetables.	

Q-473

SnleNotes.com

Student message:
ايش تراقب فيه tbn و مريض حاط

Source:
quizlet.com

A nurse is caring for a patient receiving total parenteral nutrition (TPN). Which nursing action is most appropriate to implement?

A	Use a clean technique for site care.	
B	Infuse the solution rapidly.	
C	Administer medications through the TPN line.	
D	**Monitor the temperature for elevation.**	**CORRECT**

Q-474

SnleNotes.com

Student message:
مريضة شربت قهوة قبل العملية ايش حتسوي

Source:
quizlet.com

During preoperative assessment for a 7:30 case, the patient indicates to the nurse that he had a cup of coffee this morning. The nurse reports this information to the anesthesia provider anticipating:

A	**A delay in or cancellation of surgery.**	**CORRECT**
B	Questions regarding components of the coffee.	
C	Additional questions about why the patient had coffee.	
D	Instructions to determine what education was provided in the preoperative visit.	

Q-475

SnleNotes.com

Student message:
مريض ضغطه ١٤٩/٩٠ اي مرحلة

Source:
quizlet.com

You have an adult patient with diabetes whose blood pressure is 145/95 mm Hg. Which stage of hypertension does this indicate?

A	Normal	
B	Pre-hypertension	
C	**Stage I**	**CORRECT**
D	Stage II	

Q-476

SnleNotes.com

Student message:
سوال بس اجابه اني اغسل يدي قبل لا اتعامل مع مريض

Source:
quizlet.com

For a patient on any type of precautions, when is hand hygiene supposed to be completed?

A	**Before entering or exiting the room**	**CORRECT**
B	Only when hands are visibly soiled	
C	Before getting report in the morning	
D	When wearing sterile gloves	

Q-477

SnleNotes.com

Student message:
سؤال عن العزل لل rsv

Source:
quizlet.com

A nurse is planning to admit a client who has respiratory syncytial virus (RSV). Which of the following transmission-based precautions should the nurse plan to implement?

A	Protective	
B	**Contact**	**CORRECT**
C	Standard	
D	Airborne	

Q-478

SnleNotes.com

Student message:
سؤال عن ال position لل tonsillectomy

Source:
quizlet.com

The child who had a tonsillectomy and adenoidectomy (T&A) is brought to the postoperative recovery room. In what position should the nurse place the child?

A	Supine	
B	**Side-lying**	**CORRECT**
C	Semi-Fowler's with the head turned to the side	
D	High Fowler's, head slightly forward and to the side	

Q-479

SnleNotes.com

Student message:
Pyloric بالسوال وكل الاعراض مكتوبه

Source:
quizlet.com

A 3-week-old male infant is brought to the ER with projectile vomiting and irritability. The mother says that he seems to be hungry a lot but vomits after feeding, and it has gotten worse over 2 to 3 days. She also notes he is constipated. What is the most likely diagnosis?

A	Intestinal malrotation	
B	Meckel diverticulum	
C	**Pyloric stenosis**	**CORRECT**
D	Esophageal atresia	

Q-480

SnleNotes.com

Student message:
سوال الضغط ١٩٠ لحامل وكان بدون بروتين يوريا

Source:
quizlet.com

Which condition is defined as hypertension without proteinuria after 20 weeks?

A	Chronic hypertension	
B	**Gestational hypertension**	**CORRECT**
C	Preeclampsia	
D	Eclampsia	

Q-481

SnleNotes.com

Student message:
جاني بعد استاصال الحميه وش نعطي المريض عصير تفاح ولا برتقال حطيت برتقال ان شاءالله صح بس يقولون خطا تاكدو منها

Source:
quizlet.com

Following a tonsillectomy, a nurse should provide the patient with:

A	**Ice chips, no pillow, and no straw for drinking.**	**CORRECT**
B	Ice chips and orange juice.	
C	A sippy cup and pudding.	
D	A pillow, red Gatorade, and a straw.	

Q-482

SnleNotes.com

Student message:
جاني مريض عنده تعب بالاطراف وش نعطيه نعطيه انتر فينوس فلود ولا اكسجين حطيته انترفينوس فلود

Source:
quizlet.com

A client with sickle cell crisis reports severe generalized pain. Which intervention is a priority for correcting vasoocclusion?

A	**Administer high-flow IV fluids**	**CORRECT**
B	Apply oxygen via nasal cannula	
C	Maintain strict bed rest	
D	Transfuse packed red blood cells	

Q-483

SnleNotes.com

Student message:
وجاني يوال الحامل اكثر عرضه تحيب طفل عنده عيوم خلقيه وش السبب؟ وحط نقص فوليك اسيد

Source:
quizlet.com

Women are advised to take 400 mcg of folic acid daily before they get pregnant and during pregnancy to prevent which congenital anomaly?

A	Learning disorders	
B	Blood disorders	
C	**Brain and spinal defects**	**CORRECT**
D	Respiratory distress	

Q-484

SnleNotes.com

Student message:
تطعيم اي ام عضلي للانفنت ماججاتني قست لاترل جاتني ديوليت وكلمات ثانيه

Source:
quizlet.com

A 6-month-old child is at the clinic for their well-child visit and routine vaccines. Which of the following is the preferred site for an intramuscular injection on this patient?

A	Deltoid	
B	Ventrogluteal	
C	Dorsogluteal	
D	**Vastus lateralis**	**CORRECT**

Q-485

SnleNotes.com

Student message:
تطعيم mmr سيكوتنيوس للانفنت واعرفو اي عضله

Source:
quizlet.com

In what injection site should the nurse administer a subcutaneous injection to a 2-year-old child?

A	**Upper outer aspect of the triceps**	**CORRECT**
B	Upper half of the anterior thigh	
C	Outer fatty area of the thigh	
D	Upper half of the abdomen	

Q-486

SnleNotes.com

Student message:
سوال ثالث ان مريض مع الmelas وش البس قبل ادخل عنده؟

Source:
quizlet.com

If a patient has measles, which of the following is a required additional precaution?

A	Hand hygiene	
B	**N95 respirator**	**CORRECT**
C	Gloves	
D	Eye protection	

Q-487

SnleNotes.com

Student message:
جاء Pyloric Stenosi ووش اعراضه

Source:
quizlet.com

Which of the following findings is classically associated with pyloric stenosis?

A	Bilious vomiting	
B	Elevated lipase	
C	**Metabolic alkalosis**	**CORRECT**
D	Poor feeding	

Q-488

SnleNotes.com

Student message:

سؤال يقول امرأة تعاني من العقم، يوم سوت فحص، طلع إن في نقص بهرمون اللي يساعد بطانة الرحم بعد الغرس، بعد ovulation. إيش هذا الهرمون

Source:

quizlet.com

What hormone maintains the thickness of the endometrium after ovulation?

A	LH	
B	Estrogen	
C	**Progesterone**	**CORRECT**
D	FSH	

Q-489

SnleNotes.com

Student message:

مريض عنده تليف بالكبد والامونيا عاليه، بعد ٢٤ نزلت وش العلاج الي متوقع ان المريض اخذه؟

Source:

quizlet.com

A client with cirrhosis presents with confusion, asterixis, and ammonia level of 96 mcg/dL. What is the PRIORITY nursing intervention?

A	Restrict fluids	
B	**Administer lactulose**	**CORRECT**
C	Give potassium supplements	
D	Increase protein intake	

Q-490

SnleNotes.com

Student message:

child is diagnosed with cataracts and is scheduled for surgery. What assessment should the nurse perform before the operation?

Source:

quizlet.com

What should be done by the nurse preoperatively?

A	**Assess the visual acuity in the unoperated eye to plan the need for postoperative assistance.**	**CORRECT**
B	Inform the patient that the operative eye will need to be patched for 3 to 4 days postoperatively.	
C	Assure the patient that vision in the operative eye will be improved to near normal on the first postoperative day.	
D	Teach the patient routine coughing and deep breathing techniques to use postoperatively to prevent respiratory complications.	

Q-491

SnleNotes.com

Student message:
Placenta previa وش اتوقع القى عندها؟

Source:
quizlet.com

A 34-week pregnant client arrives at the emergency department complaining of sudden vaginal bleeding. The nurse notes that the blood is bright red and the client denies abdominal pain. Which condition should the nurse suspect?

A	Abruptio placentae	
B	**Placenta previa**	**CORRECT**
C	Ectopic pregnancy	
D	Threatened abortion	

Q-492

SnleNotes.com

Student message:
سؤال الي سال شات وعطاه وصفه ان ياكل ٣ حبات نتيرجلسرين ، كممرضه كيف تقنعينه ياكل حسب بروتوكل المستشفى؟

Source:
quizlet.com

A hospitalized client with a history of angina pectoris complains of substernal chest pain. The nurse checks the client's blood pressure and administers nitroglycerin, gr 1/4 sublingually. Five minutes later, the client is still experiencing chest pain. If the blood pressure remains stable, the nurse should take which action next?

A	**Administer another nitroglycerin tablet.**	**CORRECT**
B	Administer 10 L of oxygen via nasal cannula.	
C	Call for a 12-lead electrocardiogram (ECG) to be performed.	
D	Wait an additional 5 minutes, and then give a second nitroglycerin tablet.	

Q-493

SnleNotes.com

Student message:
What is the primary action of nitroglycerin?

Source:
quizlet.com

What is the primary action of nitroglycerin during an angina episode?

A	It directly increases myocardial oxygen demand.	
B	**It dilates blood vessels and decreases cardiac workload.**	**CORRECT**
C	It dissolves a blood clot immediately.	
D	It increases platelet aggregation.	

Q-494

SnleNotes.com

Student message:
وطبعًا اغلب الاسئلة اذا غلطت ممرضه وش تسوين؟ اذا لقيتيهم يسولفون بالمريض برا القسم وش تسوين؟

Source:
quizlet.com

A nurse working in a hospital overhears the following conversation between two other nurses on the elevator. Which of the following actions should the nurse take?

A	Inform the nurses that the neighbor's dog did not cause the wound.	
B	**Tell the nurses to change the topic of conversation.**	**CORRECT**
C	Complete an incident report upon returning to the unit.	
D	Report the nurses' conversation to the client's provider.	

Q-495

SnleNotes.com

Student message:
اذا نست ممرضه تسجل العلاج واعطته بدون وش تسوين؟

Source:
quizlet.com

At the end of the shift, the nurse realizes that she forgot to document a dressing change that she performed for a patient. Which action should the nurse take?

A	Complete an occurrence report before leaving.	
B	Do nothing; the next nurse will document it was done.	
C	Write the note of the dressing change into an earlier note.	
D	**Make a late entry as an addition to the narrative notes.**	**CORRECT**

Q-496

SnleNotes.com

Student message:
بالشفت الي قبل لقيتي ممرضه غلطانه بعلاج للمريض ومعطيته شيء مشابه له وش تسوين؟

Source:
quizlet.com

A nurse discovers that a client received the wrong medication. Which of the following actions should the nurse take first?

A	Complete a medication error report.	
B	Notify the prescribing provider.	
C	**Assess the client.**	**CORRECT**
D	Notify the charge nurse.	

Q-497

SnleNotes.com

Student message:
تكلم عن ال cross sectional و الlong ال study سوالين

Source:
quizlet.com

A nurse researcher is studying the attitudes of high school students toward bullying at Metro High School during the past school year. What type of study is this?

A	A time-series study	
B	**A cross-sectional study**	**CORRECT**
C	A longitudinal study	
D	A follow-up study	

Q-498

SnleNotes.com

Student message:
سوال عن لو الاب رفض انه يجلس وقت ما النيرس تشرح لهم كيف يحممون الطفل لانه خايف وش نسوي وكان اكثر اجابه منطقية اننا نخليه يحمل الطفل بين ايديه

Source:
quizlet.com

A new father states, "I know nothing about babies," but he seems to be interested in learning. This is an ideal opportunity for the nurse to:

A	Continue to observe his interaction with the newborn.	
B	Tell him when he does something wrong.	
C	Show no concern, as he will learn on his own.	
D	**Include him in teaching sessions.**	**CORRECT**

Q-499

SnleNotes.com

Student message:
جاني بعد وش يصير بعد تطعيمة TB

Source:
quizlet.com

A mother expresses concern about her son's scar at the site of his BCG immunization. The nurse responds by:

A	**Explaining that the scar is an expected occurrence after BCG immunization.**	**CORRECT**
B	Instructing her to report this finding to the doctor during consultation.	
C	Inquiring if her child had any allergies.	
D	Telling her that she should not worry and treatment is available.	

Q-500

SnleNotes.com

Student message:
وسوال يتكلم عن رعاية طفل asthma

Source:
quizlet.com

What are the highest priority acute care nursing interventions for the nurse to include in Joshua's plan of care?

A	Fluid replacement, reduction of anxiety, and respiratory assessment.	
B	**Frequent respiratory assessment, vital signs with pulse oximetry monitoring, assessing response to medication.**	**CORRECT**
C	Providing continuous oxygen, position sitting upright, and chest physiotherapy.	
D	Incentive spirometry, fluid replacement, and administration of β2-agonists.	

Q-501

SnleNotes.com

Student message:
بعد ماسوا رياضة جاه كتمه واعطيناه bronchodilator and assess breathing ايش نوع ال prevention

Source:
quizlet.com

Which of the following activities related to respiratory health is an example of tertiary health promotion and illness prevention?

A	**Administering a nebulized bronchodilator to a client who is short of breath**	**CORRECT**
B	Assisting with lung function testing of a client to help determine a diagnosis	
C	Teaching a client that light cigarettes do not prevent lung disease	
D	Advocating politically for more explicit warning labels on cigarette packages	

Q-502

SnleNotes.com

Student message:
ووحده حامل اول ما انفتح الرحم كامل نزل مع amionitic fliud اللي هو meconuim وش يعني انه

Source:
quizlet.com

The practitioner has just performed an AROM on a multipara at 39 weeks' gestation. Green meconium-stained amniotic fluid with little to no odor is noted. What does this fluid indicate?

A	An infection of the amniotic fluid.	
B	**Interruption of oxygenation to the fetus.**	**CORRECT**
C	A normal finding.	
D	The need for newborn resuscitative measures at delivery.	

Q-503

SnleNotes.com

Student message:
اي التطعيمات التالية تعطى في عمر ١٢ شهر؟
Source:
quizlet.com

At what age would a child receive immunization for measles, mumps, and rubella (MMR)?

A	Two months	
B	Four months	
C	Six months	
D	**12 months**	**CORRECT**

Q-504

SnleNotes.com

Student message:
covid – 19 نوع عزل
Source:
quizlet.com

Which precaution type is required for a patient with confirmed COVID-19 during routine care?

A	Contact precautions only	
B	Droplet precautions only	
C	**Droplet and contact precautions**	**CORRECT**
D	Airborne precautions only	

Q-505

SnleNotes.com

Student message:
IM SC كيف نتعطى TBال تطعيمة
Source:
quizlet.com

Route of administration of BCG vaccine?

A	IM	
B	**ID**	**CORRECT**
C	SC	
D	IV	

Q-506

SnleNotes.com

Student message:
جاني طريقة حساب الابينفرين

Source:
quizlet.com

You are working in the pediatric emergency department. A six-year-old child is brought in lethargic with a weak pulse, blood pressure of 60/40 mm Hg, and a heart rate of 40 beats per minute. You estimate that the child weighs 20 kg. A peripheral IV is in place. The physician has ordered IV epinephrine to treat the symptomatic bradycardia. You know that a reasonable dose for this patient would be:

A	**2 mL of the 1:10000 concentration IV every 3 to 5 minutes**	**CORRECT**
B	2 mL of the 1:10000 concentration IV every 1 to 2 minutes	
C	2 mL of the 1:10000 concentration IV one time only	
D	None of the above	

Q-507

SnleNotes.com

Student message:
drop factor ومعادلة

Source:
quizlet.com

Which formula should the nurse use to calculate gravity flow in gtt/min?

A	mL ÷ hours	
B	**(mL ÷ minutes) × drop factor**	**CORRECT**
C	mg ÷ kg × hr	
D	tablets ÷ mL	

Q-508

SnleNotes.com

Student message:
سؤال عن بيشنت ع Mechanical ventilation والدكتور زاد ال FIO2 حاجه زي كذا ف كان بيسأل ايش الي بيحصل في ABG

Source:
quizlet.com

The nurse is caring for a client being mechanically ventilated whose ventilation rate was too high for several hours. Which acid-base problem does the nurse expect?

A	**Respiratory alkalosis**	**CORRECT**
B	Metabolic alkalosis	
C	Respiratory acidosis	
D	Metabolic acidosis	

Q-509

SnleNotes.com

Student message:
Skeletal traction Pin site سؤال عن ممرضه تشوف ال

Source:
quizlet.com

Which pin-site finding should the nurse recognize as concerning for infection?

A	Dry intact skin without pain	
B	**Purulent drainage, redness, foul odor, or increased pain**	**CORRECT**
C	Freely hanging weights	
D	Decreased muscle spasms	

Q-510

SnleNotes.com

Student message:
Gas inhalation ف ايش نعطيه دواء جاء الطوارئ حصل له

Source:
quizlet.com

Which of the following is the best initial intervention for a patient who has inhaled a poison?

A	Provide plenty of fresh air and monitor pulse oximetry readings.	
B	Perform abdominal thrusts to clear the airway, followed by high-concentration oxygen.	
C	Transport in a position of comfort and provide oxygen for patients with a decreased level of consciousness.	
D	**Provide a patent airway, ventilation, and high-concentration oxygen.**	**CORRECT**

Q-511

SnleNotes.com

Student message:
B المهم طلع الاجابه

Source:
quizlet.com

The nutrients that provide the body with its primary source of fuel for energy are:

A	Vitamins.	
B	Minerals.	
C	Fiber.	
D	**Carbohydrates.**	**CORRECT**

Student message:

سؤال عن Women دايم يجيها Recurrent UTI وهذي المرة الدكتور صرف لها Single dose short regimen وحطوا اسم الميديكيشن بالسؤال وقال ايش اهم شي الممرضة تنصح فيه البيشنت

Source:

quizlet.com

The nurse is questioning a female patient with a urinary tract infection (UTI) about her antibiotic drug regimen. Which statement by the patient indicates a need for further instruction?

A	I always wipe front to back.	
B	I try to drink 3 liters of fluid a day.	
C	**I take my medication only when I have symptoms.**	**CORRECT**
D	I don't use bubble baths and other scented bath products.	