



SNLE Review Series

يوليو 2026

مراجعة مركزة للأسئلة والاجابات الصحيحة

مذكرة مصممة تساعدك على مراجعة المحتوى بوضوح وفهم الاجابة الصحيحة والعودة للمعلومة بسرعة اثناء الاستعداد للاختبار.

[Focused Review](#)

[Verified Answers](#)

[Question Bank](#)

456 سؤال

تم التحديث في 25-08-2026

SnleNotes.com

Q-1

SnleNotes.com



Student message:

سؤال كيف تحط قطرة اذن واجابته تسحبها لتحت بعدين ورا

Source:

quizlet.com

What action is correct when administering ear drops to a 2-year-old child?

- A Administer the ear drops straight from the refrigerator.
- B Pull the pinna of the ear back and down.
- C Massage the pinna after administering medication.
- D Pull the pinna back and up.

CORRECT

Q-2

SnleNotes.com



Student message:

سؤال tp ايش عزله

Source:

quizlet.com

The client is admitted with a diagnosis of rule-out tuberculosis. Which type of isolation procedures should the nurse implement?

- A Standard Precautions
- B Contact Precautions
- C Droplet Precautions
- D Airborne Precautions

CORRECT

Q-3

SnleNotes.com



Student message:

سؤال مجموعه من الحوامل وحدة تعلمهم عن طريقة التعامل مع سره الطفل هانذا يعتبر ايش حظيت بريفنشن

Source:

quizlet.com

A nurse is providing umbilical cord care to a newly delivered infant. What information should the nurse be aware of?

- A The cord clamp is removed at cord separation.
- B The stump can easily become infected.
- C The average cord separation time is 5 to 7 days.
- D Bleeding always requires immediate assistance.

CORRECT

Q-4

SnleNotes.com



Student message:

وليش ما نعطي im في (Gluteus maximus). عشان في نيرف وايش اسم النيرف

Source:

quizlet.com

When administering an intramuscular gluteal injection in the superior-lateral quadrant, the healthcare provider would most likely avoid injury to which nerve?

A Femoral nerve

B Genitofemoral nerve

C Obturator nerve

D **Sciatic nerve**

CORRECT

Q-5

SnleNotes.com



Student message:

والطفل وين نعطييه im

Source:

quizlet.com

The nurse is preparing an IM injection for an infant. Which site does the nurse identify for the administration of IM medication?

A Deltoid

B Gluteus maximus

C **Vastus lateralis**

CORRECT

D Ventrogluteal

Q-6

SnleNotes.com



Student message:

وجاني حساب cpp

Source:

quizlet.com

A patient's MAP is 82, and ICP is 15. What is the patient's cerebral perfusion pressure?

A **67 mmHg**

CORRECT

B 100 mmHg

C 52 mmHg

D 30 mmHg

Student message:

A nurse is auscultating a client's heart sounds and hears an S3 gallop. Which of the following is the most appropriate interpretation?

- A. An S3 heart sound is a normal finding in children.
- B. An S3 heart sound is indicative of heart disease, such as heart failure.

Source:

naxlex.com

In which client does the nurse consider the presence of an S3 heart sound to be normal?

A A client with a pacemaker

B An elementary-school-aged child

CORRECT

C An older adult

D A client with heart failure

Student message:

سؤال عن الmeningitic وكان يتكلم عن الisolation وطبعاً Droplet

Source:

quizlet.com

A patient is diagnosed with meningitis. Which type of isolation precaution is most appropriate?

A Reverse isolation

B Droplet precautions

CORRECT

C Standard precautions

D Contact precautions

Student message:

سؤال عن الherps وكيف ممكن تسوي اذا دخلت للlabor

A- assess mode of delivery

B-Cesarean suction

C-vaginal delivery

D- ناسي الصندوق

الاجابه B الherps يولدون CS

Source:

naxlex.com

The nurse is admitting a client in the first stage of labor with active genital herpes. Which type of birth will the nurse anticipate?

A Low forceps

B Vaginal

C Cesarean section

CORRECT

D Mid-forceps

Student message:

سؤال يقولي انه. باحث يبغا يسأل امرأة عن تجربتها فالمستشفى والExperinace اللي خاضتها وكذا وطبعا هذا qualitative كيف ميزتها؟ بشكل عام الqualitative مافيه اي انترفنشن ودايما نكون اسئلنا عن تجارب المرضى وارااهم بشكل عام

Source:

quizlet.com

Which qualitative approach is most appropriate when studying the daily experience of women undergoing radiation treatment for breast cancer?

A Case study

B Phenomenology

CORRECT

C Grounded theory

D Ethnographical method

Student message:

سؤال يسألني عن علامة لAddison disease وكان الجواب hyperpegmtation

Source:

quizlet.com

The nurse is assessing a patient diagnosed with Addison's disease. What would the nurse expect to find?

A Patchy areas of light skin

B Warm, smooth, moist skin

C Purplish red abdominal marks

D Darkened skin on the knuckles, elbows, and palmar creases

CORRECT

Student message:

سؤال عن الAutonomic disreflexia هذا كيف يجي بالعادة يجيبونه على شكل مريض جاك للطوارئ وعنده T6 and above injury ويعطونكم الcushing triade اللي هو يخونكم تشكون في انه Increase ICP وعلامتها المعروفة اللي هي Breadyard-hypertension-irritable respiratory rate ويقولون لك عنده throbbing headache ووش الحل ؟

A-Notifay physation

B-Asses for bladder distenaion

C-give duritic

D-ما انكر-

Source:

quizlet.com

A patient with a T4 spinal cord injury develops a pounding headache, blurred vision, sweating above the injury, BP 198/108, and a kinked Foley catheter. What is the priority action?

A Notify the provider

B Lower the head of bed

C Give an antihypertensive

D Raise the head of bed and assess bladder distension

CORRECT

Q-13

SnleNotes.com



Student message:

سؤال عن ال Disocciative disorder ووش ال First line treatment وكانت الخيارات

A-psycycotherapy

B- ECT

C-Antipschotic

D-behavioral therapy اعتقد

والاجابه A

Source:

naxlex.com

The ultimate goal of therapy for a client with dissociative identity disorder is most likely achieved through which treatment?

A Crisis intervention and aversion therapy

B Psychotherapy and hypnosis

CORRECT

C Psychoanalysis and electroconvulsive therapy

D Insight psychotherapy and dextroamphetamines

Q-14

SnleNotes.com



Student message:

او شيء زي كذا How can HIV be transmitted

من الخيارات

A-blood

B-breast milk او breast discharges

C-saliva

D-vaginal secretions

وش جوابه احترت بالاختبار حسيت كلهن ينتقل عن طريقهن او ماقربت السؤال زين الي مر عليه السؤال ياليت يرد

Source:

quizlet.com

Which of the following is NOT a common mode of HIV transmission?

A Breast milk

B Saliva

CORRECT

C Blood

D Vaginal secretions

Student message:

سؤال جاء عن ام توها والدة طبيعي اول اربع وعشرين ساعه تسوين اسسمنت كل كم؛ الخيارات كل ساعتين كل اربع كل ١٢ كل اربع وعشرين ساعه
حطيت من عندي كل ساعتين

Source:

quizlet.com

A postpartum nurse is caring for a stable client 12 hours after delivery. What is the recommended frequency for assessing vital signs?

- A Every hour
- B Every 4 hours
- C Every 24 hours
- D Every 30 minutes

CORRECT**Student message:**

placenta previa , placenta abrupt , ectopic pregnancy اذا كان عندها ايش الخيارات سوال عن متى مانسوي VE

Source:

quizlet.com

Which nursing action is contraindicated for a pregnant woman with vaginal bleeding until ultrasound rules out placenta previa?

- A Leopold's maneuver
- B Obtaining a culture
- C A digital vaginal exam
- D Repositioning the mother

CORRECT**Student message:**

molar pregnancy ايش تعريف

Source:

naxlex.com

A nurse is assessing a patient with suspected molar pregnancy. Which finding is most characteristic?

- A Light spotting with mild cramping
- B Passage of grape-like vesicles
- C Unilateral pelvic pain
- D Loss of pregnancy symptoms

CORRECT

Student message:

بيشنت عندہ laparoscopic ايش الوضعيه اللي نخطه عليها

Source:

quizlet.com

What position is commonly used for robotic surgery?

- A Reverse Trendelenburg
- B Left lateral decubitus
- C Steep Trendelenburg**
- D Lithotomy

CORRECT**Student message:**

السي بي ار كم مدته و ايش ال depth حقه

Source:

quizlet.com

What is the correct chest-compression depth for an infant?

- A At least one-third of the chest depth, about 2 inches
- B At least one-third of the chest depth, about 1.5 inches**
- C At least half of the chest depth
- D At least one-fourth of the chest depth

CORRECT**Student message:**

الام اللي عندها سكر الطفل عرضة لايش صراحة ماكان في
الخيارات hypo حطيت respiratory distress

Source:

quizlet.com

Infants of mothers with diabetes are at higher risk for developing:

- A Anemia
- B Hyponatremia
- C Respiratory distress syndrome**
- D Sepsis

CORRECT

Student message:

artial flutter saw tooth shape زي شكله زي saw tooth shape الاجابه

Source:

quizlet.com

The ECG shows regular sawtooth-shaped flutter waves with an atrial rate of 250/min. How should the nurse document this pattern?

- A Sinus bradycardia
- B Sinus tachycardia
- C **Atrial flutter**
- D Atrial fibrillation

CORRECT**Student message:**

tonsillectomy سوال عن ايش الوضعية بعد

Source:

quizlet.com

A nurse is preparing to care for a child after a tonsillectomy. Which position is most appropriate?

- A Supine
- B Trendelenburg
- C **Side-lying**
- D High Fowler's

CORRECT**Student message:**

sundden infant deth syndrome سوال عن ايش الوضعية اللي تحط فيها البيبي عشان نتجنب

Source:

quizlet.com

In which position should the nurse place an infant to prevent sudden infant death syndrome?

- A Prone
- B **Supine**
- C Left lateral
- D Head tilt-up

CORRECT

Student message:

Progesterone and estrogen :hormones are responsible for implantation of ovum inside Uterine wall سوال

Source:

quizlet.com

Which hormone secreted by the corpus luteum prepares the endometrium for implantation?

A	Progesterone	CORRECT
B	Prolactin	
C	Testosterone	
D	Luteinizing hormone	

Student message:

hydrocephalus سؤال عن إيش الباثوفيسولوجي حق
كان فيه الخيارات acute inflammation وفيه خيار ثاني زيادة سوائل CSF شيء كذا الباقيه ناسيتها

Source:

naxlex.com

A nurse is caring for a newborn with hydrocephalus. Which manifestation should the nurse expect?

A	Backward-sloping forehead	
B	Dilated scalp veins	CORRECT
C	Over-riding suture lines	
D	Hypertension	

Student message:

سؤال عن ببتي توه مسوين له في vp shunt ايش لازم بعد العملية الاولوية
اسوي نيورجكال اسسمنت ولا امنعه بيكي وفيه خيارات ثانيه

Source:

naxlex.com

A child is postoperative following insertion of a ventriculoperitoneal shunt. In which position should the nurse place the child?

A	45-degree head elevation	
B	On the nonoperative side	
C	Prone	
D	Supine	CORRECT

Student message:

confirm pregnancy ايش الهرمون اللي

Source:

quizlet.com

An over-the-counter pregnancy test recognizes which hormone to confirm a positive result?

- A Luteinizing hormone
- B Follicle-stimulating hormone
- C Human chorionic gonadotropin
- D Gonadotropin-releasing hormone

CORRECT**Student message:**

ممرضه بتعلم ام لسه والده ازاى تعطيه شاور والاب واقف ساكت المفروض الممرضه تعمل اي
تتجاهل الاب
تقوله المفروض تشاركنا
تعطيه البيبي عشان يشيله بلطف

Source:

quizlet.com

A new father states, 'I know nothing about babies,' but he seems to be interested in learning. What action by the nurse is best?

- A Continue to observe his interaction with the newborn.
- B Tell him when he does something wrong.
- C Show no concern, as he will learn on his own.
- D Include him in teaching sessions.

CORRECT**Student message:**

سؤال الحج
Primary prevention

Source:

quizlet.com

A community health nurse is planning a public service campaign to decrease the transmission of influenza. Which intervention should the nurse include as a primary prevention?

- A Going to the hospital for dehydration after getting influenza
- B Staying home when sick
- C Getting tested for influenza when you have symptoms
- D Obtaining an immunization

CORRECT

Student message:

صوره VT .. ECG ومفیش بلس
Give DC
Shout at team member and start CPR
Give adrinalin
مش فاکره الاختيار الباقي

Source:

quizlet.com

A patient with ventricular tachycardia (VT) has no pulse. What is the nurse's immediate action?

A Administer amiodarone IV

B Begin chest compressions

CORRECT

C Prepare for synchronized cardioversion

D Give epinephrine IV push

Student message:

سوال cleft lip لو م عملنا العملية ممكن ياتر علي ايش
التنفس
ولا metabolic
ولا القلب انا حظيت التنفس

Source:

quizlet.com

Which is the best response from the nurse when asked why a 4-month-old infant is having a cleft lip repair at such an early age?

A Has an emotional effect on the parents

CORRECT

B Tends to obstruct breathing

C Can cause severe feeding problems

D May cause respiratory tract infections

Student message:

Harsh breath sound
جاء انو فين في الرئه ولا القصبة الهوائية ولا الحويصلات وانا هيدت في القصبة الهوائية

Source:

quizlet.com

While auscultating a client's trachea, the nurse hears a high, harsh sound with short inspiration and long expiration. How would the nurse document this finding?

A Vesicular breath sounds

B Bronchovesicular breath sounds

C Bronchial breath sounds

CORRECT

D Adventitious breath sounds

Student message:

سوال ايش يدل انو الحمل عنقودي انا هيدت وحطيت ارتفاع HCG

Source:

naxlex.com

A nurse is reviewing diagnostic findings for a client with early severe hyperemesis gravidarum. Which associated condition must be ruled out due to its link with markedly elevated human chorionic gonadotropin levels?

- A Ectopic pregnancy
- B Molar pregnancy**
- C Placenta previa
- D Gestational diabetes mellitus

CORRECT**Student message:**

سوال ان الپيشنت زاد وزنها ١٦ كيلو خلال الحمل ؟
الزيادة الطبيعية من ١٢-١٦ كيفو
تحتاج داييت

Source:

quizlet.com

A client presents to the health care clinic for the first prenatal visit. The client's current weight is normal for height. In this situation, what recommendation for weight gain will the nurse provide?

- A 40 to 45 lb (18 to 20 kg)
- B 35 to 40 lb (16 to 18 kg)
- C 25 to 35 lb (12 to 16 kg)**
- D 15 to 25 lb (7 to 12 kg)

CORRECT**Student message:**

سوال ايش يزيد امتصاص الكالسيوم كان في الخيارات
في فيتامين D
فيتامين C
فيتامين B12
فيتامين A

Source:

quizlet.com

You are taking care of an elderly patient with osteoporosis. Which dietary supplements would be most appropriate as a treatment regimen?

- A Iron and calcium
- B Calcium and vitamin D**
- C Vitamin K and B-complex vitamins
- D Fluoride and iron

CORRECT

Student message:

candom: جاني حق ايش الي يمنع نقل الامراض الجنسية:

Source:

quizlet.com

Which contraceptive device is most likely to prevent the transmission of sexually transmitted diseases?

A	Male condom	CORRECT
B	Spermicidal agent	
C	Intrauterine device	
D	Cervical diaphragm	

Student message:

firm: وچا انه عندها نزيف بس رحمها

Source:

quizlet.com

Which cause of hemorrhage would be suspected in a client with a firm fundus?

A	Uterine atony	
B	Laceration	CORRECT
C	Retained placenta	
D	Infection	

Student message:

aseptic: سوال ان ممرضه بتسوي فولي كاتيتير ايش نوع ال aseptic ميديكال ولا كلين ولا سيرجكال

Source:

quizlet.com

The nurse is preparing to insert a urinary catheter. To perform this procedure, the nurse will use:

A	Surgical asepsis (sterile technique)	CORRECT
B	Medical asepsis (clean technique)	
C	Droplet precautions	
D	Standard precautions	

Student message:

سؤالين عن Position واحد منهم لطفل عنده Hydrocephalus وسأل عن Position وكانت الخيارات منها ٩٠ أو ٤٥ درجة

Source:

naxlex.com

A nurse is caring for a child who is postoperative following ventriculoperitoneal (VP) shunt placement. In which of the following positions should the nurse place the client?

A Semi-Fowler's.

B Prone

C Trendelenburg.

D on the unoperated side

CORRECT

Q-40

Student message:

سؤالين جاء واحد منهم حساب Safe Dose لطفل عطاني الوزن اترقع ٢٨ كجم والجرعه 50 mg/kg

Source:

naxlex.com

A pediatric patient weighing 22 kg is prescribed amoxicillin 50 mg/kg/day in divided doses every 8 hours. The medication is available as a suspension containing 125 mg/5 mL. How many mL should the nurse administer for each dose?

A 11.67 mL

B 14.67 mL

CORRECT

C 15.67 mL

D 17.67 mL

Q-41

Student message:

سؤال ثاني ان سمعتي ممرضات يتكلمون عن معلومات مريض في الممر وش تسوين تنبيهينه عن السريه

Source:

naxlex.com

A charge nurse overhears a staff nurse talking to another nurse in the hallway about a client. Which response is appropriate?

A Inform the provider

B Continue only in a private place

C This is an invasion of the client's privacy

CORRECT

D It is acceptable if the client's name is omitted

Student message:

وجت أسئلته عن Medication Errors ومنها اذا شفتي ممرضه توثق الدواء قبل لا تعطيه للمريض وش تسوين وكانت الخيارات مثل تشتكين عليها او تكلمينها قدام الناس وغيرها

Source:

quizlet.com

Which action demonstrates proper medication documentation?

A Documenting before giving the medication

B Documenting immediately after administration

CORRECT

C Waiting until the end of the shift

D Asking another nurse to chart it

Student message:

سؤال عن مريض رفض العلاج وقال ينبغي يستخدم اعشاب قبل العملية حطيت ان ان الأعشاب ممكن تأثر على التخدير وفي

Source:

quizlet.com

The nurse obtains a health history from a patient who is scheduled for elective hip surgery in 1 week. The patient reports use of garlic and ginkgo biloba. Which action by the nurse is most appropriate?

A Ascertain that there will be no interactions with anesthetic agents

B Teach that these products may be continued preoperatively

C Advise the patient to stop all herbs and supplements

D Discuss the herb and supplement use with the health care provider

CORRECT

Student message:

صوره اشعه Ectopic مكانه وحطيت في fallopian tube وفي

Source:

quizlet.com

Ectopic pregnancies are commonly located in the:

A Ovary

B Cervix

C Fallopian tube

CORRECT

D Uterine cornua

Student message:

سؤال حيرني مره كان يقول ان معدل العنف بالقسم زاد وش

الاستراتيجيه اللي يسويها Manager؛ انكر كان فيه خيار يزيد عدد الممرضين الرجال لكن ما اخترته واخترت شي ثاني ان تعطيهم كورس عن دفاع عن النفس

Source:

quizlet.com

A nurse leader is planning annual staff training for workplace violence prevention. Which topic is most appropriate to include?

A Disciplinary actions for noncompliance with dress code

B De-escalation and early recognition of escalating behavior

CORRECT

C Procedures for changing sterile dressings

D Computer documentation updates

Student message:

جاني الحج برايمري

Source:

naxlex.com

Which action is an example of primary prevention?

A Avoiding unnecessary imaging tests

B Flu vaccination

CORRECT

C Cardiac rehabilitation after a heart attack

D Screening for breast cancer

Student message:

سؤال اتو بيشنت مافيه بلس نيدا cpr

Source:

naxlex.com

The nurse finds the client to be in ventricular tachycardia and pulseless. What is the nurse's best first action?

A Initiate CPR.

CORRECT

B Administer oxygen

C Administer an antidysrhythmic agent

D Instruct the client to inhale deeply and cough

Student message:

مکان ألم ال appendicitis

Source:

naxlex.com

A nurse is collecting data from a client who has manifestations of appendicitis. Where should the nurse palpate to monitor for pain at McBurney's point?

- | | | |
|----------|--|----------------|
| A | Right lower quadrant between the umbilicus and anterior iliac crest | CORRECT |
| B | Left lower quadrant near the pelvic bone | |
| C | Right upper quadrant below the rib cage | |
| D | Left upper quadrant near the stomach | |

Student message:

شخص عنده شوك وش البوزشن

Source:

quizlet.com

When caring for a client in hemorrhagic shock, how should the nurse position the client?

- | | | |
|----------|---------------------------------------|----------------|
| A | Flat in bed with legs elevated | CORRECT |
| B | Flat in bed | |
| C | Trendelenburg position | |
| D | Semi-sitting position | |

Student message:

انتقال meningitis دروبلت

Source:

naxlex.com

What infection control precaution is a client diagnosed with bacterial meningitis instituted?

- | | | |
|----------|--------------------------|----------------|
| A | Neutropenic precautions | |
| B | Contact isolation | |
| C | Universal precautions | |
| D | Droplet isolation | CORRECT |

Student message:

البوزشن ل COPD

Source:

quizlet.com

A client with COPD is short of breath. Which position should the nurse encourage to ease the work of breathing?

A Supine with a single pillow

B Side-lying (Sims) position

C **Sitting upright and leaning forward over a bedside table**

CORRECT

D Trendelenburg position

Student message:

أُم عندها سكر طفلها سيكون عنده انخفاض سكر

Source:

naxlex.com

Which major neonatal complication is carefully monitored after the birth of the infant of a diabetic mother?

A Hypoinsulinemia

B Hyperbilirubinemia

C **Hypoglycemia**

CORRECT

D Hypercalcemia

Student message:

avoid palpating abdomen طفل عنده wilm حطيت

Source:

quizlet.com

The nurse is caring for a pediatric client scheduled for surgical removal of a Wilms tumor. Which action is contraindicated?

A Foley catheter placement

B Intravenous fluids

C **Abdominal palpation**

CORRECT

D Supine positioning

Student message:

ممرضة تتكلم عن معلومات مريض في الممر

Source:

naxlex.com

A nurse overhears two staff members in a public hallway discussing a client's diagnosis. Which action should the nurse take?

A Ask them to speak more quietly

B Tell them to stop discussing confidential information

CORRECT

C Alert the facility attorney

D Ignore the situation

Student message:

بيشنت سوت استئصال ثدي في اليمين من وين تاخذ الضغط

Source:

quizlet.com

Where should the nurse measure blood pressure after a unilateral mastectomy?

A Use the arm on the operative side

B Use the arm on the unaffected side

CORRECT

C Do not take blood pressure

D Always use a lower extremity

Student message:

بيبي عنده ICP من العلامات الجواب حطيت high pitched cry

Source:

naxlex.com

An infant who presents with a shrill or high-pitched cry should be evaluated for:

A Hypocalcemia

B Increased intracranial pressure

CORRECT

C Upper airway obstruction

D Vocal cord paralysis

Student message:

شخص شك انهم مسممين اكله ومو راضي ياكل وش تصرف الممرضه العلاجي؟

Source:

naxlex.com

A hospitalized client who is paranoid believes all hospital food is poisoned. What is an appropriate nursing intervention?

- A Leave the client alone to eat
- B Ask family to bring favorite foods
- C Allow the client to observe others eating the same food**
- D Give an anti-poison placebo

CORRECT**Student message:**

Patient has hypothyroidism which labs are finding

- A: Low t3 t4 low TSH
- B: low t3 t4 high TSH
- C: High t3 t4 low TSH
- D: high t3 t4 high TSH

Source:

naxlex.com

A nurse is caring for a patient with decreased T3 and T4 and elevated TSH levels. The patient is likely suffering from what?

- A Hyperthyroidism
- B Hypothyroidism**
- C Thyroid cancer
- D Pituitary adenoma

CORRECT**Student message:**

A healthy baby ... vitamin K intramuscularly. Which site is recommended?

Source:

naxlex.com

A nurse is preparing to administer vitamin K by IM injection to a newborn. Which muscle should be used?

- A Ventrogluteal
- B Vastus lateralis**
- C Dorsogluteal
- D Deltoid

CORRECT

Student message:

Diabetic patient type 1 took insulin early morning and skipped breakfast; what will happen?

Source:

naxlex.com

A diabetic patient received morning NPH insulin and missed lunch. What is the best action to prevent hypoglycemia?

- A Request lunch if testing is delayed
- B Send orange juice to the patient**
- C Save the lunch tray
- D Discontinue the evening insulin

CORRECT**Student message:**

Postpartum mother complaining of breast engorgement and pain during feeding what to do?

Source:

naxlex.com

On the fourth postpartum day, a client experiences breast engorgement. Which nursing intervention is most effective?

- A Remove the client's bra
- B Alternate warm compresses and ice packs**
- C Administer acetaminophen
- D Limit breastfeeding to twice a day

CORRECT**Student message:**

Medical complications often accompany Down syndrome

Source:

naxlex.com

What common health issue occurs in individuals with Down syndrome?

- A No specific health issues
- B Extra copy of chromosome 22
- C Congenital heart defects**
- D Lack of physical activity

CORRECT

Student message:

طفل رضيع عنده في اسفل ظهره كيس فيه شعر

Source:

naxlex.com

Which finding may lead a nurse to suspect spina bifida?

- A High CSF levels
- B Increased ICP
- C Indications of infection
- D A small dimple and tuft of hair over the lower lumbar region** **CORRECT**

Student message:

جاني اليوزشين ل COPD

Source:

naxlex.com

The nurse is giving a client with chronic obstructive pulmonary disease (COPD) information related to positions used to breathe more easily. The nurse teaches the client to assume which position?

- A Lie on the side with the head of the bed at 30 degrees
- B Sit on the edge of the bed with the arms supported** **CORRECT**
- C Lay in a supine position in bed with arms crossed
- D Sleep in a prone position with legs elevated

Student message:

القائد الديموقراطي جاني سوال طويل وش نوع

Source:

naxlex.com

Democratic leadership style involves:

- A Leader making all decisions independently
- B No structure or guidance
- C Shared decision-making with team input** **CORRECT**
- D Delegation without oversight

Student message:

جاني aspire وش وظيفتها حالة MI ومن الخيارات antiplat

Source:

naxlex.com

A client with a history of myocardial infarction is prescribed aspirin. The nurse recognizes aspirin is given due to which action?

A	Antiplatelet aggregate	CORRECT
B	Analgesic	
C	Antipyretic	
D	Anti-inflammatory	

Student message:

جاني سوال ممرضه تسوي تثقيف وش نوع برايميري

Source:

naxlex.com

A community health nurse is planning a health promotion program for a population with a high prevalence of hypertension and type 2 diabetes. Which of the following interventions best exemplifies primary prevention?

A	Providing education on healthy eating habits and regular physical activity to reduce risk factors.	CORRECT
B	Organizing support groups for individuals managing complications of diabetes and hypertension.	
C	Screening community members for early signs of hypertension and diabetes to initiate prompt treatment.	
D	Providing medications to control blood sugar and blood pressure in diagnosed patients.	

Student message:

الام اللي جات المستشفى اربع مرات واضح عليها كدمات واصابات وش اسوي

Source:

naxlex.com

A nurse sees multiple bruises in different stages of healing. What action should the nurse take?

A	Provide safety teaching	
B	Contact the abuse hotline	CORRECT
C	Apply cold packs and document only	
D	Discuss with a trusted individual	

Student message:

spinal occult ب moist وش تسوين مع المريض اخترت اغطي ب

Source:

naxlex.com

A nurse is collecting data from a child with spina bifida occulta. Which finding should the nurse expect?

A Flaccid paralysis

B Hip dislocation

C Hydrocephalus

D Dimple in sacral area

CORRECT

Student message:

ام عندها سكر وولدت وش بيكون عند الطفل اخترت انخفاض سكر

Source:

naxlex.com

A nurse is teaching about neonatal complications of maternal diabetes. Which condition should be included?

A Hypoglycemia after birth

CORRECT

B Hypercalcemia

C Polycythemia

D Hyperglycemia after birth

Student message:

مريض DKA وش الأولوية معه

Source:

naxlex.com

A patient with diabetic ketoacidosis is brought to the emergency department. Which prescribed action should the nurse implement first?

A Bring the patient a meal

B Administer Lantus insulin IV

C Give sodium bicarbonate IV push

D Start an infusion of normal saline

CORRECT

Student message:

والمرضى صاحبي ويتكلم اخترت 15 GCS

Source:

naxlex.com

A fully alert and oriented patient who opens eyes spontaneously and obeys commands has which Glasgow Coma Scale score?

- A 3
- B 8
- C 13
- D 15

CORRECT**Student message:**

طفل اخذت له الضغط بكف مقاس كبير وش بيطلع النتيجة

Source:

naxlex.com

When assessing a school-aged child, using an adult blood-pressure cuff will produce which value?

- A Falsely low
- B Indistinct
- C Accurate
- D Falsely high

CORRECT**Student message:**

جاني سؤال في علامات واعراض مرض اديسون

- hypertension
- hyperpigmentation
- hypercalcemia

Source:

naxlex.com

A patient with Addison disease presents with hyperpigmentation. What is the cause?

- A Increased ACTH stimulating melanocytes.
- B Increased thyroid hormone production.
- C Decreased aldosterone levels.
- D Increased melanin due to high cortisol.

CORRECT

Student message:

antidote for warfarin (vitamin K)

Source:

naxlex.com

What is the antidote for Warfarin (Coumadin)?

A	Vitamin K	CORRECT
B	Protamine sulfate	
C	Narcan	
D	Flumazenil	

Student message:

left mastitis ام عندها

1 support pro 2-feeding right 3 take antibiotics and ice compressor 4 avoiding feeding

Source:

naxlex.com

The nurse is providing discharge teaching about the possibility of mastitis to a mother who is breastfeeding. Which statement by the client indicates a need for MORE teaching?

A	I will take antibiotics for 2-3 days until the soreness subsides.	CORRECT
B	I can continue breastfeeding while the mastitis resolves.	
C	I will take analgesics to relieve some of the discomfort.	
D	I need to wear a supportive bra.	

Student message:

mother with gestational diabetes mellitu infant is more liable to immediately after dilvery?

1hypoglycemia 2 hyperglycemia 3 hypotonia

Source:

naxlex.com

A nurse is caring for a newborn whose mother has diabetes mellitus. The nurse should recognize which of the following potential newborn complications as the priority focus of care?

A	Hyperbilirubinemia.	
B	Hypomagnesemia.	
C	Hypocalcemia.	
D	Hypoglycemia.	CORRECT

Student message:

ام واب جابوا ولدھم للطواری وفيھا کدمات واذا سألتھ الممرضه مايتکلم وواضح انه خايف وش دوري كمرضه اسوي

Source:

naxlex.com

A nurse is assessing a child and notes several bruises. Which of the following actions should the nurse take?

- A Ask a psychiatrist to talk with the parents.
- B Separate the child from the parents.
- C Report the suspected abuse to the authorities.

D Obtain a detailed history.

CORRECT

Student message:

intervention for patient with anemia pain
1-give oxygen
2-pain management and infection control

Source:

naxlex.com

The nurse provides care to a client who is admitted for a sickle cell disease (SCD) crisis. Which of the following is the priority prescription for the nurse to implement when providing patient care?

- A Administering a bolus (250 ml) of Normal saline intravenous fluid
- B Administering oxygen

C Administering pain medication

CORRECT

D Administering antipyretics

Student message:

My mother postpartum is always tired and cries for no reason and sleepless? baby blues or depression

Source:

naxlex.com

A nurse is caring for a postpartum client who reports feeling anxious, irritable, and unable to sleep despite extreme fatigue. The client also expresses feelings of inadequacy as a mother. Which of the following nursing interventions is the most appropriate?

A Advise the client to seek help from family members to reduce stress and manage the baby's care

B Assess the client for further signs of postpartum mood disorders

CORRECT

C Reassure the client that these feelings are normal and will subside in a few days

D Encourage the client to rest whenever the baby is sleeping to alleviate fatigue

Student message:

The nurse prepares to administer an intramuscular injection to a 4-month-old infant. Which site?

Source:

naxlex.com

The nurse prepares to administer an IM injection to a 2-month-old infant. The proper injection site is the:

- A gluteus maximus.
- B deltoid.
- C **vastus lateralis.**
- D vastus medialis.

CORRECT**Student message:**

female patient came to ER two weeks postpartum with hemorrhage. What type of postpartum hemorrhage?

Source:

naxlex.com

What is the most common reason for late postpartum hemorrhage (PPH)?

- A **Subinvolution of the uterus**
- B Cervical lacerations
- C Uterine inversion
- D Defective vascularity of the placenta

CORRECT**Student message:**

cystic fibrosis: pancreatic enzymes before or after meals

Source:

naxlex.com

When a client with cystic fibrosis is prescribed pancreatic enzymes, what is the best time for the nurse to administer them to the client?

- A Between meals.
- B **Before meals.**
- C During meals.
- D After meals.

CORRECT

Student message:

MARRS سؤال عن

Source:

naxlex.com

A nurse on a medical-surgical unit is performing medication reconciliation for a newly admitted client. Which of the following actions should the nurse take?

A Compare the medication label to the provider's prescription on three occasions before administration.

B Compare the client's list of home medications to the admission prescriptions written for the client.

CORRECT

C Administer medications to treat a condition to the actual prescriptions.

D Ensure the medication is administered within 3 hours of the scheduled time.

Q-85

Student message:

start isotonic solution immediately الإجابة

Source:

naxlex.com

A nurse in the emergency department is admitting a client who has diabetic ketoacidosis and a blood glucose level of 100 mg/dl. Which of the following interventions should the nurse initiate first?

A Potassium chloride 10 mEq/hr

B Bicarbonate by IV infusion

C Subcutaneous insulin injections

D 0.99% sodium chloride 15 mL/kg/hr

CORRECT

Q-86

Student message:

A child after adenoidectomy and tonsillectomy. Best position immediately after surgery before fully awake?

Source:

naxlex.com

A nurse understands that it is a priority to place a child in which position post-operative tonsillectomy.

A Sitting upright

B Prone position

C Prone or side-lying position

CORRECT

D Lying flat on their back

Student message:

Pulse pressure: difference between systolic and diastolic

Source:

naxlex.com

The difference between systolic pressure and diastolic pressure is called

- A Korotkoff sounds.
- B minute volume.
- C **pulse pressure.**
- D pressure gradient.

CORRECT**Student message:**

Frothy pink sputum → Pulmonary edema

Source:

naxlex.com

A nurse is caring for a client with pulmonary edema. Which finding is indicative of severe pulmonary edema and impaired gas exchange?

- A **Pink, frothy sputum**
- B Low-grade fever
- C Clear breath sounds throughout the lung fields
- D Absence of peripheral edema

CORRECT**Student message:**

PICOT is the best for formulating a research question

Source:

naxlex.com

Which of the following best describes the initial step in the Evidence-Based Practice (EBP) process that is critical for guiding nursing interventions?

- A Evaluating the effectiveness of previous interventions.
- B Implementing recommendations based on previous clinical guidelines.
- C **Formulating a specific and clear research question using the PICOT format.**
- D Searching for current evidence in peer-reviewed journals.

CORRECT

Student message:

After cholecystectomy, best strategy to prevent postoperative complications: deep breathing and coughing

Source:

naxlex.com

A client diagnosed with cholelithiasis is scheduled for a cholecystectomy. What should the nurse include in the preoperative education for the client?

- A Instructing the client to eat a high-fat diet to prepare for the surgery.
- B Demonstrating deep-breathing exercises to promote lung expansion postoperatively.**
- C Explaining the importance of ambulating immediately after surgery.
- D Discussing the possibility of experiencing diarrhea after the surgery.

CORRECT**Student message:**

Cervical dilation 6 cm: Active phase

Source:

naxlex.com

A nurse is caring for a patient in the first stage of labor and assesses that the patient is 6 cm dilated, 75% effaced, and the baby is at 0 station. Based on these findings, the nurse would document that the patient is in what phase of the first stage of labor?

- A Transition.
- B Active.**
- C Latent.
- D Progressive.

CORRECT**Student message:**

Procedure that increases risk of umbilical cord prolapse: amniotomy (AROM)

Source:

naxlex.com

A nurse is caring for a client who is to undergo an amniotomy. Which of the following is the priority nursing action following this procedure?

- A Observe color and consistency of fluid.
- B Evaluate client for the presence of chills and increased uterine tenderness using palpation.
- C Assess the fetal heart rate pattern.**
- D Assess the client's temperature.

CORRECT

Student message:

Surgical mask and glove ما الاحتياطات للدرويلت؟

Source:

naxlex.com

A nurse is teaching a newly licensed nurse about implementing droplet precautions for a client who has influenza. Which statement indicates understanding?

- | | | |
|----------|---|----------------|
| A | I will wear a surgical mask within 3 feet of the client. | CORRECT |
| B | I will wear an N95 respirator when providing care for the client. | |
| C | I will assign the client to a room with positive airflow. | |
| D | I will check that the room has a high-efficiency particulate air filtration system. | |

Student message:

Laissez-faire leadership سؤال عن

Source:

naxlex.com

A nurse leader who provides minimal direction and lets the team make decisions independently is using which leadership style?

- | | | |
|----------|----------------------|----------------|
| A | Laissez-faire | CORRECT |
| B | Autocratic | |
| C | Transactional | |
| D | Democratic | |

Student message:

HCG الهرمون المسؤول عن الحمل

Source:

naxlex.com

The nurse caring for the pregnant patient understands that which hormone is essential for maintaining pregnancy?

- | | | |
|----------|------------------------------------|----------------|
| A | Estrogen | |
| B | Oxytocin | |
| C | Human chorionic gonadotropin (hCG) | |
| D | Progesterone | CORRECT |

Student message:

منع الحمل بالرضاعة

Source:

naxlex.com

Benefits to the mother associated with breastfeeding include all except:

- A It reduces the risk of osteoporosis.
- B They have a decreased risk of breast cancer.
- C It is an effective method of birth control for up to 12 months. CORRECT**
- D It may enhance postpartum weight loss.

Student message:

Hypovolemic shock: ما النتائج المتوقعة؟

Source:

naxlex.com

A client comes to the emergency department with hypovolemic shock. Which findings would be expected based on this diagnosis?

- A Hypertension and low heart rate
- B Tachycardia and cool extremities CORRECT**
- C Increased urine output and fever
- D Metabolic alkalosis and slow respiratory rate

Student message:

Conflict: Storming

Source:

naxlex.com

The storming stage of team development involves:

- A Unanimous agreement
- B Conflict and competition among members CORRECT**
- C High productivity
- D Lack of communication

Student message:

A nurse manager promotes continuing education, workshops and professional development. This reflects lifelong learning

Source:

naxlex.com

A nurse wants to enhance their knowledge and skills to provide the best possible care for clients. Which is an example of continuing education?

- A Attending the hospital's orientation program
- B Completing a workshop on ethical aspects of nursing**
- C Obtaining information about the facility's new computer charting system
- D Talking with a company representative about a new piece of equipment

CORRECT**Student message:**

low protein :مرض النقرس

Source:

naxlex.com

The nurse is caring for a client with a history of gout. Which dietary recommendation should the nurse emphasize?

- A Limit purine-rich foods**
- B Increase dairy consumption
- C Restrict carbohydrate intake
- D Encourage red meat consumption

CORRECT**Student message:**

diastolic و systolic الفرق بين

Source:

naxlex.com

The nurse is performing care on a client. Which describes pulse pressure?

- A The difference between the systolic and the diastolic pressure.**
- B A measure of vasoconstriction.
- C A reflection of the viscosity of the blood.
- D Another way to express the systolic pressure

CORRECT

Student message:

مریضة معها تصلب الحليب في الثدي، ماذا نفعل؟

Source:

naxlex.com

A home health care nurse is teaching about breast engorgement. Which statement indicates understanding?

- A I won't wear a bra during the daytime.
- B I'll apply cold compresses 20 min before each feeding.
- C **I'll feed my baby every 2 hours.**
- D I will stop breastfeeding until I am done with antibiotics.

CORRECT**Student message:**

Infant with meconium aspiration

Source:

naxlex.com

A newborn has meconium aspiration at birth and increasing respiratory distress. What action takes priority?

- A Obtain an oxygen saturation.
- B Stimulate the baby to increase respirations.
- C Prepare to initiate ECMO.
- D **Notify the provider at once.**

CORRECT**Student message:**

IVH: ما الذي تنتبه له الممرضة؟ Avoid suction / vital signs / head circumference

Source:

naxlex.com

A nurse is caring for a preterm infant with intraventricular hemorrhage. Which action prevents increased ICP?

- A Elevate the head of the bed to 30 degrees.
- B Avoid suctioning unless absolutely necessary.
- C Administer analgesics as prescribed.
- D **All of the above.**

CORRECT

Student message:

يرقان وألم يمتد للكشف الأيمن: أين مكان التشخيص المتوقع؟ RUQ

Source:

naxlex.com

A client presents with severe right upper quadrant abdominal pain, fever, and jaundice. Which condition should the nurse suspect?

A Gastroenteritis

B Cholecystitis with cholangitis

CORRECT

C Urinary tract infection

D Gastroesophageal reflux disease (GERD)

Q-106

Student message:

بنت عمرها 17 تطلب نصيحة وقت الدورة: mild analgesic أم ثلاث وجبات كبيرة

Source:

naxlex.com

A 12-year-old girl has severe lower abdominal pain during menstruation. What is the recommended first-line treatment?

A Start oral contraceptive pills.

B Increase dairy products.

C Use NSAIDs such as ibuprofen.

CORRECT

D Use a heating pad only.

Q-107

Student message:

ممرضة تشخص مريضاً من السوشال ميديا: ما الخطر؟ انتهاك الخصوصية

Source:

naxlex.com

The nurse manager oversees several nurses. With which nurse should the manager review HIPAA?

A A nurse who initiated contact on social media to discuss a client's discharge planning.

CORRECT

B A nurse who discussed client status with the physician by phone.

C A nurse who confirmed identity using two identifiers.

D A nurse who documented in the electronic health record.

Student message:

SBAR أخطاء وقت endorsement : تطبيق

Source:

naxlex.com

The nurse calls the provider about a patient's condition. What is included in SBAR communication?

- | | | |
|----------|---|----------------|
| A | Situation, background, assessment, and recommendation. | CORRECT |
| B | Situation, background, all vitals, and review of orders. | |
| C | Summary, better plan, accurate diagnosis, and rights. | |
| D | Subjective information, background, assessment, and revisions needed. | |

Student message:

Child taking anticonvulsant medication: what should be monitored regularly?

Source:

naxlex.com

The nurse teaches a patient taking antiseizure drugs which method measures compliance and toxicity?

- | | | |
|----------|--------------------------------------|----------------|
| A | A daily seizure log | |
| B | Urine testing for drug levels | |
| C | Blood testing for drug levels | CORRECT |
| D | Monthly electroencephalography (EEG) | |

Student message:

Low BP and high heart rate: hypovolemic shock

Source:

naxlex.com

A nurse is assessing suspected hypovolemic shock after trauma. Which finding is most indicative?

- | | | |
|----------|------------------------------------|----------------|
| A | Blood pressure of 110/70 mm Hg | |
| B | Heart rate of 120 beats/min | CORRECT |
| C | Warm, dry skin | |
| D | Urine output of 40 mL/hr | |

Student message:

Cleft lip/palate feeding position

Source:

naxlex.com

Which feeding technique is most appropriate for an infant with a cleft palate?

A Breastfeed without adjustments.

B Use a standard bottle.

C Position upright and use a specialized one-way-valve bottle.

CORRECT

D Feed while lying flat.

Student message:

Meningitis ينتقل عن طريق droplet

Source:

naxlex.com

What infection control precaution is instituted for bacterial meningitis?

A Neutropenic precautions

B Contact isolation

C Universal precautions

D Droplet isolation

CORRECT**Student message:**

MRSA ينتقل بالـ contact: gown and gloves

Source:

naxlex.com

A nurse caring for MRSA in an abdominal wound enters to check pulse. What PPE should be worn?

A Gown

CORRECT

B Sterile gloves

C PAPR mask

D Surgical mask

Student message:

Cause of neural tube defect: folic acid

Source:

naxlex.com

A nurse is educating a pregnant patient about nutritional deficiencies. Which nutrient deficiency is most associated with neural tube defects?

- A Iron
- B Calcium
- C Folic acid
- D Vitamin D

CORRECT**Student message:**

crowded areas ما الغويا؟ agoraphobia وتشخص tachycardia و sweating مريض

Source:

naxlex.com

A client has been diagnosed with agoraphobia. Which behavior is most characteristic?

- A Panic anxiety when encountering snakes.
- B Refuses to fly in an airplane.
- C Will not eat in a public place.
- D Stays home for fear of being where escape is difficult.

CORRECT**Student message:**

Adult ear drops: up and backward

Source:

naxlex.com

The nurse is preparing to administer ear drops to an adult client. Which action should the nurse take?

- A Avoid applying pressure to the tragus.
- B Pull the pinna upward and backward.
- C Don sterile gloves.
- D Chill the otic solution.

CORRECT

Student message:

مريض ER عنده insect في الأذن؛ ما اتجاه سحب الأذن لإظهار outer canal؟

Source:

naxlex.com

When using an otoscope to assess an adult tympanic membrane, pull the pinna in which direction?

A	Up and back	CORRECT
B	Down and forward	
C	Away from the examiner	
D	In any direction	

Student message:

مريض يأخذ warfarin: ما التحليل preoperative؟ INR

Source:

naxlex.com

A nurse is assessing the therapeutic INR range for a patient receiving warfarin. Which range is therapeutic?

A	2.0–3.0	CORRECT
B	4.0–5.0	
C	1.0–2.0	
D	3.0–4.9	

Student message:

بعد mastectomy لماذا يرفع المريض الذراع المتأثرة فوق الرأس؟ تقليل lymphedema

Source:

naxlex.com

A nurse is providing discharge teaching about lymphedema prevention after modified radical mastectomy. Which instruction should be included?

A	Apply lotion to the incision twice daily.	
B	Avoid measuring blood pressure on the affected arm.	CORRECT
C	Apply deodorant under the affected arm daily.	
D	Avoid lifting objects greater than 5.4 kg.	

Student message:

heel ؟infant من أين ن سحب الدم

Source:

naxlex.com

A nurse is preparing to collect a capillary blood specimen from the heel of a 4-month-old infant. Which action should be taken?

- A Apply a cool pack to the heel.
- B Use a surgical blade.
- C **Puncture the outer aspect of the heel.**
- D Wipe the site with alcohol after puncture.

CORRECT**Student message:**

hand washing كيف نمنع العدوى في المستشفى؟

Source:

naxlex.com

What is the most effective method of infection control?

- A Isolation precautions
- B **Hand washing**
- C Neutropenic precautions
- D Wearing sterile gloves

CORRECT**Student message:**

adenoidectomy/tonsillectomy الوضعية بعد

Source:

naxlex.com

In which position should a nurse place a child after tonsil and adenoidectomy?

- A Semi-Fowler with head turned to side
- B High Fowler, head forward and to side
- C **Side-lying**
- D Supine

CORRECT

Student message:

Antidote for morphine

Source:

naxlex.com

A client overdosed on morphine and has respiratory rate 6/min. Which medication should be administered?

- | | | |
|----------|-----------------|----------------|
| A | Naloxone | CORRECT |
| B | Flumazenil | |
| C | Protamine | |
| D | Epinephrine | |

Student message:

magnesium toxicity شخص لديه

Source:

naxlex.com

The antidote administered to reverse magnesium toxicity is?

- | | | |
|----------|---------------------------|----------------|
| A | Calcium gluconate. | CORRECT |
| B | Sodium bicarbonate. | |
| C | Potassium chloride. | |
| D | Naloxone. | |

Student message:

puerperal infection سؤال عن

Source:

naxlex.com

A 1-day postpartum patient has red lochia with foul odor. What does this finding indicate?

- | | | |
|----------|---------------------------------|----------------|
| A | Need for increased ambulation. | |
| B | Need for increased oral fluids. | |
| C | Presence of infection. | CORRECT |
| D | Normal finding. | |

Student message:

الطفل بعد الولادة: أي نوع heat loss

Source:

naxlex.com

A nurse caring for a newborn immediately after birth: which action reduces evaporative heat loss?

- A Maintain room temperature at 24 C.
- B Dry the newborn's skin thoroughly.**
- C Prevent air drafts.
- D Place the newborn on a warm surface.

CORRECT**Student message:**

للمولود على صدر أمه بعد الولادة Skin-to-skin

Source:

naxlex.com

A newborn is placed skin-to-skin after birth. Which intervention increases risk for hypothermia?

- A Dry and stimulate with a towel.
- B Place a hat on the newborn.
- C Maintain room temperature at 20 C.**
- D Place a blanket over mother and newborn.

CORRECT**Student message:**

طفل يبكي وخائف من الممرضين: نحضر لعبته المفضلة

Source:

naxlex.com

A preschool child is fearful of a medical procedure. Which intervention is most appropriate?

- A Provide lengthy written instructions
- B Explain using simple words and play therapy**
- C Avoid answering questions
- D Encourage complete independence

CORRECT

Student message:

كيف نمنع العدوى في المستشفى؟ غسل اليدين

Source:

naxlex.com

A nursing manager is worried about hospital infections. What action is most effective?

A Remove urinary catheters promptly.

B Educate staff about infection control methods.

CORRECT

C Place patients in appropriate isolation.

D Monitor staff hand hygiene practices.

Q-130

Student message:

mastitis و pain أم عندها
نعطيهها كمادة بارده

Source:

naxlex.com

A postpartum client has been diagnosed with mastitis in her right breast. Which self-care measure should the nurse recommend to help alleviate discomfort and improve drainage in the affected breast?

A Begin breastfeeding exclusively from the left breast until the infection resolves.

B Incorporate massage and hand expression on the affected breast to relieve engorgement.

CORRECT

C Apply cold compresses to the right breast before feedings.

D Discontinue breastfeeding completely until symptoms subside.

Q-131

Student message:

أم عندها HIV تخليها توقف الرضاعة

Source:

naxlex.com

A nurse is reinforcing education about nutrition for a patient who has HIV and has a newborn. Which statement should the nurse provide?

A You must breastfeed to give the baby the best nutrients.

B Breastfeeding is not recommended because of the high risk of transmission.

CORRECT

C Pumped breastmilk may be given to your child.

D You should sterilize your pumped breastmilk prior to feeding.

Student message:

سؤال عن forth stage of pressure ulcer واضح

Source:

naxlex.com

A nurse assesses a patient's pressure injury and documents full-thickness skin and tissue loss with exposed muscle, tendon, and bone. At which stage is this pressure ulcer?

- A Stage I
- B Stage II
- C Stage III
- D Stage IV

CORRECT**Student message:**

ستيج ١ pressure ulcers مع وصف بالسؤال

Source:

naxlex.com

Pressure sores are categorized into four stages. Which stage is red with blistering or a shallow break in the skin?

- A Stage II
- B Stage IV
- C Stage III
- D Stage I

CORRECT**Student message:**

بيبي عنده projectile vomiting وتشخص ب pyloric stenosis ايش نسوي له؟ pyloromyotomy

Source:

naxlex.com

The mother of an infant with hypertrophic pyloric stenosis asks about treatment. What should the nurse convey?

- A Chromosomal mutation is the cause.
- B Slow feeding will be necessary for a few months.
- C Dietary restrictions will be required throughout childhood.
- D Surgery will be necessary.

CORRECT

Student message:

طفلة عمرها ١٠ سنوات عندها UTI، ايش تسوي لمنع العدوى مرة ثانية؟

Source:

naxlex.com

A nurse is reinforcing teaching with a female client about preventing urinary tract infections. Which instruction should the nurse include?

- A Wear underwear made from nylon.
- B Wait to void until the bladder feels full.
- C **Drink 16 oz of cranberry juice each day.**
- D Use an over-the-counter douche product after intercourse.

CORRECT**Student message:**

طفل عنده kidney injury؛ ايش اخطر شيء يستدعي تدخل طارئ؟ Hyperkalemia

Source:

naxlex.com

A patient admitted with acute kidney injury has oliguria, anemia, and hyperkalemia. Which prescribed action should the nurse take first?

- A **Place the patient on a cardiac monitor.**
- B Insert a urinary retention catheter.
- C Give the prescribed spironolactone.
- D Administer epoetin alfa.

CORRECT**Student message:**

بالحج الوزارة توصي موظفي الصحة بأخذ flu vaccine ايش يعتبر؟ Primary prevention

Source:

naxlex.com

An occupational health nurse is planning activities to prevent communicable disease. Which activity is a secondary level of prevention?

- A Influenza immunizations
- B **Tuberculosis screenings**
- C Presentations about safer sex practices
- D Evaluations of bloodborne pathogen policies

CORRECT

Student message:

positive Brudzinski sign؛ ايش يأكّد التشخيص؛ meningitis عندہ شاकिन

Source:

naxlex.com

A nurse is assessing a client with suspected meningitis. Which sign is most indicative of meningitis?

A	Positive Brudzinski's sign	CORRECT
B	Positive Babinski's sign	
C	Positive Romberg's sign	
D	Positive Murphy's sign	

Student message:

Complications of untreated DVT? Pulmonary embolism

Source:

naxlex.com

Which of the following is a possible complication of deep vein thrombosis (DVT)?

A	Hypertension	
B	Pulmonary embolism	CORRECT
C	Urinary tract infection	
D	Peptic ulcer disease	

Student message:

Dark greenish and black, sticky؛ ايش مواصفات اول ستول للبيبي؟

Source:

naxlex.com

A mother asks why her 20-hour-old newborn's stool looks black and sticky. Which response is most appropriate?

A	You probably took iron during pregnancy.	
B	Black stool is a sign of dehydration.	
C	This is meconium stool, normal for a newborn.	CORRECT
D	This is associated with blood caused by a dairy allergy.	

Student message:

patient presents with night sweats and coughing up blood. Which disease is most likely?

Source:

naxlex.com

A male client has active tuberculosis (TB). Which symptom cluster will be exhibited?

A Fever above 104°F and anorexia

B Headache and photophobia

C Fatigue, night sweats, and hemoptysis

CORRECT

D Chest and lower back pain

Student message:

mild preeclampsia mild نخلية تسوي؟ rest أو strict sodium

Source:

naxlex.com

A nurse is reinforcing teaching about home care with a client who has mild preeclampsia. Which information should the nurse include?

A Perform daily fetal movement counts.

CORRECT

B Limit fluid intake to 1,000 mL/day.

C Limit sodium intake to 2,000 mg/day.

D Rest in bed in the supine position.

Student message:

Which type of lochia is expected 2 days postpartum?

Source:

naxlex.com

A nurse is assessing a client who is 2 days postpartum. Which finding should the nurse expect?

A Lochia rubra

CORRECT

B Lochia serosa

C Lochia alba

D No lochia

Student message:

Which test screens for cervical neoplasia during antenatal assessment?

Source:

naxlex.com

A nurse is providing teaching about the Papanicolaou test. Which information should be included?

A A yearly Pap test is recommended until age 70.

B Pap tests are discontinued after removal of ovaries.

C Avoid sexual intercourse for 24 hours before the Pap test.

CORRECT

D Viral infections can be detected by a Pap test.

Student message:

dyspnea, hypertension, pulmonary edema, neck vein distension ضار blood transfusion بعد

Source:

naxlex.com

The nurse is monitoring a patient receiving a blood transfusion. For which symptoms should the nurse stop the transfusion but not administer normal saline?

A Dyspnea, crackles, hypertension, and edema

CORRECT

B Low back pain, hypotension, and tachycardia

C Urticaria, itching, wheezing, and angioedema

D Chest tightness, fever, chills, and rigors

Student message:

تنقيف قدم السكري: يغسل بماء حار أو كمادات حارة أو يمشي حافي أو يشيك عليها باستمرار

Source:

naxlex.com

A nurse is providing education to a client with diabetes on foot care. Which statement promotes foot health?

A Walk barefoot at home to improve circulation.

B Inspect your feet daily, especially between the toes.

CORRECT

C Apply heating pads to your feet in cold weather.

D Use adhesive tape to treat blisters or sores.

Student message:

Extrapyramidal side effects لأي أدوية antipsychotics

Source:

naxlex.com

Which medication side effect is irreversible if not detected early?

- A Akinesia
- B Akathisia
- C Dystonia

D Tardive dyskinesia

CORRECT

Student message:

طفل عمره 5 سنوات أعلمه باستخدام اللعب

Source:

naxlex.com

Which technique prepares a child for surgery using role playing or hands-on activities?

- A Onlooker play
- B Therapeutic play**
- C Cooperative play
- D Play therapy

CORRECT

Student message:

أشخاص لغتهم العربية ضعيفة؛ نستخدم interpreter من المستشفى

Source:

naxlex.com

A nurse is working with a client who has limited English proficiency and uses an interpreter. Which strategy facilitates effective communication?

- A Speak directly to the interpreter and use short sentences.
- B Speak directly to the client and use simple words.**
- C Speak loudly and slowly to the client and use gestures.
- D Speak normally to the interpreter and use medical terms.

CORRECT

Student message:

Circumcision {hypospadias وش البروسيجر اللي تأخره إذا الولد عنده

Source:

naxlex.com

A newborn is diagnosed with hypospadias and the parents request circumcision. Which response should the nurse provide?

- | | | |
|----------|--|----------------|
| A | The foreskin will be needed for a later hypospadias repair. | CORRECT |
| B | Circumcision is delayed until puberty. | |
| C | Scar tissue could interfere with reconstruction. | |
| D | Local anesthesia is not recommended. | |

Student message:

hyperthyroidism signs جاني طفل عنده

- increase calcium
- decreased calcium
- increase T4 and T3
- decrease T4 and T4

Source:

naxlex.com

A nurse is reviewing the medical record of a client who has hyperthyroidism (Graves disease). Which serum laboratory finding should be below the expected reference range?

- | | | |
|----------|--|----------------|
| A | Thyroxine (T4) level | |
| B | Triiodothyronine (T3) level | |
| C | Thyroid-stimulating hormone (TSH) level | CORRECT |
| D | Glucose level | |

Student message:

leadership in ER For CPR (autocratic)

Source:

naxlex.com

The nurse is caring for a cyanotic and pulseless client. Which leadership style is most effective when managing the code blue?

- | | | |
|----------|----------------------|----------------|
| A | Democratic | |
| B | Authoritarian | CORRECT |
| C | Laissez-faire | |
| D | Transformational | |

Student message:

A 11 month old boy with cleft lip & palate was discharged after surgery. Which parent statement shows understanding? use spoon after 2 days / avoid crying / prone position

Source:

naxlex.com

A nurse is caring for a 10-month-old infant 8 hours after cleft palate repair. Which intervention should be included in the plan of care?

- A Keep the infant supine.
- B Suction the mouth with an oral suction tube.
- C **Apply elbow restraints and release them periodically.**
- D Feed the infant with a spoon for 48 hours.

CORRECT**Student message:**

اعراض الاستخدام الطويل ل Aspirin

Source:

naxlex.com

A patient taking aspirin for arthritis should report which adverse reaction to the healthcare provider?

- A **Tinnitus**
- B Seizures
- C Sinusitis
- D Palpitations

CORRECT**Student message:**

BMI 28: normal / underweight / overweight

Source:

naxlex.com

A nurse at a health fair is assessing weight status. Which client is classified as overweight?

- A A male with a waist circumference of 38 in
- B A female with a BMI of 24
- C A female with a waist circumference of 40 in
- D **A male with a BMI of 29**

CORRECT

Student message:

سؤال تطعيمه الحج المعروف

Source:

quizlet.com

A community health nurse is planning a public service campaign to decrease influenza transmission. Which intervention is primary prevention?

A Going to the hospital for dehydration after influenza

B Staying home when sick

C Getting tested when symptoms occur

D Obtaining an immunization

CORRECT

Q-157

Student message:

Clang Association اذا يقول مثل الشعر

Source:

naxlex.com

During an admission interview, a client responds: 'medications, abbreviations, deviations, mediations.' Which speech pattern is demonstrated?

A Neologisms

B Echolalia

C Pressured speech

D Clang association

CORRECT

Q-158

Student message:

Echolalia اليبشنت يكرر نفس كلامي والاجابه

Source:

naxlex.com

A nurse asks a client with schizophrenia, 'How are you?' Which response demonstrates echolalia?

A I am lovistrated.

B Super, trooper, and duper.

C How are you?

CORRECT

D Pink spots in Africa.

Student message:

سؤال عن TB و PPE كيف ألبس

Source:

naxlex.com

Which PPE should be worn when entering the room of a patient with tuberculosis?

- A Gloves and gown
- B Mask and goggles
- C **N95 respirator mask**
- D Face shield and gloves

CORRECT**Student message:**

نوع اللقاح في الحج

Source:

naxlex.com

Which action is an example of primary prevention?

- A Avoiding unnecessary imaging tests
- B **Flu vaccination**
- C Cardiac rehabilitation after a heart attack
- D Screening for breast cancer

CORRECT**Student message:**

An infant with green bilious vomiting. Most likely cause: bowel obstruction

Source:

naxlex.com

An infant born 2 days ago has not passed meconium and begins vomiting bilious secretions. Which action should the nurse take first?

- A Gather supplies for an IV infusion.
- B **Measure abdominal circumference.**
- C Prepare for anorectal manometry.
- D Monitor strict urinary output.

CORRECT

Student message:

Furosemide (Lasix): important warning signs hypotension and muscle cramps

Source:

naxlex.com

A client with congestive heart failure is prescribed daily furosemide. Which potential adverse effect should the nurse monitor?

- A Bradycardia
- B Hyperglycemia
- C Hypotension
- D Dry, nonproductive cough

CORRECT**Student message:**

جاني سوالين عن المترجم في المستشفى

Source:

naxlex.com

The nurse interviews a client who does not speak fluent English using an interpreter. Which action should the nurse implement?

- A Ask the interpreter to tell the client to write questions.
- B Give the interpreter a form listing the questions.
- C Use an interpreter throughout the entire hospitalization.
- D Maintain eye contact with the client when asking questions.

CORRECT**Student message:**

تطعيم الحج برايمري

Source:

naxlex.com

A community health nurse plans a health-promotion program for a population with high hypertension and diabetes prevalence. Which intervention best exemplifies primary prevention?

- A Education on healthy eating and regular activity
- B Support groups for people managing complications
- C Screening for early signs to begin treatment
- D Medications for already diagnosed patients

CORRECT

Student message:

شخص يقول فجأة إنه سينتحر قريبًا، ماذا تسأله؟

Source:

naxlex.com

A nurse assesses a client who said they do not want to live anymore and plan to end their life. Which action should the nurse take?

A Reassure the client that everything will work out.

B Ask about the lethality of the plan.

CORRECT

C Allow time alone for self-reflection.

D Encourage focus on positive aspects of life.

Student message:

حامل خائفة أن يأتي طفلها بمرض جيني

Source:

naxlex.com

A nurse is providing education to a client and their reproductive partner when the client asks about testing for hereditary genetic disorders, particularly the type their partner has. Which response should the nurse provide?

A Your partner's condition should not affect future children.

B We can test you, but not your partner, for hereditary conditions.

C We can offer you and your partner testing to identify the chance of passing genetic conditions to your children.

CORRECT

D Testing is not done until a pregnancy is confirmed.

Student message:

مريض ADHD يصرخ ويزعج ويؤدي الموجددين: ما الإدارة؟

Source:

naxlex.com

A nurse is caring for a school-age child with ADHD who is throwing wooden building blocks against a wall. Which action should the nurse take?

A Administer atomoxetine.

B Request a PRN prescription for mechanical restraints.

C Encourage the child to kick a ball into a net.

CORRECT

D Place the child in seclusion.

Student message:

انكسرت ampoule منه

Source:

naxlex.com

A nurse is preparing an injection using a single-dose glass ampule. Which action should the nurse take?

- A Shake the ampule to move the solution below the neck.
- B Snap the top of the ampule toward the hands.
- C Wear sterile gloves while preparing the injection.
- D Use a filter needle to draw up the medication.

CORRECT**Student message:**

ممرضة OB/GYN: أي مريضة تستطيع استلامها؟ المريضة ذات الدورة غير المنتظمة

Source:

naxlex.com

A charge nurse on an obstetrical unit is preparing the shift assignment. Which client should be assigned to an RN who has floated from a medical-surgical unit?

- A A primigravida 1 day postoperative following a cesarean birth who has a patient-controlled analgesia pump.
- B A client at 32 weeks of gestation who has preterm premature rupture of membranes.
- C A client who has preeclampsia and is receiving misoprostol.
- D A client who has gestational diabetes and is scheduled for a biweekly nonstress test.

CORRECT**Student message:**

مريض AIDS: ماذا تلبس قبل dressing ؟gloves/gown/mask

Source:

naxlex.com

Which practice is recommended to prevent human immunodeficiency virus transmission?

- A Using standard precautions.
- B Double gloving for all client contact.
- C Applying hand sanitizer to gloves between tasks.
- D Wearing a mask whenever within 3 feet of the client.

CORRECT

Student message:

أعراض TB: ما المرض؟

Source:

naxlex.com

A nurse is obtaining a health history from a client suspected of having early tuberculosis. Which manifestations should the nurse ask about?

- A Chest pain, hemoptysis, and weight loss.
- B Fatigue, low-grade fever, and night sweats.**
- C Cough with purulent mucus, fever, and chills.
- D Pleuritic pain, nonproductive cough, and nighttime temperature elevation.

CORRECT**Student message:**

المريض طاح في الحمام وصار عنده fracture في الساق اليسرى بنهاية الشفت: Kardex record

Source:

naxlex.com

A nurse is documenting and completing an incident report after a client falls out of bed. Which action should the nurse take when documenting the event?

- A Document in the medical record that an incident report was completed.
- B Document that a photocopy of the incident report was sent to the provider.
- C Write in the incident report that the client was found lying on the floor after falling.
- D Write in the incident report that the nurse entered the room and discovered the client lying prone on the floor.**

CORRECT**Student message:**

كيف نتعامل معه في المراهقة؟ ADHD:

Source:

naxlex.com

An adolescent diagnosed with ADHD has difficulty maintaining concentration. Which intervention should the nurse recommend to improve task performance?

- A Divide tasks into small attainable steps and reward completion.**
- B Remove privileges whenever a task is not completed.
- C Discontinue methylphenidate until concentration improves.
- D Require the adolescent to remain in their room until all homework is completed.

CORRECT

Student message:

shout for help and start CPR أم defibrillate حالة في ER بدون نبض:

Source:

naxlex.com

The nurse finds a client unresponsive and pulseless with a flat cardiac rhythm. Which action should the nurse take first?

- A Administer atropine.
- B Defibrillate at 360 joules.
- C **Begin cardiopulmonary resuscitation.**
- D Administer epinephrine.

CORRECT**Student message:**

confidentiality سمعت طالبين يتكلمون عن خصوصيات مريض: تحدث معهما على انفراد عن

Source:

naxlex.com

A nurse overhears two staff members in a public hallway discussing the diagnosis of a client. Which action should the nurse take to promote confidentiality?

- A Ask the staff members to speak more quietly.
- B **Tell the staff members to stop discussing confidential information in a public area.**
- C Alert the facility attorney about the disclosure.
- D Ignore the conversation because both individuals are staff members.

CORRECT**Student message:**

مريضة صغيرة لا تعرف العربية جيداً في المستشفى: ماذا نفعل؟

Source:

naxlex.com

A nurse is working with a client who has limited English proficiency and is using an interpreter. Which strategy should the nurse use to facilitate communication?

- A Speak directly to the interpreter using short sentences.
- B **Speak directly to the client using simple words.**
- C Speak loudly and slowly while using gestures.
- D Speak at a normal pace to the interpreter using medical terminology.

CORRECT

Student message:

chest compressions بعد التأكد من سلامة المريض وفتح مجرى الهواء، ماذا نفعل؟

Source:

naxlex.com

A nurse enters an adult client's room and finds the client unresponsive, not breathing, and without a pulse. Which action should the nurse take first?

- A Provide rescue breathing.
- B Open the client's airway.
- C Begin chest compressions.**
- D Activate the code blue response.

CORRECT

Q-178

Student message:

CABG أربعة أسئلة عن

Source:

naxlex.com

A patient is recovering from coronary artery bypass graft surgery. Which nursing intervention is crucial during the early postoperative period?

- A Minimize ambulation to reduce cardiac workload.
- B Encourage deep breathing and coughing regularly.**
- C Allow uninterrupted sleep for most of the day.
- D Maintain strict NPO status for 48 hours.

CORRECT

Q-179

Student message:

شخص obese و bedridden: كيف ننقله؟

Source:

naxlex.com

A client weighs 250 pounds and needs to be transferred from the bed to a chair. Which instruction should the nurse give to assistive personnel?

- A Use proper body mechanics because this prevents injury.
- B Choose a physically fit staff member because this lowers risk.
- C Use a mechanical lift and obtain assistance from another person.**
- D Wear a back belt while transferring the client.

CORRECT

Student message:

أسئلة حل الصراعات والنزاعات

Source:

naxlex.com

A nurse manager is scheduling a meeting to address a conflict between staff members and a client's family. Staff and family members will identify common goals and express their concerns. Which conflict resolution strategy is the manager implementing?

A Competition

B Collaboration

CORRECT

C Accommodation

D Smoothing

Q-181

Student message:

طفل عنده سكري: كيف نشرح له حقن نفسه؟

Source:

naxlex.com

A nurse is teaching a male adolescent recently diagnosed with type 1 diabetes mellitus about self-injecting insulin. Which approach is best to evaluate the effectiveness of the teaching?

A Observe him as he demonstrates the self-injection technique to another diabetic adolescent.

CORRECT

B Ask the adolescent to describe his comfort with injecting himself.

C Review his glycosylated hemoglobin level 3 months later.

D Have the adolescent list the procedural steps for safe insulin administration.

Q-182

Student message:

طفل خائف ويبكي من العلاج الكيماوي: يجتمع الوالدان والكادر ويضحكون معه

Source:

naxlex.com

An 8-year-old patient is having problems adjusting to daily radiation treatments. Which action is most appropriate for the nurse to take?

A Have a discussion with the child life specialist.

CORRECT

B Collaborate with the oncology radiologist.

C Encourage the parents to comfort the child.

D Educate the child on the importance of the treatments.

Student message:

مريض لا يفهم لغة التمريض: تأتي بمرجع من المستشفى

Source:

naxlex.com

A nurse is working with a client who has limited English proficiency and is using an interpreter. Which strategy should the nurse use to facilitate communication?

- A Speak directly to the interpreter using short sentences.
- B Speak directly to the client using simple words.**
- C Speak loudly and slowly while using gestures.
- D Speak at a normal pace to the interpreter using medical terminology.

CORRECT

Q-184

Student message:

مسن لا يعرف أخذ أدويته: نرسل ممرضاً للبيت يشرح له

Source:

naxlex.com

The nurse plans discharge education for an older adult client. Which topic should the nurse prioritize?

- A What foods are good protein sources.
- B The importance of social activities.
- C Benefits of aerobic and strength training.
- D How to manage medications at home.**

CORRECT

Q-185

Student message:

مسن لم يفهم إجراء العملية: نشرح بطريقة واضحة وسهلة

Source:

naxlex.com

A nurse determines that a client does not understand a surgical procedure before witnessing the informed consent. Which action should the nurse take?

- A Provide teaching about the surgical procedure.
- B Instruct the client's spouse to sign the consent.
- C Read the consent form using words the client understands.
- D Contact the provider who will perform the procedure.**

CORRECT

Student message:

الأم المصابة بالسكري: ما الذي يتعرض له المولود؟

Source:

naxlex.com

A practical nurse is caring for a client with gestational diabetes mellitus. Which complication is the greatest risk to the fetus if euglycemia is not maintained?

A Low birth weight

B Preterm birth

C Cleft palate

D **Macrosomic newborn**

CORRECT

Q-187

Student message:

hyperthyroidism دواء

Source:

naxlex.com

Which medication is typically prescribed for the treatment of hyperthyroidism?

A Liothyronine (Cytomel)

B Liotrix (Thyrolar)

C Levothyroxine (Synthroid)

D **Propylthiouracil (Propacil)**

CORRECT

Q-188

Student message:

Hypothyroidism: decreased T3 and T4

Source:

naxlex.com

A nurse is caring for a patient with decreased T3 and T4 and elevated TSH levels. Which condition is most likely?

A Hyperthyroidism

B **Hypothyroidism**

CORRECT

C Thyroid cancer

D Pituitary adenoma

Student message:

nursing process أسئلة

Source:

naxlex.com

Select the proper order of the phases of the nursing process.

A Evaluation, planning, assessment, implementation

B Assessment, planning, implementation, evaluation

CORRECT

C Implementation, assessment, planning, evaluation

D Planning, evaluation, assessment, implementation

Student message:

أسئلة الخصوصية

Source:

naxlex.com

Which action by a nurse indicates a breach of a patient's right to privacy?

A Discussing the patient's history with staff during care planning

B Documenting the patient's daily behavior during hospitalization

C Releasing information to the patient's employer without consent

CORRECT

D Asking family about pre-hospitalization behavior

Student message:

كيف نحافظ على حق المريض autonomy؟

Source:

naxlex.com

What is the definition of patient autonomy?

A The right to refuse care only

B The right to self-determination and decisions about one's own healthcare

CORRECT

C The right to receive care without involvement in decisions

D The right to make decisions for the healthcare provider

Student message:

مريض نفسي جديد منوم في القسم: أراقب تصرفه

Source:

naxlex.com

During admission to a psychiatric unit, a client is extremely anxious. Which intervention is most important during admission?

- | | | |
|----------|---|----------------|
| A | Remain calm and use a matter-of-fact approach. | CORRECT |
| B | Assist the client to develop alternative coping skills. | |
| C | Administer a PRN sedative. | |
| D | Ask the client why they are anxious. | |

Student message:

A head nurse encourages all staff members to continue attending educational activities, professional courses, and evidence-based learning programs throughout their careers. Which professional concept is the head nurse promoting?

- A. Delegation
- B. Lifelong learning
- C. Time management
- D. Supervision

Answer: B. Lifelong learning

Source:

naxlex.com

A nurse is planning a presentation about lifelong learning. Which information should the nurse include?

- | | | |
|----------|--|----------------|
| A | Lifelong learning is a factor in improving client outcomes. | CORRECT |
| B | An advanced degree is required to maintain competency. | |
| C | Professional organization membership is essential. | |
| D | Lifelong learning is primarily acquiring technical skills. | |

Student message:

40-year-old male patient newly diagnosed with Type 2 Diabetes Mellitus expresses feeling overwhelmed and confused about how to change his eating habits and manage his new diet. Which action is most appropriate?

Source:

naxlex.com

A home health nurse visits a client with a new diagnosis of diabetes mellitus. Which action should the nurse take first?

- | | | |
|----------|---|----------------|
| A | Teach appropriate food choices. | |
| B | Refer the client to a diabetes support group. | |
| C | Identify the client's dietary preferences. | CORRECT |
| D | Develop a nutritional program. | |

Student message:

Elevated ASO titer :rheumatic fever كيف اشخص

Source:

naxlex.com

A child with suspected rheumatic fever is prescribed an antistreptolysin O titer. Which explanation should the nurse give the parent?

A It will indicate whether your child has rheumatic fever.

B It will confirm a recent streptococcal infection.

CORRECT

C It measures a therapeutic aminoglycoside level.

D It confirms immunity to streptococcal bacteria.

Student message:

هد نرس تقول للنيرس اشتغلي ساعات اضافية وردت لا ما اقدر؛ ايش نوع التواصل؟

Source:

naxlex.com

The nurse manager asks a staff nurse to work an extra shift. Which response is assertive?

A If you cannot find anyone else, I will do it.

B Why do I always have to cover extra shifts?

C I do not want you upset, so I will work extra.

D I am not able to work an extra shift.

CORRECT

Student message:

نيرس تنصح بتمرين يقوي عضلات الحوض؛ ايش اسم التمرين؛ تمرين كيجل

Source:

naxlex.com

A nurse teaches Kegel exercises to clients in the third trimester. Which statement indicates understanding?

A These exercises help pelvic muscles strengthen and stretch during birth.

CORRECT

B These exercises prevent constipation during pregnancy.

C They reduce backaches throughout pregnancy.

D They prevent further abdominal stretch marks.

Student message:

ام عندها سكر الحمل اليبي رسك لإيش؟ Macrosomia

Source:

naxlex.com

A pregnant woman has gestational diabetes mellitus. The fetus is at greatest risk for which complication?

A Low birth weight

B Preterm birth

C Macrosomia

CORRECT

D Congenital central nervous system anomalies

Student message:

بيبي ولد لأم عندها سكر الحمل ايش اول شي نسويه؟ نقيس سكر البيبي

Source:

naxlex.com

Four hours after birth, a neonate of a diabetic mother is jittery, irritable, and has a high-pitched cry. What is the priority nursing action?

A Notify the clinician immediately.

B Test the blood glucose level.

CORRECT

C Start an intravenous line with D5W.

D Document the event in the nurse's notes.

Student message:

فوائد الإدارة الأوتوقراطية: اتخاذ القرارات بسهولة

Source:

naxlex.com

The autocratic leadership style is most appropriate in which situation?

A Time is unlimited for decision-making.

B Emergency situations require quick decisions.

CORRECT

C Creative input is needed.

D Team members are highly skilled.

Student message:

نيرس تنشر عن المرضى بالسوشال ميديا بدون تفاصيل؛ نعلمها سياسة وخصوصية المستشفى

Source:

naxlex.com

A healthcare provider wants to share a patient's story publicly. What should the nurse do first?

- A Share it without mentioning the patient's name.
- B Ask the patient's family for permission.
- C Verify whether the patient has a public relations officer.

D Obtain written consent from the patient.

CORRECT

Student message:

magnesium sulfate ايش يمنع؟ prevent seizures

Source:

naxlex.com

Magnesium sulfate is commonly administered to pregnant women with preeclampsia for which primary purpose?

- A To lower blood pressure
- B To induce labor
- C To prevent seizures**
- D To enhance fetal lung maturity

CORRECT

Student message:

tenderness in the lower right abdominal :appendicitis طفل شاكين

Source:

naxlex.com

The nurse is assessing a client with suspected appendicitis. Which finding is most indicative of this condition?

A Rebound tenderness in the right lower quadrant

CORRECT

- B Diffuse abdominal pain
- C Decreased bowel sounds
- D Elevated blood pressure

Student message:

Panic attack is respiratory alkalosis

Source:

naxlex.com

A patient experiences a panic attack with hyperventilation. What acid-base disorder are they most at risk for?

- A Respiratory acidosis
- B Respiratory alkalosis**
- C Metabolic acidosis
- D Metabolic alkalosis

CORRECT**Student message:**

Two nurses discuss a client condition and labs in cafeteria. Which ethical principle was violated? Confidentiality

Source:

naxlex.com

The nurse overhears two nurses talking about a client's condition in the hospital cafeteria. This could lead to which complaint?

- A Libel
- B Invasion of privacy**
- C Slander
- D Defamation

CORRECT**Student message:**

نيرس تبني تشوف نتائج اللاب لكنها حصرية للدكتور؛ ايش يسمى؟ Authorization

Source:

naxlex.com

Which action by a nurse demonstrates correct use of electronic health records to protect client confidentiality?

- A Print laboratory results to review later at the station.
- B Log off the computer after documentation.**
- C Allow a student to use the nurse's login.
- D Discuss laboratory values near visitors.

CORRECT

Student message:

مريض يقول بـنـتـحـر قـريـب؛ ايش أهم سؤال؛ ايش خطتك لأذية نفسك؟

Source:

naxlex.com

A nurse assesses a client who states that they plan to end their life. Which action should the nurse take?

A Reassure the client that everything will work out.

B Ask about the lethality of the plan.

CORRECT

C Allow the client time alone for reflection.

D Encourage focus on positive aspects of life.

Student message:

antipsychotic واختيار extrapyramidal سؤال

Source:

naxlex.com

A client prescribed haloperidol develops extrapyramidal side effects. Which medication should the nurse expect to administer?

A Olanzapine (Zyprexa)

B Benztropine (Cogentin)

CORRECT

C Chlorpromazine (Thorazine)

D Escitalopram (Lexapro)

Student message:

عملوا procedure بدون توقيع المريض؛ ايش هذا؟ autonomy

Source:

naxlex.com

What is the definition of patient autonomy?

A The right to refuse care only

B The right to self-determination and decisions about one's own healthcare

CORRECT

C The right to receive care without involvement in decisions

D The right to make decisions for the healthcare provider

Student message:

Weber test وش ينستخدم؟ tuning fork

Source:

naxlex.com

A nurse is conducting the Weber test on a client. Which action is appropriate?

A Hold an activated tuning fork against the mastoid process.

B Place an activated tuning fork in the middle of the forehead.

CORRECT

C Whisper words softly into one ear.

D Deliver high-pitched sounds at random intervals.

Student message:

روماتك فيفر وش يسبب؟ pharyngitis

Source:

naxlex.com

Which action by the school nurse is important in preventing rheumatic fever?

A Recommend salicylates for minor discomforts.

B Encourage routine cholesterol screening.

C Conduct routine blood pressure screening.

D Refer children with sore throats for throat cultures.

CORRECT

Student message:

مريض كوفيد نوع الاحتياطات؟ droplet

Source:

naxlex.com

When caring for a patient on droplet precautions, which action is most important?

A Cover the patient with a clean sheet for transport.

B Wear a gown and gloves for any contact.

C Wear an airborne respiratory device for every room entry.

D Wear a mask when working within 3 feet of the patient.

CORRECT

Student message:

contact مريض MRSA طريقة الانتقال؛

Source:

naxlex.com

A client has a new diagnosis of methicillin-resistant *Staphylococcus aureus*. Which transmission-based precautions should the nurse initiate?

A	Contact	CORRECT
B	Protective	
C	Airborne	
D	Droplet	

Student message:

منع عدوى الحبل السري: نحافظ عليه جاف ومعقم

Source:

naxlex.com

A new mother asks how to care for the umbilical cord until it falls off. Which advice should the nurse provide?

A	Fold the diaper below the cord to expose it to air.	CORRECT
B	Clean the cord with hydrogen peroxide twice daily.	
C	Call the provider as soon as the cord falls off.	
D	Give a daily tub bath to keep the cord moist.	

Student message:

17-year-old postpartum with fever, hypotension, tachycardia and vaginal discharge: puerperal sepsis

Source:

naxlex.com

The nurse is assessing a first-day postpartum client. Which finding is most indicative of postpartum infection?

A	Moderate foul-smelling lochia	CORRECT
B	Blood pressure 122/74 mm Hg	
C	Oral temperature 100.2°F (37.9°C)	
D	White blood cell count 19,000/mm ³	

Student message:

palpate maternal radial pulse ؟fetal heart كيف نتأكد أن صوت دويلر هو fetal heart

Source:

naxlex.com

The nurse assesses a fetal heart rate of 82 beats/min at 30 weeks of gestation. What is the first action?

- A Record it as within normal limits.
- B Notify the physician.
- C **Assess the woman's radial pulse.**
- D Allow the woman to hear the heartbeat.

CORRECT**Student message:**

subcutaneous: third degree و dermis و epidermis حرق يشمل

Source:

naxlex.com

A nurse is assessing a patient who has sustained a burn injury. The affected area is dry, white, and charred, with no pain present. Based on burn classification, this burn is:

- A **Full-thickness (third-degree)**
- B Superficial (first-degree)
- C Deep full-thickness (fourth-degree)
- D Partial-thickness (second-degree)

CORRECT**Student message:**

liver cirrhosis و elevated ammonia و coma و melena: Lactulose

Source:

naxlex.com

A nurse administers lactulose to a client with cirrhosis. Lactulose is used to decrease which bloodstream component?

- A Potassium
- B **Ammonia**
- C Glucose
- D Bicarbonate

CORRECT

Student message:

علامة placenta delivery في third stage :الرحم يرتفع أو مافيه نبض بالحيل

Source:

naxlex.com

Eight minutes after a vaginal birth, the nurse observes lengthening of the umbilical cord and a gush of blood. These findings indicate what?

- A Uterine atony
- B Postpartum hemorrhage
- C Placenta previa
- D Placental separation in the third stage** **CORRECT**

Student message:

تعريف Spina Bifida Occulta

Source:

naxlex.com

The nurse is assessing a 4-year-old child with spina bifida occulta. Which finding would the nurse expect?

- A Hydrocephalus
- B Paralysis of the legs
- C A hairy patch in the lumbosacral area** **CORRECT**
- D A large bump containing spinal cord on the back

Student message:

طفل خايف من العملية: اشرح له بمصطلحات سهلة ومفهومة

Source:

naxlex.com

A preschool child is hospitalized and becomes fearful of a medical procedure. Which nursing intervention is most appropriate?

- A Provide lengthy written instructions
- B Explain the procedure using simple words and play therapy** **CORRECT**
- C Avoid answering the child's questions
- D Encourage complete independence during hospitalization

Student message:

demonstrate كيف أتأكد أن المريض فهم التنقيف؛ أخليه يعمل

Source:

naxlex.com

When teaching a patient a skill such as self-injection of insulin, what is the best way to set up the teaching session?

- A Provide written pamphlets.
- B **After demonstrating, allow several return demonstrations.**
- C Show a video and allow independent practice.
- D Verbally explain and provide written handouts.

CORRECT**Student message:**

Qualitative بحث عن تجربة الأمهات لأول مرة مع الولادة؛

Source:

naxlex.com

Which research report title indicates a qualitative rather than quantitative study?

- A Predicting treatment choice for women older than 50 with breast cancer
- B **Transcending pain during bone marrow aspiration**
- C Evaluating nursing interventions for complex oncology phenomena
- D Using virtual reality as distraction during chemotherapy assessment

CORRECT**Student message:**

Experimental بحث يدرس cause-effect وفيه تجربة؛

Source:

naxlex.com

How does an experimental research design differ from a nonexperimental design?

- A Nonexperimental designs manipulate the dependent variable.
- B Experimental designs observe phenomena naturally while nonexperimental designs manipulate them.
- C Only experimental designs have a scientific basis.
- D **Experimental designs attempt to establish cause-and-effect relationships.**

CORRECT

Student message:

approximation of wound edges يعني REEDA: A اختصار

Source:

naxlex.com

A nurse assesses a wound healing by primary intention. Which finding should the nurse expect?

- A Granulation tissue forming at the bottom
- B Prolonged healing
- C Skin edges sutured closed
- D Wound contaminated at injury

CORRECT

Student message:

حساب دواء فيه ١٥ و ٢٥ مل والخيارات ٣٠ و ٢٠ و ١٠ و ٥

Source:

naxlex.com

A liquid medication is ordered at 15 mg PO. Available is 30 mg/3 mL. How many milliliters should be administered?

- A 0.5 mL
- B 3 mL
- C 1.5 mL
- D 6 mL

CORRECT

Student message:

طفل عنده vomiting و diarrhea والخيارات ١٢٠٠ و ١٠٠٠ و ١٤٠٠

Source:

naxlex.com

A young child has severe dehydration secondary to acute diarrhea and vomiting. Therapeutic management begins with which intervention?

- A Clear liquids, 1 to 2 ounces at a time
- B Antidiarrheal medication
- C Oral rehydration solution
- D Intravenous fluids

CORRECT

Student message:

Patient came to ER with fever, SOB, runny nose: resembles COVID

Source:

naxlex.com

A client exposed to COVID-19 has fever, cough, and shortness of breath. Which action is most important?

- | | | |
|----------|--|----------------|
| A | Move the client to a private room and initiate droplet precautions. | CORRECT |
| B | Begin an IV antiviral before test results. | |
| C | Counsel family to monitor symptoms for 2 weeks. | |
| D | List everyone exposed since symptoms began. | |

Student message:

معادلة: $20 = 125 \div 5 \times 500$

Source:

naxlex.com

Medication order: Augmentin 0.25 g PO every 8 hours. Available: 125 mg per 5 mL. How much should the nurse administer?

- | | | |
|----------|--------------|----------------|
| A | 10 mL | CORRECT |
| B | 7.5 mL | |
| C | 30 mL | |
| D | 5 mL | |

Student message:

ABG وچاء primary vaccine

Source:

naxlex.com

Which action is an example of primary prevention?

- | | | |
|----------|---|----------------|
| A | Avoiding unnecessary imaging tests | |
| B | Flu vaccination | CORRECT |
| C | Cardiac rehabilitation after a heart attack | |
| D | Screening for breast cancer | |

Student message:

شخص وجد ampoule مفقودة: ماذا يفعل؟

Source:

naxlex.com

The electronic medication system alerts that the scanned dose is twice the prescribed dose. Which action should the nurse implement?

- | | | |
|----------|---|----------------|
| A | Report the mismatch of prescribed and available doses. | CORRECT |
| B | Calculate the dose on hand to match the prescription. | |
| C | Ask the pharmacist for another dose. | |
| D | Withhold the medication until the exact dose is available. | |

Student message:

مسألة ABG

Source:

naxlex.com

Interpret these ABGs: pH 7.48, PaCO₂ 28 mmHg, PaO₂ 55 mmHg, HCO₃ 24 mEq/L, SaO₂ 87%.

- | | | |
|----------|---|----------------|
| A | Metabolic alkalosis with hypoxemia | |
| B | Respiratory alkalosis with hypoxemia | CORRECT |
| C | Metabolic acidosis with hypoxemia | |
| D | Respiratory acidosis with hypoxemia | |

Student message:

Irregular contractions / Colles cervical / encourage walk

Source:

naxlex.com

A nurse reviews true versus false labor. Which client statement indicates effective teaching?

- | | | |
|----------|--|----------------|
| A | In false labor, I can feel the presenting part in my pelvis. | |
| B | In true labor, contractions are painless. | |
| C | In true labor, my cervix will not dilate. | |
| D | In false labor, contractions can decrease with walking or position changes. | CORRECT |

Student message:

سؤال UTI وخياراته أنواع عصائر

Source:

naxlex.com

A client with diabetes uses cranberry juice to help prevent urinary tract infections. Which instruction should the nurse provide?

- | | | |
|----------|--|----------------|
| A | Drink sugar-free cranberry juice. | CORRECT |
| B | Excess cranberry juice causes constipation. | |
| C | Cranberry juice does not help prevent infection. | |
| D | Cranberries increase the effect of insulin. | |

Student message:

MRSA TB RSV ROTA VIRUS جاني عن البيركوشن

Source:

naxlex.com

A nurse is caring for a client who has tuberculosis. Which precautions should be implemented?

- | | | |
|----------|-----------------|----------------|
| A | Contact | |
| B | Protective | |
| C | Droplet | |
| D | Airborne | CORRECT |

Student message:

سؤالين عن empowerment واضحة

Source:

naxlex.com

Which leadership style encourages nursing staff to participate in decisions and activities?

- | | | |
|----------|-------------------|----------------|
| A | Autocratic | |
| B | Situational | |
| C | Laissez-faire | |
| D | Democratic | CORRECT |

Student message:

How to remove PPE?

Source:

naxlex.com

A nurse removes PPE after giving direct care to a client in isolation. Which item should be removed first?

A	Gloves	CORRECT
B	Face shield	
C	Gown	
D	Mask	

Student message:

بيشنت عندها انوركسيا ونقص بالفولك اسيد سيفير، ايش التشخيص التمريضي الاول لها؟

Source:

naxlex.com

When planning care for an adolescent with anorexia nervosa, which nursing problem has the highest priority?

A	Disturbed Body Image.	
B	Interrupted Family Processes.	
C	Imbalanced Nutrition: less than body requirements.	CORRECT
D	Noncompliance with treatment regimen.	

Student message:

اعراض milia بالسؤال

Source:

naxlex.com

The nurse is assessing a 1-day old neonate and notes white raised spots on the baby's nose. What is the priority response?

A	Instruct parents to wash area with soap and water.	
B	Notify the healthcare provider.	
C	Explain to the parents that this is a sign of a skin infection.	
D	Instruct parents not to pinch or poke pimple-like areas.	CORRECT

Student message:

autocratic leaders و democratic اسئلة عن

Source:

naxlex.com

Democratic leadership style involves:

- A Leader making all decisions independently
- B No structure or guidance
- C **Shared decision-making with team input**
- D Delegation without oversight

CORRECT**Student message:**

مريض bipolar بمرحلة mania: رتب منع الإصابات والتغذية والنوم والتواصل

Source:

naxlex.com

The nurse is caring for a client diagnosed with bipolar disorder. During a manic episode, which takes priority?

- A Physiologic needs
- B Social needs
- C Security
- D **Safety**

CORRECT**Student message:**

طفل مصاب بالسكر عنده قيم كوره؛ ماذا نعلم أهله؟

Source:

naxlex.com

An adolescent with type 1 diabetes has soccer practice. Which action should the school nurse recommend to prevent hypoglycemia?

- A Take prescribed insulin at noontime rather than in the morning
- B **Eat a small box of raisins or drink a cup of orange juice before practice**
- C Eat twice the amount normally eaten at lunch
- D Take half the prescribed insulin on practice days

CORRECT

Student message:

مريض hepatitis A رايح البيت؛ ايش تعليمات حماية الأسرة؟

Source:

naxlex.com

A nurse is planning discharge instructions for a patient with hepatitis A and their family. Which infection transmission measure should be included?

- A Avoid alcohol for the first 3 weeks
- B **Avoid handling patient's leftover foods**
- C Have family members get an injection of immunoglobulin
- D Follow a low-protein, low-carbohydrate diet

CORRECT

Q-244

Student message:

سؤال عن MAOI والأكل: chicken grilled / meat raw

Source:

naxlex.com

A nurse is teaching a client who is to start taking phenelzine. Which food should the client avoid?

- A **Cheddar cheese**
- B Bananas
- C Chicken
- D Peanut butter

CORRECT

Q-245

Student message:

أعراض thyroid: hoarse voice وصعوبة البلع؛ عملية أو أشعة أو iodine

Source:

naxlex.com

While caring for a client one day following a thyroidectomy, the practical nurse notes that the client's voice is hoarse. What action should the nurse take?

- A **Notify the unit charge nurse of the finding.**
- B Administer humidified oxygen per nasal cannula.
- C Obtain a cup of ice chips for the client.
- D Ensure that the drainage device is compressed.

CORRECT

Student message:

FLACC جاني

Source:

naxlex.com

A nurse is using the FLACC scale for a client with cognitive impairment. Which finding indicates pain?

- A Rhythmic respirations
- B Absent cry
- C Resisting care
- D Relaxed posturing

CORRECT

Student message:

GCS

Source:

naxlex.com

A client opens eyes to sound, makes incomprehensible sounds, and withdraws an arm from pain. What is the total Glasgow Coma Scale score?

- A 9
- B 10
- C 8
- D 11

CORRECT

Student message:

تطعيم الحج

Source:

naxlex.com

Which action is an example of primary prevention?

- A Avoiding unnecessary imaging tests
- B Flu vaccination
- C Cardiac rehabilitation after a heart attack
- D Screening for breast cancer

CORRECT

Student message:

storming, forming سؤال عن

Source:

naxlex.com

The storming stage of team development involves:

A Unanimous agreement

B Conflict and competition among members

CORRECT

C High productivity

D Lack of communication

Student message:

CPR سؤال عن خطوات

Source:

naxlex.com

A nurse enters an adult client's room and finds the client unresponsive, not breathing, and without a pulse. Which action should the nurse take first?

A Begin rescue breathing

B Open the airway

C Begin chest compressions

CORRECT

D Activate the code team

Student message:

بعد ما تتأكد من patient safety وش تسوي؟

Source:

naxlex.com

A nurse is caring for a client who has heart failure and respiratory arrest. Which action should the nurse take first?

A Establish an open airway.

CORRECT

B Auscultate for breath sounds.

C Establish IV access.

D Feel for a carotid pulse.

Student message:

Hypertension stages سؤالين

Source:

naxlex.com

A nurse finds a client's blood pressure to be 140/90 mmHg on multiple occasions. What action should the nurse take?

A Document the blood pressure as normal.

B Recheck the blood pressure after 1 week.

C **Initiate lifestyle modifications and monitor blood pressure.**

CORRECT

D Administer anticoagulant medication.

Student message:

زيادة الوزن المسموح أثناء الحمل: 16 / 11 / 5

Source:

naxlex.com

Which statement demonstrates understanding of nutrition and weight gain in pregnancy?

A A weight gain of 5 pounds per month is healthy.

B **Normal pregnancy weight gain is 25–35 pounds (11.5–16 kg) for a woman with a normal BMI.**

CORRECT

C One pound per month for a total of 40 pounds is the minimum healthy gain.

D Obesity is not associated with pregnancy loss.

Student message:

tracheoesophageal fistula: intermittent suction by double-lumen catheter مولود

Source:

naxlex.com

A newborn is choking and turning cyanotic with the first sucks of sterile water and may have a tracheoesophageal fistula. Which intervention should be implemented until diagnosis is confirmed?

A Administer oxygen, suction as needed, and turn the newborn prone every 2 hours.

B Offer sterile water per nipple and place the infant prone.

C Insert an orogastric tube and give gavage feedings after x-ray confirmation.

D **Keep the infant NPO and elevate the head of the crib 30 degrees.**

CORRECT

Student message:

Neonate with tracheoesophageal fistula: what should nurse observe?

Source:

naxlex.com

A newborn is suspected of having esophageal atresia with tracheoesophageal fistula. Which finding most strongly supports the diagnosis?

- | | | |
|----------|---|----------------|
| A | Excessive oral secretions, coughing, and cyanosis during feeding | CORRECT |
| B | Poor suck reflex and hypotonia | |
| C | Projectile vomiting with blood-tinged emesis | |
| D | Bilious vomiting with abdominal distension | |

Student message:

مراقبة لا تستطيع إعطاء insulin لنفسها: أو teach patient parents

Source:

naxlex.com

A nurse is teaching a child with type 1 diabetes mellitus how to self-inject insulin. Which method should be recommended for regular doses?

- | | | |
|----------|--|----------------|
| A | Intravenously in the chest | |
| B | Subcutaneously in the outer thigh | CORRECT |
| C | Intramuscularly in the abdomen | |
| D | Intradermally in the outer arm | |

Student message:

إصابة T4: ما المتوقع hypotension

Source:

naxlex.com

A nurse is caring for a client with a T-4 spinal cord injury. Which intervention helps prevent autonomic dysreflexia?

- | | | |
|----------|--------------------------------------|----------------|
| A | Monitor for elevated blood pressure. | |
| B | Provide analgesia for headaches. | |
| C | Prevent bladder distention. | CORRECT |
| D | Elevate the client's head. | |

Student message:

ABG سؤال

Source:

naxlex.com

A patient's ABG results include pH 7.32, PaCO₂ 56 mm Hg, and HCO₃ 24 mEq/L. Which acid-base imbalance is present?

- A Metabolic acidosis.
- B Metabolic alkalosis.
- C **Respiratory acidosis.**
- D Respiratory alkalosis.

CORRECT

Student message:

أول 6 شهور من عمر البببي قد ايش يزيد وزنه كل شهر؟ 2.5 kg

Source:

naxlex.com

Which infant weight pattern is normal for age?

- A Weight triples in the first 6 months
- B Weight doubles in the first year
- C **Weight doubles in the first 6 months and triples in the first year**
- D Weight doubles in the first 6 months and doubles again in the next 6 months

CORRECT

Student message:

وجا طفل عنده نقص فايتمن D وعنده كالسيوم زيادة ايش الدايت حقه

Source:

naxlex.com

A client is receiving oral calcium supplements. Which additional vitamin would enhance absorption of calcium from the GI tract?

- A Vitamin A
- B Vitamin C
- C **Vitamin D**
- D Vitamin E

CORRECT

Student message:

سؤال بعد ٣ ايام لواحد سوا عملية ومرفعه عنده WBC بس مو حاطين انفكشن حطيت سبسس

Source:

naxlex.com

A patient 1 day postoperative after abdominal surgery has incisional pain, a temperature of 99.5°F, slight erythema, and 30 mL serosanguineous drainage. What conclusion should the nurse make?

A The incision shows infection.

B The patient is having a normal inflammatory response.

CORRECT

C The incision shows impending dehiscence.

D The physician must be notified.

Student message:

جاني اسئله بحث عن الفريضة المباشره

Source:

naxlex.com

Which method of data collection is most appropriate for a nurse researcher to use in a survey study?

A Questionnaires

CORRECT

B Unstructured interview

C Video recording of interactions

D Direct participant observation

Student message:

سؤال الحج كالعاده يتكرر والحل primary

Source:

naxlex.com

Preventive measures such as immunizations and water fluoridation are examples of which type of prevention?

A Quaternary

B Tertiary

C Secondary

D Primary

CORRECT

Student message:

سوال الفاكسين حق الحق ايش يعتبر

Source:

naxlex.com

Which action is an example of primary prevention?

- A Avoiding unnecessary imaging tests
- B Flu vaccination**
- C Cardiac rehabilitation after a heart attack
- D Screening for breast cancer

CORRECT**Student message:**

جالي طفل بنعمله CPR والمفروض نديله ادرينالين معانا 1m/cc وهو وزنه 2.5 kg والدكتور قال نديله 0.01 ml/kg

الاجابات

- 1
- 1
- 25
- 01

Source:

naxlex.com

A pediatric nurse is calculating a child's medication dosage. The child weighs 30 kg and the prescribed dosage is 0.2 mg/kg. How many milligrams should be administered?

- A 12 mg
- B 6 mg**
- C 18 mg
- D 3 mg

CORRECT**Student message:**

سوال غريب عن مريض في عزل كونتاكت اعتقد والممرضه بتسوي بد ميكنق وعنده سوايل كثير تلبس قلفز او قلفزين او واحد سترايل وواحد عادي خبارات غريبه

Source:

naxlex.com

Which statement by a nursing student warrants re-education about transmission-based precautions?

- A Patients with droplet diseases such as measles require an N95 mask.**
- B Use soap and water after caring for clients with C. difficile, norovirus, or rotavirus.
- C A client on droplet precautions should wear a surgical mask during transport.
- D Wear a gown and gloves when entering a contact-precautions room.

CORRECT

Student message:

سؤال ازل كنتي توثقين بعد ما عطيتي الدواء وغلطتي وكتبتي غلط وش تسوين؟ كان عن الطريقه الصحيحه لتعديل الصراحه ما اذكر الخيارات بس انه تحطين ايور عندها شي زي كذا

Source:

naxlex.com

The nurse made an error in a narrative documentation of an assessment finding. Which action should the nurse take to correct it?

A Document a late entry.

B Erase the error.

C Mark the entry 'mistaken entry' and add the correct information.

CORRECT

D Use correction fluid.

Student message:

سؤال عن وحده اتصلت بالعياده وقالت خلص علاجها وبتشتريه من الصيدليه بدون وصفه وكان من الخيارات مضاد حيوي وخيارات ثانيه وانا حظيت NSAIDs لان هو اللي ينصرف بدون وصفه

Source:

naxlex.com

While shopping for an over-the-counter cough suppressant, the nurse identifies that the medication will be classified as a:

A Nonscheduled medication

CORRECT

B Schedule III medication

C Schedule I medication

D Schedule V medication

Student message:

سؤال عن ممرضه الكميونتي اعطت لقاح للحج Primary Prevention

الصراحه ضيعني شوي Research

وفي Leadership كان فيه

Source:

naxlex.com

Which action is an example of primary prevention?

A Avoiding unnecessary imaging tests

B Flu vaccination

CORRECT

C Cardiac rehabilitation after a heart attack

D Screening for breast cancer

Student message:

سؤال طويل يتكلم عن تعاون الممرضات مع بعض وعرفت انه Collaboration وحظيته عطائي

Source:

naxlex.com

A nurse is working with an interprofessional team in caring for a client. Which action will improve client outcomes?

A	Collaboration and open communication	CORRECT
B	Independent treatment	
C	Timely client discharge	
D	Frequent changes in team members	

Student message:

سؤال عن مريض مسوي عملية ولانزم باكل Low Sodium Diet وعطائي خيارات أكل مثل رز وفاصوليا وغيرها والصراحة هيدت فيها.

Source:

naxlex.com

A client has been taught to restrict dietary sodium. Which food selection indicates effective teaching?

A	Chicken leg, bread with butter, and steamed carrots	CORRECT
B	Grilled cheese sandwich with tomato soup	
C	Ham and cheese on whole grain crackers	
D	Chinese take-out including steamed rice	

Student message:

سؤال عن بيشنت سوا عملية الجواب تشجعه ع ال ambulation

Source:

naxlex.com

A postoperative client is at risk for venous stasis. Which intervention is most effective?

A	Strict bed rest for 48 hours	
B	Elevate legs continuously	
C	Perform leg exercises and ambulate as soon as possible	CORRECT
D	Apply warm compresses every 2 hours	

Student message:

طفل يبي يلعب كوره وعنده جرعة أنسولين

Source:

naxlex.com

An adolescent with type 1 diabetes has soccer practice. Which action should prevent hypoglycemia during practice?

- A Take insulin at noon instead of morning
- B Eat raisins or drink orange juice before practice**
- C Eat twice the normal lunch
- D Take half the insulin on practice days

CORRECT**Student message:**

tap water enema حطيت Hirschsprung disease طفل عنده

Source:

naxlex.com

A child is admitted with suspected Hirschsprung disease. Which provider order should the nurse question?

- A Insert an NG tube for decompression
- B Keep NPO and initiate IV fluids
- C Monitor abdominal girth every 4 hours
- D Administer a large-volume liquid enema**

CORRECT**Student message:**

4 days old baby diagnosed with physiological jaundice ...

- A. Immature hepatic function
- B. Decrease milk intake
- C. Rh incompatibility
- D. Red blood cell enzyme defects

Source:

naxlex.com

Which statement describing physiologic jaundice is incorrect?

- A Breastfed babies have a lower incidence of jaundice.**
- B Neonatal jaundice is common, but kernicterus is rare.
- C Parents need instruction on assessment and when to seek help.
- D Jaundice in the first 24 hours or beyond day 7 indicates pathology.

CORRECT

Student message:

behaviour therapy الشخص معادي للمجتمع وش نسوي له عشان نعالجه كان ضمن الخيارات

Source:

naxlex.com

Which nursing intervention is most important for a client with antisocial personality disorder?

- A Teach and role-model assertiveness.
- B Use a gentle and reassuring approach.
- C Provide clear boundaries and consequences.**
- D Present an empathetic and democratic approach.

CORRECT

Q-277

Student message:

28-year-old primigravida pregnant at 16 weeks with dark brown discharge and decline in pregnancy test; type of spontaneous abortion?

- A. Missed
- B. Threatened
- C. Incomplete
- D. Inevitable

Source:

naxlex.com

A patient presents with a missed abortion at 10 weeks. What complication is she at risk for if the products of conception are retained for a prolonged period?

- A Placenta previa
- B Ectopic pregnancy
- C Disseminated intravascular coagulation**
- D Preterm labor

CORRECT

Q-278

Student message:

Patient complaints over telehealth having headache and fatigue and decreased number of fetal kicks what is the response from the nurse

Source:

naxlex.com

You are the nurse providing teaching to a pregnant woman on how to do kick counts. You will tell her all of the following except:

- A Report fetal movement below the expected normal range.
- B If movement decreases, eat something, rest, and focus on movement for one hour.
- C You must lie prone while performing kick counts.**
- D Fetal movement counting helps assess fetal well-being.

CORRECT

Student message:

A newborn is scheduled for phenylketonuria (PKU) screening. When should the nurse ensure the test is performed?

- A. Within first 6 hours
- B. Within first 12 hours
- C. Between 24 and 72 hours
- D. After 7 days

Source:

naxlex.com

A nurse is providing teaching to parents about newborn genetic screening. Which information should the nurse include?

- A Blood is drawn from the inner elbow.
- B The newborn should drink 2 oz of water first.
- C The screening is repeated at 2 months of age.
- D **The screening is performed after the newborn is 24 hours old.**

CORRECT**Student message:**

When is the best time to collect urine specimen for routine urinalysis and culture and sensitivity?

- A. Early morning
- B. Later afternoon
- C. Midnight
- D. Before breakfast

Source:

naxlex.com

The nurse keeps in mind which of the following when collecting a urine specimen for routine urinalysis from a client?

- A A sterile specimen is required.
- B **Results may be altered if the sample stands at room temperature too long.**
- C The external meatus must be cleaned with antiseptic soap.
- D A clean-catch midstream specimen is necessary.

CORRECT**Student message:**

A 9-month-old child after cleft palate repair; how should feeds be given?

Source:

naxlex.com

A nurse is planning care for a 10-month-old infant who is 8 hours postoperative following cleft palate repair. Which intervention should the nurse include?

- A Feed the infant with a spoon for 48 hours.
- B **Apply and release elbow restraints every hour.**
- C Keep the infant supine.
- D Suction the mouth with an oral suction tube.

CORRECT

Student message:

16-year-old with nose bleeding after fall; what sign shows nose is still bleeding?

- A. Sharp nasal pain
- B. More difficulty breathing
- C. Swallowing frequently
- D.

Source:

naxlex.com

A nurse is providing discharge teaching to the guardian of a preschooler who had a tonsillectomy. Which statement should the nurse include?

- A Notify the provider if the child has dark brown blood between the teeth.
- B Encourage the child to drink liquids through a straw.
- C Notify the provider if the child is swallowing frequently.**
- D Encourage the child to clear the throat as needed.

CORRECT**Student message:**

pneumonia and inful جاني سوال ان بعمر المدارس وش التطعيم اخترت

Source:

naxlex.com

A nurse is preparing to administer a vaccine to a 4-year-old child. Which vaccine should the nurse administer?

- A Haemophilus influenzae type b (Hib)
- B Varicella (VAR)**
- C Hepatitis B (HepB)
- D Meningococcal (MCV4)

CORRECT**Student message:**

hypertension tachycardia جاني قبل تسمم الحمل وش يطلع vital signs اخترت

Source:

naxlex.com

The prenatal clinic nurse is monitoring women for preeclampsia. Which client should the nurse see first?

- A A dipstick value of 3+ protein in urine.**
- B Pitting pedal edema at the end of the day.
- C Blood pressure increased to 138/86 mm Hg.
- D Weight gain of 0.5 kg during the past 2 weeks.

CORRECT

Student message:

وحده ولدت ولادة طبيعية ويتطلع مسويه لها تثقيف وش بيكون اخترت هاند هياجين

Source:

naxlex.com

A nurse is giving discharge instructions to a new mother. What is the most important instruction to prevent postpartum infection?

- | | | |
|----------|--|----------------|
| A | Wash hands before and after using the bathroom and changing the sanitary pad. | CORRECT |
| B | Do not take tub baths for eight weeks. | |
| C | Use tampons instead of pads. | |
| D | Douche with a mild antiseptic twice daily for two weeks. | |

Student message:

تطعيم الحج وش نوعه؟

Source:

quizlet.com

A nurse implements annual influenza vaccination clinics for community members across the lifespan. This intervention represents:

- | | | |
|----------|---------------------------|----------------|
| A | Secondary prevention | |
| B | Tertiary prevention | |
| C | Primary prevention | CORRECT |
| D | Primordial prevention | |

Student message:

انتشار الحصبة ما بين سنة 2000-2001 في الحج يعتبر؟
Epidemic, Pandemic...ect

Source:

naxlex.com

A school is providing education about the spread of COVID-19 across national boundaries and throughout the world in 2020, which prompted disease control measures in most countries. Which of the following terms should the nurse use to describe this level of disease?

- | | | |
|----------|-----------------|----------------|
| A | Epidemic | |
| B | Endemic | |
| C | Pandemic | CORRECT |
| D | Cluster | |

Student message:

اكتشفت انه الممرضة تجهز الادوية بدون ما تاخذ معها الـ medications chart، وش اسوي؟

Source:

quizlet.com

A nurse is preparing to pass medications to a group of clients. The nurse notices a possible misspelling of a medication on the medication administration record (MAR). What should the nurse do first?

- A Change the spelling on the MAR
- B Check the provider's order**
- C Call the pharmacy
- D Look up the medication on the Internet

CORRECT**Student message:**

فيه خطأ ب medications order
- كلمي الدكتور الي وصفها
- اكلم الصيدلية يقولون وش الـ standard dose
- اعطيها زي ماهي

Source:

quizlet.com

The prescriber has written admission orders, and the nurse is transcribing them. The nurse is having difficulty transcribing one order because of the prescriber's handwriting. Which is the best action for the nurse to take?

- A Ask a colleague what the order says
- B Contact the prescriber to clarify the order**
- C Wait until the prescriber makes rounds
- D Ask the patient about home medications

CORRECT**Student message:**

خلال ما احنا نهتم بطفل ابوه واضح انه طفشان وما بيبي يشارك وش اسوي؟
- اطلب منه يمस्क البيبي وكذا ويساعدنا (يعني بطريقة جننل)

Source:

quizlet.com

A nurse can assist a father in his transition to parenthood by:

- A Pointing out that the infant turned at the sound of his voice**
- B Encouraging him to go home to get some sleep
- C Telling him to tape the infant's diaper a different way
- D Suggesting that he let the infant sleep in the bassinet

CORRECT

Student message:

دكتور خلال الجراحة طرف السكرب لمس IV الغير معقم وقال خلاص عادي نكمل وش اسوي؟
re scrub & re gloveing اطلب منه باحترام انه يسوي

Source:

quizlet.com

While performing a sterile dressing change, the nurse contaminates the right sterile glove. What is the most appropriate action?

- A Cover the contaminated glove with a nonsterile glove
- B Remove the gloves and apply a new sterile pair**
- C Continue using only the left sterile hand
- D Apply a new sterile glove over the contaminated glove

CORRECT**Student message:**

وحدة حامل وضغطها 150/96 البروتين 3+
- sever hypertension

Source:

quizlet.com

What blood pressure measurement is indicative of preeclampsia with severe features?

- A $\geq 140/90$ mm Hg
- B $\geq 180/120$ mm Hg
- C $\geq 120/80$ mm Hg
- D $\geq 160/110$ mm Hg**

CORRECT**Student message:**

نفس السؤال بصيغة ثنائية والاجابة
- Preeclampsia

Source:

naxlex.com

A pregnant patient reports experiencing severe, persistent headaches and blurred vision at 34 weeks gestation. Which of the following conditions should the nurse immediately suspect?

- A Gestational diabetes mellitus
- B Iron deficiency anemia
- C Preeclampsia**
- D Urinary tract infection

CORRECT

Student message:

الطفل أثناء الولادة صار له shoulder dystocia في الكتف اليمين ومع الاسمنت لاحظنا ما يقدر يحرك يده اليمين وش الخلل الي صار؟

Source:

quizlet.com

A newborn's arm is limp, adducted, internally rotated, with the elbow extended and wrist flexed. Which condition does this suggest?

- A Klumpke palsy
- B Erb-Duchenne palsy**
- C Fractured clavicle
- D Facial nerve paralysis

CORRECT**Student message:**

ام ما بعد الولادة وينبدا لها خطة ال discharge وش اقولها اذا صار تجي المستشفى؟

- return red lochia
- lochia with clot

Source:

quizlet.com

When performing a postpartum assessment, the nurse notes clots in the lochia that are larger than 1 cm. Which nursing action is most appropriate?

- A Document the findings
- B Notify the obstetrician**
- C Reassess the client in 2 hours
- D Encourage increased oral fluid intake

CORRECT**Student message:**

سؤال عن ال shared governmnce وانهم الستاف نيرسس يتشاركون اتخاذ القرار وكذا

Collaboration

Source:

quizlet.com

Which situation is an example of shared governance?

- A A supervisor independently cuts staffing
- B Assistant directors write a policy without staff input
- C Staff nurses recommend equipment for the unit**
- D Nurses follow the charge nurse's instructions

CORRECT

Student message:

الممرضة بتدخل تشوف تحليل معين طلع ما عندها access ويس الدكتور المعني عنده access وش هذا؟
Authorization

Source:

quizlet.com

The unlicensed nursing assistant is viewing the electronic medical record of an assigned client. When the assistant tries to access notes made by the social worker, an error message appears that reads, 'You are not authorized to view this information.' What response should the nurse make?

- A Why are you trying to access that information on the client?
- B You should contact the information technology department to let them know.
- C **You are not authorized to view all of the details on the client.**
- D I can pull up the data for you under my log-in information.

CORRECT**Student message:**

وش نوع ال isolation لل measles؟

Source:

quizlet.com

A child with rubeola is admitted to the hospital. Which type of precautions should the nurse initiate?

- A Enteric precautions
- B **Airborne precautions**
- C Protective isolation
- D Neutropenic precautions

CORRECT**Student message:**

سؤال عن ال ECT كيف طريقة عمله وكانت كل الاجوبة تتشابه وتتقارب
فيه جواب في كلمة alpha
وجواب brainwaves

Source:

naxlex.com

A nurse is preparing a client for electroconvulsive therapy (ECT). Which client statement indicates an understanding of the procedure?

- A **This procedure will cause me to have brief seizures**
- B One ECT treatment will be effective for my depression
- C I will not need a pre-ECT workup
- D I will be able to eat breakfast before the procedure

CORRECT

Student message:

سؤال عن ال disequilibrium syndrome اتوقع عن الأعراض حققتها

Source:

quizlet.com

A nurse is caring for a patient receiving hemodialysis who becomes confused and complains of a headache. Which condition should the nurse suspect?

- A Peritonitis
- B Hypoglycemia
- C **Dialysis disequilibrium syndrome**
- D Hyperkalemia

CORRECT**Student message:**

سؤال عن ال pyloric stenosis واحد اعراضه ومميز وهو projectile vomiting

Source:

quizlet.com

Which client should the nurse suspect of having pyloric stenosis?

- A A 7-month-old infant who chokes during feedings
- B An 11-year-old child with an olive-shaped abdominal mass
- C **A 5-week-old infant with projectile vomiting**
- D A 2-year-old child with a harsh cough

CORRECT**Student message:**

طفل عنده hydrocephalus مركب drainage في الدماغ وش اليوزشن؟

Source:

quizlet.com

A child has returned from surgery after placement of a shunt for hydrocephalus. Which position should the nurse use?

- A Elevated 45 degrees in the supine position
- B **Flat on the unoperated side**
- C Flat on the operated side
- D Elevated 30 degrees in the prone position

CORRECT

Student message:

بوزشن بعد عملية استئصال اللوز؟

Supine

Side lying

Source:

quizlet.com

A nurse is assisting a child to bed after a tonsillectomy. How should the nurse position the child until fully awake?

A Supine

B Right lateral recumbent

CORRECT

C Fowler's

D Semi-Fowler's

Student message:

Patient, who has experienced a stroke, presents with weakness in the right side of the body affecting the shoulder, pelvic, and knee. Which option would be appropriate?

Source:

naxlex.com

The practical nurse notes that a UAP is ambulating a client who had a stroke and has right-sided weakness. The UAP is walking on the client's left side. Which action should the nurse take?

A Tell the UAP to take the client back to the room

B Instruct the UAP to walk on the affected side

CORRECT

C Take over the ambulation and counsel the UAP later

D Provide an assistive device such as a cane or walker

Student message:

وش السبب انه الدكتور ينصح بتأخير عملية ال hypospadias او قبل عمر ال ٣ سنوات اعتقد؟

body image development not complete ال

Source:

quizlet.com

A 1-year-old child is scheduled for repair of hypospadias and chordee. The preferred timing is based on which rationale?

A The child experiences less pain

B The child is too young to experience castration anxiety

CORRECT

C The child will not remember the procedure

D Repair is easier after toilet training

Student message:

اعراض ال cardiogenic shock

Source:

quizlet.com

A client with an acute myocardial infarction develops cardiogenic shock. Which finding should the nurse expect?

A Bounding peripheral pulses

B Warm flushed skin

C Hypotension with weak thready pulses

CORRECT

D Decreased jugular venous pressure

Student message:

اكل المفروض مريض ال cholesterol يتجنبه؟

Source:

naxlex.com

The nurse is reviewing menu selections for a patient on a low-cholesterol diet. Which meal item should the nurse question?

A Fruit salad with yogurt

B Cheese-steak sandwich

CORRECT

C Grilled fish sandwich

D Vegetarian wrap

Student message:

سؤال عن البحث: الباحث يقول انه فيه علاقة بين التزام الأطفال بغسل اليدين وحالتهم الاقتصادية. اي من التالي يعتبر فرضية؟

Source:

quizlet.com

In quantitative studies, researchers make a formal statement about the expected relationship between two or more variables in a specified population. This formal statement is called a research:

A Hypothesis

CORRECT

B Purpose

C Question

D Objective

Student message:

كم تعطي؟ mg والدوز 250 paracetamol 1g
حبّات 4

Source:

naxlex.com

A nurse is preparing to administer aspirin 650 mg PO. Available is aspirin 325 mg tablets. How many tablets should the nurse administer?

A 1 tablet

B 2 tablets

CORRECT

C 3 tablets

D 4 tablets

Student message:

كان أورد amoxicillin وعطاني وزن الطفل والسيف دوز

Source:

naxlex.com

A 15-month-old toddler with pneumonia weighs 11 kg. The safe amoxicillin dose is 20 to 40 mg/kg/day. Which dose is safe?

A 100 mg PO every 8 hours

CORRECT

B 350 mg PO every 8 hours

C 220 mg PO every 8 hours

D 500 mg PO every 8 hours

Student message:

جاني امرأة عندها هايبر تنشن وپروتين بالبول وش الحالة؟ preeclampsia

Source:

quizlet.com

What is required for the diagnosis of preeclampsia?

A Hypertension before 20 weeks

B Hypertension after 20 weeks with proteinuria or end-organ dysfunction

CORRECT

C Proteinuria only

D Seizures only

Student message:

جاني شخص على مورفين كان Rr22 وبعد الغداء صار 8 وش الأكشن؛ أوقف المورفين

Source:

quizlet.com

Before administering a scheduled opioid, the nurse notes a respiratory rate of 8/min, pulse 80/min, and blood pressure 108/60 mmHg. Which action should the nurse take first?

- A Administer an opioid antagonist
- B **Withhold the scheduled opioid**
- C Administer the scheduled opioid
- D Inform the provider

CORRECT**Student message:**

جاني عن علامة الـmeningitis قال لي أن فيها شيء بالleg بس ناسية وشو والأجابة كانت Brudzinski's Sign

Source:

quizlet.com

A 6-month-old infant with meningitis flexes the knees and hips when the neck is flexed. This is referred to as:

- A **Brudzinski sign**
- B Cushing triad
- C Kernig sign
- D Nuchal rigidity

CORRECT**Student message:**

معنى كل حرف من PICO

Source:

quizlet.com

What are the four components of PICO?

- A Population, implication, comparison, outcome
- B Population, intervention, clinical, outcome
- C **Population, intervention, comparison, outcome**
- D Population, implication, clinical, outcome

CORRECT

Student message:

جاني وش معنى كل حرف MMR

Source:

quizlet.com

What do the initials MMR represent?

- A Measles, mumps, rubeola
- B Measles, meningitis, rabies
- C Measles, mumps, rubella**
- D Mumps, meningitis, rotavirus

CORRECT**Student message:**

أم اتصلت تقول ولدها بلع شيء ما تعرفه وش تسوي؟

Source:

quizlet.com

A child has ingested an unknown poison. What should the parents do first?

- A Induce vomiting
- B Call the poison control center**
- C Administer an emetic
- D Drive to the emergency facility

CORRECT**Student message:**

أم تسأل في اي أسبوع تكشف إذا عندها سكر؟ الجواب 24-28 أسبوع

Source:

quizlet.com

The nurse would prepare to screen clients for gestational diabetes at which time during pregnancy?

- A Between 20 and 24 weeks
- B Between 15 and 19 weeks
- C Between 24 and 28 weeks**
- D Between 29 and 32 weeks

CORRECT

Student message:

جاني كيف تتجنب المديكشن إبرور؟ دبل تشك

Source:

quizlet.com

What is the best way to prevent an incorrect dose caused by a calculation error?

- A Ask the pharmacy to calculate every dose
- B Use a drug reference book only
- C Ask the provider to calculate the dose
- D Have another registered nurse verify the calculation**

CORRECT**Student message:**

الدكتور قال أوردرد بالجوال وأصح أجابة نجيب وتنس ونقول الأوردرد للطبيب مرة ثانية وأكتبه

Source:

quizlet.com

Which action should the nurse take when receiving a telephone order?

- A Print the order and sign it
- B Read the order back to the provider**
- C Ask another nurse to listen silently
- D Wait for the provider to write it within 24 hours

CORRECT**Student message:**

جاني أعراض ل Graves' Disease مفتاح الجواب بالسؤال كان TSH LOW

Source:

quizlet.com

A nurse is assessing a client who has Graves' disease. Which laboratory result should the nurse expect?

- A Decreased thyroxine (T4) level
- B Decreased triiodothyronine (T3) level
- C Decreased thyroid-stimulating immunoglobulins (TSI) percentage
- D Decreased thyroid-stimulating hormone (TSH) level**

CORRECT

Student message:

أعراض ال Pulmonary Edema وكان أقرب جواب شيء بالأكسجين

Source:

quizlet.com

A client with pulmonary edema is dyspneic and anxious. Which intervention is the priority?

- A Reassure the client
- B Administer sublingual nitroglycerin
- C Place in high-Fowler's with legs dependent
- D Administer high-flow oxygen by face mask**

CORRECT**Student message:**

ساعدنا وعلمنا الطفل والأهل عن السكري وكيف نعطي الأنسولين وش يعتبر؟ Empowerment

Source:

quizlet.com

The patient tells the nurse, 'You helped me learn how to recognize my own health needs without telling me how I should think.' Which nursing caring behavior or process is the patient describing?

- A Competence
- B Compassion
- C Empowerment**
- D Presencing

CORRECT**Student message:**

جاني سؤال عن وش طبيعة عمل ECT لمرضى الدبرشن كيف يشتغل بالضبط

Source:

naxlex.com

A nurse is preparing a client for electroconvulsive therapy (ECT). Which client statement indicates an understanding of the procedure?

- A This procedure will cause me to have brief seizures.**
- B One ECT treatment will be effective for my symptoms.
- C I will not need any medical workup before ECT.
- D I can eat breakfast before the procedure.

CORRECT

Student message:

طفل عنده diarrhea وش الفايروس المسبب

Source:

quizlet.com

Which virus is the leading cause of gastroenteritis in infants and young children?

A Varicella

B Influenza

C Rotavirus

CORRECT

D Measles

Student message:

عطينا enema بفوليوم كبير والبشيت حس بألم بالبطن وش نسوي؟ الجواب شيء أننا نخفض

Source:

quizlet.com

During a cleansing enema, the client reports abdominal cramping. Which action should the nurse take?

A Obtain vital signs

B Notify the provider

C Lower the enema container

CORRECT

D Stop the instillation permanently

Student message:

بيبي بالفوتو ثيرابي وش اول شيء نسويه؟ نغطي عينه

Source:

quizlet.com

Which action should the nurse take for a newborn receiving phototherapy?

A Reduce fluid intake

B Cover and clothe the newborn

C Keep the newborn supine

D Cover the newborn's eyes

CORRECT

Student message:

ممرضة بقسم الأورام عندها نيرسنتق أسستنت وش تعطيتها مهمة؛ أصبح شيء كان vitals

Source:

quizlet.com

Which task is appropriate for the nurse to delegate to assistive personnel?

A Assess pain after medication

B Obtain vital signs for a stable postoperative client

CORRECT

C Teach medication side effects

D Develop the plan of care

Student message:

عن نيرسنتق أسستنت وش تقدر تسوي؛ الأجابة تساعد المريض يمشي

Source:

quizlet.com

Which task can the nurse delegate to a nursing assistant?

A Administer IV medications

B Perform the initial assessment

C Assist a client with ambulation

CORRECT

D Develop the care plan

Student message:

جاني طفل تشخص Pyloric stenosis وش نسوي؛ Pyloromyotomy

Source:

quizlet.com

In caring for an infant diagnosed with pyloric stenosis, which intervention should the nurse anticipate?

A Prepare the infant for surgery

CORRECT

B Assist in insertion of a nasogastric tube

C Change the infant to a lactose-free diet

D Assist with a barium enema

Student message:

سؤال فاكسين الحج

Source:

naxlex.com

A client is using a primary prevention strategy to prevent infectious disease. Which action is the client most likely taking?

- A Receiving tetanus immunoglobulin after stepping on a nail
- B Receiving a tetanus booster after stepping on a nail
- C Receiving antibiotics and seizure precautions for active tetanus

D Receiving a tetanus booster every 10 years

CORRECT

Student message:

ممرضة طلبوها تروح تغطي بـNICU ووحدة تنقل وتتبع البوليسي وأنهم يحتاجون مساعدة

Source:

naxlex.com

An experienced nurse is asked to float to a pediatric ICU but feels uncomfortable. Which negotiation approach is most appropriate?

- A Refuse the assignment outright
- B Accept without discussion

C Propose a supportive role without client assignments while orienting

CORRECT

D Demand reassignment to another unit

Student message:

ممرضة تشتغل لأكثر من ٢٠ سنة بالقسم أحتجت وصارحت أنها ترعى مريض على جهاز تنفس وش الأكشن للهد نيرس؟

Source:

naxlex.com

A charge nurse hears a provider speaking angrily to a staff nurse about incorrect supplies. Which statement by the charge nurse is appropriate?

A If you told us earlier, we could have prepared

B It must be frustrating not to have what you need

CORRECT

C I will replace the staff nurse for the procedure

D Think about how others feel when you lose your temper

Student message:

ممرضة طلبت المريض يتحول للرعاية التلطيفية ومن ضمن الخيارات تناقش الدكتور

Source:

naxlex.com

A nurse is caring for a client with terminal cancer who wants to go home to be with family. Which action should the nurse take?

- | | | |
|----------|--|----------------|
| A | Make a referral for social services | CORRECT |
| B | Explain leaving against medical advice | |
| C | Contact the chaplain only | |
| D | Encourage continued inpatient care | |

Student message:

tonsillectomy البوزشن بعد عملية

Source:

quizlet.com

A nurse is preparing to care for a child after a tonsillectomy. Which position is most appropriate?

- | | | |
|----------|-------------------|----------------|
| A | Supine | |
| B | Trendelenburg's | |
| C | Side-lying | CORRECT |
| D | High Fowler's | |

Student message:

جاني مريض عنده burns بأكثر من منطقة من ضمنها الوجه وش اول شيء نهتم له؟ airway

Source:

quizlet.com

A client arrives with facial burns, singed nasal hairs, a hoarse voice, and drooling. What is the nurse's priority?

- | | | |
|----------|-----------------------------------|----------------|
| A | Prepare for airway support | CORRECT |
| B | Apply cool compresses | |
| C | Calculate the Rule of Nines | |
| D | Administer oral pain medication | |

Student message:

مريض يستخدم الليثيوم بانتظام، وصار عنده vomiting و hand tremor وش اول شيء نسويه؟ توقفه

Source:

quizlet.com

A client taking lithium reports tremors and nausea. What is the nurse's best action?

- A Reassure that these are expected effects
- B Check the lithium level and hold the next dose**
- C Administer an antiemetic and antiparkinsonian agents
- D Instruct the client to take the medication at bedtime

CORRECT**Student message:**

Woman in delivery has shoulder dystocia

☐ McRobert Maneuver

Source:

quizlet.com

A fetus is experiencing shoulder dystocia during delivery. Which action should the nurse assist with?

- A Place the client in a left side-lying position
- B Assist the client into the McRoberts maneuver**
- C Prepare for an immediate cesarean birth
- D Administer two units of packed red blood cells

CORRECT**Student message:**

واحدة ضغطها 200/80 وعندها + protien in urine وحامل في 24 أسبوع ☐ اختبرت preclamsia

Source:

quizlet.com

A pregnant client after 20 weeks has new severe hypertension, headache, and proteinuria with no previous history of elevated blood pressure. Which hypertensive disorder should the nurse suspect?

- A Gestational hypertension
- B Chronic hypertension
- C Preeclampsia**
- D Eclampsia

CORRECT

Student message:

واحدة حامل في 14 أسبوع وضغطها 200/90 اختارت chronic hypertension

Source:

naxlex.com

A pregnant client at 16 weeks of gestation has a history of hypertension and a blood pressure of 169/94 mm Hg. Which diagnosis is most likely?

- | | | |
|----------|------------------------------------|----------------|
| A | Chronic hypertension | CORRECT |
| B | Normal blood pressure in pregnancy | |
| C | Preeclampsia | |
| D | Pregnancy-induced hypertension | |

Student message:

واحدة ولدت من 3 أيام في الزيارة، أية مفروض نعمل له intervention

frequent urination

Engorgment in breast

Locia Serosa

uterus in Semphis pubis

Source:

naxlex.com

Which assessment on the third postpartum day indicates uterine subinvolution?

- | | | |
|----------|---|----------------|
| A | The fundus is three fingerbreadths below the umbilicus | |
| B | The client reports mild uterine cramping | |
| C | The fundus is two fingerbreadths above the symphysis pubis | |
| D | The fundus remains at the umbilicus after the client voids | CORRECT |

Student message:

واحدة جايه الطوارئ وفيها ولادة

diltation 7

effecment 100%

(Active)

Source:

naxlex.com

A laboring client has 7-cm cervical dilation, 100% effacement, a +1 station, intact membranes, and an urge to push. In which stage and phase of labor is the client?

- | | | |
|----------|----------------------------------|----------------|
| A | Second stage, active phase | |
| B | First stage, active phase | CORRECT |
| C | First stage, latent phase | |
| D | Second stage, latent phase | |

Student message:

Tone السؤال يتاع الـ 4 T كان إجابته

Source:

quizlet.com

Which list correctly identifies the four categories of postpartum hemorrhage causes known as the four Ts?

- A Tone, Trauma, Thrombin, Tension
- B Tension, Trauma, Tissue, Thrombin
- C **Tone, Trauma, Tissue, Thrombin**
- D Tone, Trauma, Thrombosis, Tissue

CORRECT**Student message:**

Collaborative: decision making الممرضه سايبه الاستاف يتعاون ويشارك في الـ

Source:

quizlet.com

What is a primary goal of shared governance in nursing?

- A **Transition decision-making from a traditional hierarchy to staff nurses**
- B Increase the authority of nurse managers
- C Reduce the number of staff meetings
- D Limit decisions to nurses with the same degree

CORRECT**Student message:**

Authorization: access الممرضه حاولت تشوف نتيجه التحاليل بس مش لاقطت عندها

Source:

quizlet.com

An assistive personnel member receives a message stating, 'You are not authorized to view this information.' Which response by the nurse is appropriate?

- A Why were you trying to view the information?
- B Contact information technology to obtain access
- C **You are not authorized to view all parts of the client's record**
- D Use my login because I can access the information

CORRECT

Student message:

المريض بعد ما مضى الكونسينت رجع في كلامه ومش عايز يعمل العملية: Autonomy:

Source:

naxlex.com

A client decides not to have surgery after signing the consent form. Which action should the nurse take?

- A Suggest that the client reconsider
- B Remind the client that the signed consent is binding
- C Tear up the consent form
- D Notify the provider and document the client's decision** **CORRECT**

Student message:

مريض مضى كونسينت على عملية hernia وبعد ما دخل العمليات الدكتور لاقى حاجه ثانيه محتاجه تصحيح نعمل ايه

Source:

naxlex.com

After signing a surgical consent form, a client asks the nurse about the procedure's risks and benefits. Which action should the nurse take?

- A Answer the client's questions in detail
- B Request that the surgeon speak with the client** **CORRECT**
- C Place the signed form in the medical record
- D Notify the nurse manager

Student message:

بتاع الحج Primary preventative

Source:

quizlet.com

A community health nurse is planning a public service campaign to decrease the transmission of influenza. Which intervention should the nurse include as a primary prevention?

- A Provide treatment in the hospital for clients who have dehydration due to influenza.
- B Encourage clients who have influenza to stay at home until they are no longer infectious.
- C Provide testing at a community health center for clients who have influenza manifestations.
- D Encourage community members to obtain an influenza immunization.** **CORRECT**

Student message:

هذا جاء سناريو طويل بس المقصود حدي الفئه العمريه

An 81-year-old person is considered

Adult / Elderly / Aging / Adolescence

Source:

naxlex.com

Which life stage pertains to a 65-year-old patient?

A Aged

B Elderly

C Adult

D Older adult

CORRECT

Student message:

A patient develops complications after pyloric stenosis surgery (vomiting, weight loss, fever). What is the most common complication?

A. Vomiting

B. Weight loss

C. Fever

D. Infection

Source:

naxlex.com

A nurse is monitoring a patient after surgery. Which finding indicates a potential postoperative complication?

A Pain at the incision

B Bradycardia

C High fever

CORRECT

D Constipation

Student message:

جاني سؤال بيشتت ترضع وصار عندها التهاب بالثدي واخترت اجابه اعطيها مضاد واكمل الرضاعه

Source:

quizlet.com

A breastfeeding client with mastitis is worried about nursing her infant. Which instruction should the nurse provide?

A Continue breastfeeding while receiving treatment

CORRECT

B Avoid taking analgesics

C Stop breastfeeding until antibiotics are completed

D Supplement all feedings with formula

Student message:

جاني سوال الحج

Source:

naxlex.com

An occupational health nurse holds an influenza vaccine clinic. This is an example of which level of prevention?

A	Primary prevention	CORRECT
B	Health policy	
C	Tertiary prevention	
D	Secondary prevention	

Student message:

جاني عن المورفين والانتبي دوت له

Source:

quizlet.com

A client receiving morphine by patient-controlled analgesia has a respiratory rate of 10/min and is somnolent. Which medication should the nurse administer immediately?

A	Intravenous naloxone	CORRECT
B	Intravenous flumazenil	
C	Oral modafinil	
D	Nebulized albuterol	

Student message:

ST segment Elevations يعني MI

Source:

quizlet.com

ST-segment elevation in leads II, III, and aVF indicates which type of myocardial infarction?

A	Inferior wall myocardial infarction	CORRECT
B	Posterior wall myocardial infarction	
C	Lateral wall myocardial infarction	
D	Anterior wall myocardial infarction	

Student message:

Confidentiality جاني اذا شفت ممرض طالب او ممرض يتكلم مع المريض مع الناس فالقسم وش ذي برايفسي ولا

Source:

quizlet.com

Which action by a student nurse violates HIPAA?

- | | | |
|----------|---|----------------|
| A | Discussing a client's diagnosis in a public reception area | CORRECT |
| B | Receiving client information during shift report | |
| C | Giving a privacy notice to a legal representative | |
| D | Discussing client care privately with the assigned nurse | |

Student message:

Atelectasis جاني فالي Lung Collapse اتوقع الاجابه كانت

Source:

naxlex.com

In acute respiratory distress syndrome, damage to surfactant-producing cells most directly leads to which complication?

- | | | |
|----------|--------------------------|----------------|
| A | Pulmonary edema | |
| B | Atelectasis | CORRECT |
| C | Bronchoconstriction | |
| D | Upper airway obstruction | |

Student message:

Pulmonary edema جاني ايش صوت الـ Lung Crackles اتوقع

Source:

naxlex.com

Which assessment finding is indicative of fluid in the lungs in a client with pulmonary edema?

- | | | |
|----------|---|----------------|
| A | Decreased respiratory rate | |
| B | Inspiratory crackles at the lung bases | CORRECT |
| C | Increased breath sounds throughout | |
| D | Diminished heart sounds | |

Student message:

cleft palate repair age سؤال الـ
2-3 Months
4-6 months?

Source:

quizlet.com

Surgical repair of a cleft palate should ideally be completed before which age?

A 6 months

B 12 months

CORRECT

C 2 years

D 5 years

Student message:

The nurse knows the mother understood teaching regarding cleft lip and palate repair if she says: Avoid the child crying

Source:

quizlet.com

Which finding in an infant 6 hours after cleft lip repair requires immediate nursing intervention?

A The infant sleeps on the back

B The incision appears swollen

C The infant cries frequently and is difficult to console

CORRECT

D Elbow restraints remain in place

Student message:

Which HIV test measures the extent of the effect of the disease on the immune system?

A. CD4

B. HIV PCR

Source:

naxlex.com

Which laboratory result best indicates that antiretroviral therapy is effective?

A Increased viral load

B Decreased neutrophil count

C Decreased white blood cell count

D Increased CD4 count

CORRECT

Student message:

Patient deteriorating and the nurse tried and failed two times inserting a cannula, what should she do next? Call for another experienced nurse

Source:

quizlet.com

After two unsuccessful attempts to insert a short peripheral IV catheter in an older adult, what should the nurse do?

- A Notify the healthcare provider
- B Make a third attempt in the opposite arm
- C Request insertion of a PICC
- D Ask another qualified nurse to attempt insertion**

CORRECT**Student message:**

You heard two nurses talking in the hall about a patient? Remind them of confidentiality

Source:

quizlet.com

An older adult with lung cancer has a daughter who is a nurse and asks to view the client's chart. Which response is appropriate?

- A Come with me and I will show you the chart
- B The information is confidential without the client's permission**
- C Ask the nursing supervisor for the chart
- D You are a nurse, so you should already know the information

CORRECT**Student message:**

Student nurse was seen talking to a patient about another patient case, what principle did she break? Privacy

Source:

quizlet.com

Which nursing action is a breach of client privacy?

- A Documenting care in the medical record
- B Releasing health information to an employer without consent**
- C Discussing the care plan with the healthcare team
- D Asking the client which family members may receive information

CORRECT

Student message:

A nurse was responsible for counting the narcotics, found a missing ampule and reported it. What is the principle?

- A. Privacy
- B. Confidentiality
- C. Responsibility
- D. Beneficence

Source:

quizlet.com

A nurse discovers that narcotics are missing and reports the discrepancy. Which ethical principle obligates the nurse to report it?

A Advocacy

B Responsibility

CORRECT

C Confidentiality

D Accountability

Student message:

Tool used in Weber test? Tuning fork

Source:

quizlet.com

Which technique is used to perform the Weber test?

A Strike the patellar tendon with a reflex hammer

B Inspect the optic disc with an ophthalmoscope

C Inspect the auditory canal with an otoscope

D Place a vibrating tuning fork on the midline of the skull

CORRECT

Student message:

Tracheoesophageal fistula sign? Cyanosis

Source:

quizlet.com

Which finding supports a diagnosis of esophageal atresia with tracheoesophageal fistula in a neonate?

A Failure to pass meconium

B Currant-jelly stools

C Frothy secretions with coughing, choking, and cyanosis during feeding

CORRECT

D Projectile vomiting with an olive-shaped mass

Student message:

Hirschsprung test? Rectal biopsy

Source:

naxlex.com

A nurse is caring for a 3-month-old infant with suspected Hirschsprung disease. Which action should the nurse anticipate?

A Administer a glycerin suppository

B Prepare the infant for a rectal biopsy

CORRECT

C Begin oral rehydration therapy

D Administer prescribed antibiotics

Q-367

Student message:

Hyperemesis gravidarum complication? Electrolyte imbalance

Source:

naxlex.com

Clients with hyperemesis gravidarum are at risk for which complication?

A Electrolyte imbalance

CORRECT

B Hypoglycemia

C Increased blood pressure

D Weight gain

Q-368

Student message:

Iron take with? Vitamin C

Source:

quizlet.com

Which beverage should a client take with an oral iron supplement to improve absorption?

A Orange juice

CORRECT

B Water only

C Milk

D Apple juice

Student message:

Child with bronchitis, dry mucous membranes, prolonged capillary refill and sunken fontanel. What is the appropriate nursing intervention? Monitor input and output

Source:

naxlex.com

A 10-year-old child is dehydrated and has received an IV fluid bolus. Before adding potassium to the IV fluids, which assessment is most important?

- A Recent oral intake
- B Urinary output**
- C Capillary refill
- D Time of the last bowel movement

CORRECT

Q-370

Student message:

Patient called two days after a procedure with spinal anaesthesia and is complaining of frontal headache. What should the nurse instruct him to do? Lie flat

Source:

naxlex.com

A laboring client who received spinal anesthesia develops a severe headache that worsens when sitting upright. Which action should the nurse take?

- A Administer oxygen
- B Increase the IV fluid rate
- C Position the client flat**
- D Apply ice packs to the neck

CORRECT

Q-371

Student message:

There is a shortage in the unit and the head nurse brought a nurse from another unit. This is called? Floating

Source:

naxlex.com

Which staffing strategy best addresses shortages while maintaining patient safety and cost effectiveness?

- A Use community volunteers
- B Establish a centralized float pool**
- C Assign nurses without considering unit acuity
- D Require mandatory overtime

CORRECT

Student message:

Researcher studied the relationship of vaccine and disease prevalence in children at 1 year old, then again at 6 years old. What type of study? Longitudinal correlational

Source:

quizlet.com

A researcher examines pertussis rates in the same children before age 1 and again at age 6 in relation to immunization status. Which research design is this?

- | | | |
|----------|-----------------------------------|----------------|
| A | Correlational longitudinal | CORRECT |
| B | Correlational cross-sectional | |
| C | Descriptive longitudinal | |
| D | Descriptive cross-sectional | |

Student message:

Woman postpartum bleeding but uterus is firm and contracted? Laceration

Source:

quizlet.com

A postpartum client has a firm, midline uterus and an empty bladder but continues to have bright-red vaginal bleeding. Which cause should the nurse suspect?

- | | | |
|----------|---------------------------------|----------------|
| A | Uterine atony | |
| B | Retained placental fragments | |
| C | Genital tract laceration | CORRECT |
| D | Uterine inversion | |

Student message:

Benefit of near miss report? Patient safety

Source:

naxlex.com

A near miss involving duplicate anticoagulant orders was not reported. Which quality-improvement conclusion is most appropriate?

- | | | |
|----------|--|----------------|
| A | Only events causing harm should be reported | |
| B | Reporting near misses helps identify system problems before harm occurs | CORRECT |
| C | Near-miss reports should assign individual responsibility | |
| D | Near misses should remain within the unit | |

Student message:

When teaching a postpartum woman, when should she report back to the physician about abnormal signs? Persistent lochia rubra

Source:

quizlet.com

Which postpartum finding should the client report immediately?

- A Scant lochia alba on day 15
- B Fundus at the umbilicus on day 1
- C **Reappearance of bright-red lochia on day 10**
- D Mild uterine tenderness on day 3

CORRECT**Student message:**

Study of the disease process and changes in the body? Pathophysiology

Source:

quizlet.com

Which statement best defines pathophysiology?

- A The study of social determinants of health
- B The psychological impact of illness
- C **The study of how disease processes alter normal body function**
- D The study of genetic risk factors alone

CORRECT**Student message:**

Contraindication in live attenuated vaccine? Corticosteroids

Source:

naxlex.com

Which client should not receive a live vaccine?

- A An immunocompromised client
- B A pregnant client
- C A client receiving high-dose corticosteroids
- D **All of the above**

CORRECT

Student message:

The best way to make sure the breastfeeding mother understood teaching? Ask her to repeat in her own words

Source:

quizlet.com

Which statement by the nurse best uses the teach-back method to verify understanding?

- | | | |
|----------|---|----------------|
| A | Please show me how you will use this information at home | CORRECT |
| B | Was this teaching useful? | |
| C | Do you have any questions? | |
| D | Do you understand the instructions? | |

Student message:

A task team investigated a high infection rate. The leader found a member falsifying results. What should the leader do? Report to the nursing director

Source:

naxlex.com

Which staff activity should a nurse manager report for peer review?

- | | | |
|----------|---|----------------|
| A | Administering medications later than scheduled | |
| B | Documenting an assessment before performing it | CORRECT |
| C | Delivering a meal tray to a client who is NPO | |
| D | Changing client assignments during the shift | |

Student message:

A patient has postpartum depression and is reluctant to ask for help because of cultural beliefs. What should the nurse do? Encourage her husband and family to help

Source:

naxlex.com

A postpartum client says that in her culture the family provides most infant care. Which response is culturally competent?

- | | | |
|----------|---|----------------|
| A | Tell the client she must provide all infant care | |
| B | Explain that all good mothers care for their newborns independently | |
| C | State that hospital policy does not allow family participation | |
| D | Allow family participation and assess their knowledge of safe newborn care | CORRECT |

Student message:

Breast self exam is done? Monthly

Source:

quizlet.com

When should a client perform breast self-examination?

- A At the onset of menstruation
- B Every month during ovulation
- C Once every week

D About one week after menstruation begins

CORRECT

Student message:

A husband and wife came to infertility clinic. What is the first test? Semen analysis

Source:

naxlex.com

A couple has been diagnosed with infertility after trying to conceive for one year. Which diagnostic test is usually performed first?

- A Semen analysis
- B Transvaginal ultrasound
- C Hysterosalpingography
- D Hysteroscopy

CORRECT

Student message:

What is true about a baby born in 41 week? Placenta decrease in sufficiency

Source:

naxlex.com

Which condition is a common cause of a newborn being small for gestational age?

- A Preterm birth
- B Fetal hyperinsulinemia
- C Perinatal asphyxia

D Placental insufficiency

CORRECT

Student message:

Patient in the first stage of labour and her family is in the room. She appears anxious and hesitant to answer. What should the nurse do? Escort her family out to complete assessment

Source:

naxlex.com

A client appears hesitant to answer personal health questions while a family member is present. Which action best facilitates an accurate history?

A Use only structured yes-or-no questions

B Request that the family member leave during the private assessment

CORRECT

C Wait for the client to introduce sensitive topics

D Include the family member in every question

Q-385

Student message:

Most common cause of secondary amenorrhea?

A. Pregnancy

B. Excessive exercise

Source:

quizlet.com

What is the most common cause of secondary amenorrhea?

A Congenital obstruction

B Pregnancy

CORRECT

C Imperforate hymen

D Endocrine disorder

Q-386

Student message:

Woman should take this test to assess cervical mucosa for any abnormality and growth? Pap smear

Source:

naxlex.com

A nurse is caring for a client who asks about the purpose of a Papanicolaou test. Which response should the nurse make?

A This test determines your ovulation status.

B This test detects the presence of endometriosis.

C This test allows for the removal of uterine fibroids.

D This test detects the presence of cervical cancer.

CORRECT

Student message:

How to explain a procedure to a 10-year-old child? Use language appropriate for his age

Source:

naxlex.com

Which action should the nurse take when providing preoperative teaching to a 9-year-old child?

- A Use a stuffed animal only
- B Use simple age-appropriate diagrams**
- C Discuss only long-term benefits
- D Provide all teaching immediately before surgery

CORRECT**Student message:**

Painful procedure for a 10-year-old? Ask him to choose something to distract himself

Source:

naxlex.com

Which nursing statement best demonstrates use of distraction for a child experiencing pain?

- A Let's play your favorite music**
- B I will place a warm compress here
- C Take a slow deep breath
- D Try to ignore the pain

CORRECT**Student message:**

Most important thing for a neonate in NICU with meningocele? Prevent infection

Source:

quizlet.com

Which intervention is the priority for a newborn with a meningocele?

- A Cover the sac with moist sterile gauze**
- B Remove mucus and apply oxygen
- C Apply identification bracelets
- D Transfer the newborn to the NICU without covering the lesion

CORRECT

Student message:

Baby in Special Care Baby Unit is receiving phototherapy. What is the most important action? Cover eyes

Source:

naxlex.com

Which nursing action is appropriate when initiating phototherapy for a newborn?

- | | | |
|----------|--|----------------|
| A | Apply an eye shield | CORRECT |
| B | Apply moisturizing lotion | |
| C | Place a hat on the newborn | |
| D | Move the lights closer than prescribed | |

Student message:

What is correct regarding feeding for cleft palate? In upright position

Source:

naxlex.com

Which instruction should a nurse provide about bottle feeding a newborn with a cleft lip using a special valve feeding device?

- | | | |
|----------|--|----------------|
| A | Squeeze the nipple base to introduce milk into the mouth | |
| B | Position the newborn on the left side after feeding | |
| C | Alternate milk with water during the feeding | |
| D | Hold the newborn in an upright position | CORRECT |

Student message:

Neonate with necrotizing enterocolitis is having surgery for bowel perforation. Which complication should the nurse anticipate? Sepsis

Source:

naxlex.com

A patient has a bowel perforation and develops peritonitis. Which serious complication should the nurse anticipate?

- | | | |
|----------|----------------------|----------------|
| A | Abdominal tenderness | |
| B | Sepsis | CORRECT |
| C | Diarrhea | |
| D | Nausea | |

Student message:

hydrocephalus catheter الوضعية المناسبة لطفل عامل عملية

Source:

naxlex.com

A nurse is caring for a child who is postoperative following ventriculoperitoneal shunt placement. In which position should the nurse place the child?

- A Semi-Fowler's position
- B Prone position
- C Trendelenburg position
- D On the unoperated side

CORRECT

Q-394

Student message:

hemorrhage طفل عند tonsillectomy ايش الممرضه تشيك اول اخترت

Source:

naxlex.com

A nurse is caring for a child who is postoperative following a tonsillectomy. Which finding indicates hemorrhage?

- A Pain
- B Drowsiness
- C Frequent swallowing
- D Diminished breath sounds

CORRECT

Q-395

Student message:

measles باي شهر تعطىها تطعيمة

Source:

naxlex.com

The parent of an infant asks when the baby's first immunization for measles, mumps, and rubella should be given. Which age should the nurse provide?

- A 6 months
- B 12 months
- C 24 months
- D 2 months

CORRECT

Student message:

وجاب سيناريو عن evaporation واي من الجمل التالية تدل عليه
تقفل باب الغرفة والا تنشفه وتلفه ببطانية وفيه خيارات كثير ناسيه

Source:

naxlex.com

Which method is used by the nurse to prevent heat loss in a newborn through evaporation?

- A Place the newborn in a warm crib
- B Dry the infant and wrap the infant in a warm blanket**
- C Close the nursery door
- D Place the newborn under a radiant warmer

CORRECT**Student message:**

ممرضه لقت المريض طايح على الارض ايش الاجراء اللي تسويه اولويه
تتجاهل الموضوع والا تسجله بالملف والاتبلاغ التشارج نيرس

Source:

naxlex.com

A nurse enters a patient's room and finds that the patient has fallen. What should the nurse do first?

- A Assess the patient for injury**
- B Complete an incident report
- C Implement additional fall precautions
- D Assist the patient back to bed

CORRECT**Student message:**

ممرضتين متخصصمين ايش الاجراء اللي تسويه الهيدنييرس

Source:

naxlex.com

A grievance brought by a staff nurse against the unit manager requires mediation. Which action is most appropriate?

- A Send the staff nurse to another unit
- B Listen only to the unit manager
- C Ask another nurse to decide who is right
- D Ask each party to examine motives and issues**

CORRECT

Student message:

المرضى الجديدة ايش المهام التي تعطىها من ضمنها تعطىها مهام خفيفة وليست كريتكال

Source:

naxlex.com

A charge nurse is making client assignments in the intensive care department. Which client is most appropriate to assign to a newly graduated nurse?

- A A client with multisystem failure
- B A client with active bleeding from liver failure
- C A ventilated client with acute respiratory distress syndrome
- D A stable client with chest tubes following a stab wound**

CORRECT**Student message:**

ايش الاجراء في اعطاء دواء بالخطأ

Source:

naxlex.com

A nurse realizes that the wrong medication was administered to a client. Which action should the nurse take first?

- A Notify the provider
- B Check the client's condition**
- C Notify the nurse manager
- D Complete an incident report

CORRECT**Student message:**

active labour وین مکان اعطاء pudal injection لامراه حامل
premium او fundal او بطنها او بطنها

Source:

quizlet.com

A primigravida in active labor requests bilateral pudendal block anesthesia. Which location identified by the client as the area of pain relief indicates that the teaching was effective?

- A Back
- B Abdomen
- C Fundus
- D Perineum**

CORRECT

Student message:

فيه شي عن physiological jundse breast feeding محددا الايام وانا اختار النوع المناسب له

Source:

naxlex.com

On her second postpartum day, a mother notices that her newborn is jaundiced. Which explanation best describes physiologic jaundice?

- A Increased newborn metabolism
- B Destruction of fetal red blood cells**
- C An antigen-antibody reaction
- D Immaturity of the reticuloendothelial system

CORRECT**Student message:**

وين ماكن تحط فيه الشوكة الرنانه mastoid bon والا frontal of head

Source:

quizlet.com

A nurse is conducting Weber's test. Which action will the nurse take?

- A Place a vibrating tuning fork in the middle of the patient's forehead**
- B Place a vibrating tuning fork on the patient's mastoid process
- C Compare the seconds heard by bone versus air conduction
- D Compare the patient's joint movement with the normal range

CORRECT**Student message:**

حساب جرعه دواء لطفل مع حرارة وحاط وزن وعمره

Source:

naxlex.com

A child weighs 75 lb. A medication has a therapeutic dosage range of 33 to 48 mg/kg/day and is given four times daily. Which single dose is appropriate?

- A 280 mg
- B 375 mg**
- C 408 mg
- D 250 mg

CORRECT

Student message:

مراهق معه ثلاثين عاماً ويبروح لعمله استئصال إيش الذي تسويه الممرضة للمراهق القلق
 ١- تعلمه قبل العملية بيومين
 ٢- تتجاهله
 ٣- تطمئه وتجيّب على أسئلته شي فيها feel
 والرابع نسيته يمكن شي عن أسرته

Source:

naxlex.com

A nurse is caring for an adolescent who is scheduled for surgery. Which action should the nurse take to prepare the adolescent based on the developmental stage?

- | | | |
|----------|---|----------------|
| A | Discuss how the procedure might affect the client's appearance | CORRECT |
| B | Avoid involving the client in treatment decisions | |
| C | Emphasize that the procedure is not a punishment | |
| D | Keep equipment out of the client's sight | |

Student message:

ممرضة اخذت telephone order من الدكتور وهو بالعمليات ايش تسوي الممرضة
 تتجاهل الاوردر
 telephone order as recorded order وال
 والا تستناه لما يجي من العمليات ويكتب

Source:

naxlex.com

A provider gives a telephone order but refuses to remain on the line for read-back. What should the nurse do?

- | | | |
|----------|---|----------------|
| A | Delete the order | |
| B | Inform the provider that the order must be read back | CORRECT |
| C | Proceed without read-back | |
| D | Ask the provider's secretary to verify it | |

Student message:

امراهه مرضعه عندها مشكلة بالحلمه ايش تسوي من ضمن الخيارات
 lubricant nipple with breast milke and give baby

Source:

naxlex.com

A breastfeeding client reports sore, cracked nipples. Which action should the nurse take?

- | | | |
|----------|---|----------------|
| A | Assess and ensure the newborn has a successful latch | CORRECT |
| B | Increase the time between feedings | |
| C | Apply mineral oil between feedings | |
| D | Keep the nipples covered between sessions | |

Student message:

bariatric gastric bypass الجاه سؤال يقىس فهم المريض للعملية

Source:

naxlex.com

A nurse is educating a client about bariatric surgery. Which statement indicates a need for further teaching?

- A I will follow a liquid or pureed diet after surgery
- B I can schedule surgery without evaluation by the surgeon
- C The procedure reduces stomach size and may reduce absorption
- D I will need lifelong dietary and lifestyle changes

CORRECT**Student message:**

Nurse say I will stay here with you -

ماهو المعنى من هذه الجملة

Offering self

Accepting

Source:

naxlex.com

The nurse states, 'I will stay with you until you go for your electroconvulsive therapy treatment.' Which therapeutic communication technique is used?

- A Accepting
- B Giving recognition
- C Offering self
- D Formulating a plan

CORRECT**Student message:**

Which pain scale 10years

Faces

Source:

naxlex.com

A nurse is assessing pain in a 10-year-old child who can communicate. Which pain scale is most appropriate?

- A FLACC scale
- B FACES scale
- C Numeric rating scale
- D Visual analog scale

CORRECT

Student message:

complications of thalassemia

Source:

naxlex.com

A child with thalassemia major receives frequent blood transfusions. Which complication should the nurse monitor for?

- | | | |
|----------|----------------------|----------------|
| A | Hemosiderosis | CORRECT |
| B | Hematuria | |
| C | Hemarthrosis | |
| D | Hemoptysis | |

Student message:

mode of transmission of Rotavirus

Source:

quizlet.com

How is rotavirus primarily transmitted?

- | | | |
|----------|-------------------------|----------------|
| A | Airborne droplets | |
| B | Direct blood contact | |
| C | Fecal-oral route | CORRECT |
| D | Mosquito bite | |

Student message:

Spina bifida Occulta

Intact skin كان فيه اجابة طويلة بس فيها

Source:

naxlex.com

A nurse is collecting data from a child who has spina bifida occulta. Which finding should the nurse expect?

- | | | |
|----------|------------------------------------|----------------|
| A | Flaccid paralysis | |
| B | Hip dislocation | |
| C | Hydrocephalus | |
| D | A dimple in the sacral area | CORRECT |

Student message:

A couple is diagnosed with sickle cell anemia

ماهي نسبة إصابة الطفل بالمرض

Source:

naxlex.com

Both parents are heterozygous for sickle cell disease. What is the probability that their child will have sickle cell anemia?

- A 50%
- B 25%**
- C 75%
- D 100%

CORRECT**Student message:**

Hepatitis B لقاح

0,1,6

Source:

quizlet.com

At what age should an infant receive the first hepatitis B vaccine?

- A At 2 months
- B At birth**
- C At 1 year
- D At 6 months

CORRECT**Student message:**

subclinical stage وجاء عن

Source:

naxlex.com

What is the term for a laboratory-verified infection that causes no apparent symptoms?

- A Colonized
- B Subclinical**
- C Latent
- D Dormant

CORRECT

Student message:

جاء سؤال عن الاولويه ومن ضمنها مريض البوتاسيوم عنده 7.5 اخترتها

Source:

naxlex.com

A client has a serum potassium level of 7.5 mEq/L. Which assessment is the priority?

A	Apical pulse and cardiac rhythm	CORRECT
B	Urinary output	
C	Muscle strength	
D	Deep tendon reflexes	

Student message:

combined oral contraceptive pills

يسأل عن طريقه عملها اقرب اجابة

Suppress ovulation by inhibiting LH and FSH secretion

Source:

naxlex.com

Which mechanism explains how combined oral contraceptives prevent pregnancy?

A	Creating sterile uterine inflammation	
B	Physically blocking sperm migration	
C	Thickening cervical mucus and suppressing ovulation	CORRECT
D	Releasing copper ions	

Student message:

جاء سؤال عن Milia نقاط بيضاء على الأنف والخد

Source:

naxlex.com

A newborn has small raised pearly white spots on the nose and chin. Which condition is this?

A	Erythema toxicum	
B	Milia spots	CORRECT
C	Mongolian spots	
D	Epstein's pearls	

Student message:

جاء سؤال الآثار الجانبية من Halopridol

Source:

naxlex.com

A nurse plans to administer haloperidol to a client with acute psychosis. Which adverse effect should the nurse monitor for?

A	Dystonia	CORRECT
B	Diarrhea	
C	Excessive salivation	
D	Increased agitation	

Student message:

جاء عن قائد يسمح بمشاركة القرار
اقرب شي collaborative

Source:

quizlet.com

A staff nurse works on a unit where decisions and activities are shared between the leader and staff. Which leadership style is practiced?

A	Autocratic	
B	Democratic	CORRECT
C	Laissez-faire	
D	Transformational	

Student message:

جاء طريقة إعطاء Nitroglycerin
تحت اللسان

Source:

naxlex.com

Which statement indicates correct understanding of sublingual nitroglycerin use?

A	I will take one tablet every 10 minutes	
B	I will swallow the tablet with water	
C	I will take one tablet when chest pain begins	CORRECT
D	I can take up to five tablets	

Student message:

نورمینگ عن اسئلة

Source:

quizlet.com

The clinical instructor interprets the development of mutual goals and guidelines as which stage of group development?

- | | | |
|----------|----------------|----------------|
| A | Norming | CORRECT |
| B | Performing | |
| C | Storming | |
| D | Informing | |

Student message:

Storming عن اسئلة

Source:

naxlex.com

In which stage of group formation is it possible that members will experience conflict?

- | | | |
|----------|-----------------|----------------|
| A | Forming | |
| B | Storming | CORRECT |
| C | Norming | |
| D | Performing | |

Student message:

Nullipara عن ولاء

Source:

quizlet.com

Which description defines a nullipara?

- | | | |
|----------|---|----------------|
| A | A woman who had a pregnancy loss at 25 weeks and has no living children | |
| B | A woman who has never given birth | CORRECT |
| C | A woman who has had three prior births | |
| D | A woman who has never been pregnant | |

Student message:

Mother brought her 6 month-old healthy infant well-baby clinic which immunization the nurse anticipated administer per World Health Organization is ?

A-Varicella chicken pox

B-Rotavirus

C-Measles

D-Diphtheria

Source:

quizlet.com

Against which condition is a 6-month-old infant with up-to-date immunizations not protected?

A Polio

B Tetanus

C Measles

CORRECT

D Hepatitis B

Student message:

ممرضته تتوقف حامل عن الفوليك اسيد ايش اللي يدل انه الام فاهمه :كان في الاجابات انه يحمي من النيورو

Source:

naxlex.com

Which statement by a pregnant client indicates understanding of the importance of folic acid?

A It reduces the risk of spinal cord defects

CORRECT

B It strengthens fetal bones

C It prevents bleeding during pregnancy

D It improves the newborn's immune system

Student message:

نبي نقلال انتشار العدوى ايش افضل شي وكان فيه الهاند هايجين

Source:

quizlet.com

When caring for patients, what is the single most important technique to prevent and control transmission of infection?

A Hand hygiene

CORRECT

B Use of disposable gloves

C Use of isolation precautions

D Sterilization of equipment

Student message:

جاتني مسألتي عن الانفكشن كنترول والهاند هايجين

Source:

naxlex.com

Why should a nurse perform hand hygiene before entering a patient's room?

- | | | |
|----------|---|----------------|
| A | It is the most effective way to prevent transmission | CORRECT |
| B | It is required only by facility policy | |
| C | It is a professional courtesy | |
| D | It is a personal habit | |

Student message:

ممرضه تبي تدخل على بيشتت عزله نيقثف ومو لابسه ماسك شنو تسوين كا ممرضة : امسكها واقولها تلبس ماسك قبل تدخل

Source:

naxlex.com

Which staff action when implementing infection-control measures should the nurse report?

- | | | |
|----------|---|----------------|
| A | Entering a contact-isolation room without a mask | |
| B | Wearing a gown at the doorway of a protective-environment room | |
| C | Entering an airborne-isolation room wearing only a surgical mask | CORRECT |
| D | Entering a droplet-isolation room without a gown | |

Student message:

مريض فيه MRSA ايش تلبس الممرضة حطيت جاون وقلافز

Source:

naxlex.com

Which transmission-based precaution should the nurse implement for a client with a wound infected by MRSA?

- | | | |
|----------|----------------------------|----------------|
| A | Airborne precautions | |
| B | Contact precautions | CORRECT |
| C | Droplet precautions | |
| D | Protective environment | |

Student message:

جاني ليدر عن التقييم كان افريج للموظفين كلهم : حطيت سنترال

Source:

quizlet.com

Some managers tend to rate all employees as average. What is this appraisal error called?

A Halo effect

B Central tendency

CORRECT

C Stereotyping

D Leniency error

Student message:

جاني حامل وهي بالاكنتف ستيج ايش اسوي مع المريضة كان من الاجابات : اخليها تسوي بوش مع كل انقباضه تجيبها

Source:

naxlex.com

Which should be the primary focus of nursing care in the active phase of labor for a client who anticipates an unmedicated delivery?

A Re-evaluate the need for medication

B Assist her to maintain control

CORRECT

C Assess the strength of uterine contractions

D Remind her to push three times with each contraction

Student message:

ممرضة نازله تفحص والد لها يومين ايش الشي اذا شافته تبلغ عنه ع طول وكان بالاجابات : lochia serosa

Source:

naxlex.com

Which sequence reflects the normal progression of postpartum vaginal discharge?

A Lochia alba, lochia rubra, lochia serosa

B Lochia serosa, lochia alba, lochia rubra

C Lochia rubra, lochia alba, lochia serosa

D Lochia rubra, lochia serosa, lochia alba

CORRECT

Student message:

حامل وعندها دارك بلود وبين : بلاسنتا ابريشن

Source:

naxlex.com

A primigravida at 39 weeks has dark red vaginal bleeding, pain between contractions, and a rigid uterus. Which condition is most likely?

- A Preterm labor
- B Placenta previa
- C **Abruptio placentae**
- D Placenta accreta

CORRECT**Student message:**

وحده بتولد وعندها سكر شتو نتوقع الطفل فيه : هايپوقلاسيما

Source:

naxlex.com

Which major neonatal complication is carefully monitored after the birth of the infant of a diabetic mother?

- A Hypoinsulinemia
- B Hyperbilirubinemia
- C **Hypoglycemia**
- D Hypercalcemia

CORRECT**Student message:**

تحليل السكر افضل وقت متى : 24w

Source:

naxlex.com

When is the most appropriate time to screen a pregnant client for gestational diabetes?

- A 20 to 24 weeks
- B **24 to 28 weeks**
- C 28 to 32 weeks
- D 16 to 20 weeks

CORRECT

Student message:

ام تبي تفحص عمر الولد كيف تحسبه الممرضة ؟ : الفيندال

Source:

naxlex.com

What is the primary purpose of measuring fundal height after 20 weeks of gestation?

A Assess maternal weight gain

B Determine fetal lie

C Estimate gestational age and monitor fetal growth

CORRECT

D Evaluate fetal heart-rate variability

Student message:

Chlamydia : subclinical

Source:

naxlex.com

Which information should a nurse include when teaching about chlamydia?

A It is treated with antiviral medication

B Sexual activity can resume immediately

C It is often asymptomatic

CORRECT

D Screening is needed every two years

Student message:

والد وعندها mastitis : تكمل رضاعه ونعطيهها الانتي بيوتك

Source:

naxlex.com

A client has unilateral mastitis and discomfort in the affected breast. Which instruction should the nurse include?

A Apply hydrocortisone ointment

B Avoid wearing a nursing bra

C Apply warm compresses to the affected breast

CORRECT

D Limit oral fluid intake

Student message:

Convulsions جاني المقانسوم بريفت ؟ : حطيت

Source:

naxlex.com

Magnesium sulfate is given to women with preeclampsia and eclampsia to accomplish which goal?

- A Improve deep tendon reflexes
- B Shorten labor
- C Prevent convulsions**
- D Prevent a boggy uterus

CORRECT**Student message:**

Pyloric stenosis : موفمينت فروم ليفت تو رايت :

Source:

naxlex.com

Which clinical manifestation supports pyloric stenosis in an infant?

- A Abdominal rigidity and pain
- B Rounded abdomen with hypoactive bowel sounds
- C Visible peristalsis and weight loss**
- D Lower abdominal distention and constipation

CORRECT**Student message:**

Tetralogy of fallot : Knee chest

Source:

naxlex.com

An infant with tetralogy of Fallot is experiencing a tet spell. Which position should the nurse use?

- A Prone
- B Knee-chest**
- C Trendelenburg
- D Fowler's

CORRECT

Student message:

Mongolian spots : جاني الطفل فيه بقعه زرقا

Source:

naxlex.com

A newborn has bluish-green marks on the buttocks. What should the nurse identify these marks as?

A	Congenital dermal melanocytosis	CORRECT
B	Nevus flammeus	
C	Vascular nevi	
D	Lanugo	

Student message:

جاني العلاج الاول حق الهايبرثرويدزم

Source:

naxlex.com

For an 8-year-old child with hyperthyroidism, which medication is the recommended initial treatment?

A	Radioactive iodine	
B	Propylthiouracil	
C	Methimazole	CORRECT
D	Levothyroxine	

Student message:

جاني TB - انه انتشر بشكل كبير بس في منطقة وحدة : Epidemic

Source:

quizlet.com

Which statement correctly distinguishes an endemic disease from an epidemic disease?

A	An endemic disease is always fatal, while an epidemic is not	
B	An endemic disease is consistently present in a geographic area, while an epidemic is a sudden increase above normal	CORRECT
C	An endemic disease affects only animals, while an epidemic affects humans	
D	An endemic disease is caused by one pathogen, while an epidemic has many causes	

Student message:

Hirschsprungs : rectal biopsy

Source:

quizlet.com

A one-month-old infant has suspected Hirschsprung disease. Which procedure confirms the diagnosis?

- A Colonoscopy
- B Rectal biopsy**
- C Multiple saline enemas
- D Fiberoptic nasoenteric tube placement

CORRECT**Student message:**

علاج الازما : بيتا اچينست

Source:

naxlex.com

A nurse is caring for a client who is having an asthma attack. Which intervention should the nurse implement?

- A Use an incentive spirometer
- B Administer an oral antihistamine
- C Administer an inhaled corticosteroid first
- D Administer an inhaled beta-agonist**

CORRECT**Student message:**

فحص اذن الطفل : داون اند باك

Source:

naxlex.com

During an otoscopic examination of an infant, in which direction should the nurse pull the pinna?

- A Up and forward
- B Down and back**
- C Down and forward
- D Up and back

CORRECT

Student message:

مريض جاني وفيه دايتيك وفيه ريحة في فمه فروتي : حطيت نفحص البلود جلوكوز

Source:

naxlex.com

A client develops a fruity breath odor. Which additional assessment should the nurse perform first?

A	Check blood glucose with a glucometer	CORRECT
B	Assess pupil response	
C	Evaluate deep tendon reflexes	
D	Palpate the liver	

Student message:

جاني مريض وابي افحص بطنه : انسبيكت اسكلت بركشن بليب

Source:

naxlex.com

When preparing to perform an abdominal examination, which step should the nurse perform first?

A	Auscultation	
B	Inspection	CORRECT
C	Percussion	
D	Palpation	

Student message:

تيسر الميجنتايتيس : بوزتيف Kernigs

Source:

naxlex.com

Which finding describes a positive Kernig sign in a child with meningitis?

A	Petechiae on the trunk	
B	Neck flexion causes hip and knee flexion	
C	Inability to extend the leg when the hip is flexed	CORRECT
D	Generalized muscle and joint pain	

Student message:

الزهايمر : ريسك فور انجري

Source:

naxlex.com

When planning care for a client with early-stage Alzheimer's disease who is at risk for injury, which intervention is most important?

- A Schedule all activities at the same time
- B Provide repeated reassurance
- C Arrange a safe, uncluttered environment that permits movement** **CORRECT**
- D Assign assistive personnel to provide total care

Student message:

قرحة : فول سكينس يس البون مو طالع : ستيج 3

Source:

naxlex.com

Which description is consistent with a stage 3 pressure ulcer?

- A Full tissue loss with exposed support structures
- B A deep crater without exposed bone, tendon, or muscle** **CORRECT**
- C An intact or ruptured serum-filled blister
- D Intact skin with nonblanchable redness

Student message:

ضغط الدم فيه فرق بين الالكتروني والمانوال شنو نختر ويكون افضل ؟ حطيت المانوال

Source:

quizlet.com

The patient is unstable, so the nurse is using an electronic blood pressure device every 15 minutes. What should the nurse do to verify the accuracy of the electronic measurements?

- A Check when the device was last calibrated.
- B Verify that the device adheres to current standards.
- C Take a manual blood pressure within several minutes of the electronic reading.** **CORRECT**
- D Verify that the systolic pressure is within 20% of baseline.

Student message:

pica : چاني جامل وٽاڪل طين :

Source:

quizlet.com

A pregnant client reports eating clay. Which condition should the nurse identify?

- A Hyperemesis gravidarum
- B Gastroesophageal reflux
- C **Pica**
- D Round ligament pain

CORRECT