



SNLE Review Series

أغسطس 2026

مراجعة مركزة للأسئلة والاجابات الصحيحة

مذكرة مصممة تساعدك على مراجعة المحتوى بوضوح وفهم الاجابة الصحيحة والعودة للمعلومة بسرعة اثناء الاستعداد للاختبار.

[Focused Review](#)

[Verified Answers](#)

[Question Bank](#)

478 سؤال

تم التحديث في 25-08-2026

SnleNotes.com

Student message:

child with a history of untreated streptococcal pharyngitis is diagnosed with rheumatic fever. Which complication should the nurse monitor for as the priority?

Acute glomerulonephritis
heart disease
Chronic kidney disease
Pulmonary fibrosis
اخترت ثاني شي

Source:

naxlex.com

A 10-year-old child presents with joint pain, low-grade fever, and a history of untreated strep throat 3 weeks ago. Which complication should the nurse prioritize monitoring for?

- A Pulmonary hypertension leading to increased peripheral resistance
- B Pancarditis leading to long-term valve damage, especially the mitral valve**
- C Acute kidney injury leading to bladder insufficiency
- D Coronary artery aneurysms arising from hypertension

CORRECT**Student message:**

اخترت ان نسوي لها زي الانترنتشن تساعد علاقتها معاه
باقي الخيارات كانت نخليها مانسوي شي
او نخلي البيبي مع اهلها
او نخليها تتجنب تشوفه

Source:

quizlet.com

Several hours after delivery, a new mother expresses ambivalence regarding her infant. How will the nurse promote bonding between this mother and her newborn?

- A Having the mother feed the infant**
- B Removing the infant from the mother's arms if it cries
- C Positioning the infant so the head rests on the mother's shoulder
- D Encouraging the mother to sleep for 4 to 6 hours before interacting with the infant

CORRECT**Student message:**

سؤال يرضو عن الام ماتبغى البيبي وتتجنبه كيف ممكن نساعدها

Source:

quizlet.com

A nurse observes a mother on her first postpartum day sitting in bed while her newborn lies awake in the bassinet. What action by the nurse is best?

- A Realize that this situation is perfectly acceptable
- B Offer to hand the baby to the woman
- C Hand the baby to the woman**
- D Explain the taking-in phase to the woman

CORRECT

Student message:

Basilar fracture اجابته البيشنت عنده
Raccoon eyes

Source:

quizlet.com

Which type of skull fracture is associated with raccoon eyes and Battle sign?

- A Linear Fracture
- B Open Fracture
- C Depressed Fracture
- D Basilar Fracture**

CORRECT**Student message:**

A nurse is assessing a client diagnosed with Cushing syndrome. Which physical assessment finding is most characteristic of this condition?

- A. Weight loss with thin extremities and sunken cheeks
- B. Moon face and truncal obesity
- C. Enlarged hands and feet with protruding jaw
- D. Generalized edema with severe muscle wasting

Source:

quizlet.com

When assessing a client suspected of having Cushing syndrome, the nurse is aware that the most prominent clinical manifestation is:

- A dehydration and hypotension
- B bulking of skeletal muscles
- C hypoglycemia and intense hunger
- D weight gain with truncal obesity**

CORRECT**Student message:**

Hearing aid device وسؤال عن
البيشنت يسأل ليه ما البسهم داخل العمليات
افضل خيار لقيته
ان الممرضة تقوله ان انت راح تكون مخدر ماتحتاج تستخدمها

Source:

quizlet.com

A preoperative client wears a hearing aid and is extremely hard of hearing without it. Which action should the nurse take to help reduce the client's anxiety?

- A Actively listen to the client
- B Allow the client to wear the hearing aid to surgery
- C Ask whether the client may wear the hearing aid until anesthesia is administered**
- D Explain the policy requiring removal of the hearing aid

CORRECT

Q-7

SnleNotes.com



Student message:

Rheumatic fever diagnostic test ?
Ant streptolysin o titer
CBC
PT, PTT
Cholesterol level

Source:

naxlex.com

A nurse is reviewing laboratory results for a child with suspected acute rheumatic fever. Which diagnostic result provides the required evidence of a preceding streptococcal infection?

A Elevated C-reactive protein

B Elevated antistreptolysin O titer

CORRECT

C Prolonged PR interval

D Leukocytosis with a left shift

Q-8

SnleNotes.com



Student message:

A client who is gravida 1, para 0 is admitted in labor. Her cervix is 100% effaced, and she is dilated to 3 cm. Her fetus is at +1 station. The nurse is aware that the fetus' head is:
Not yet engaged
Entering the pelvic inlet
Below the ischial spine
Visible at the vaginal opening

Source:

quizlet.com

A client who is gravida 1, para 0 is admitted in labor. Her cervix is 100% effaced, and she is dilated to 3 cm. Her fetus is at +1 station. The nurse is aware that the fetus' head is:

A Not yet engaged

B Entering the pelvic inlet

C Below the ischial spines

CORRECT

D Visible at the vaginal opening

Student message:

The nurse was planning care for a 25-year-old primigravida post-partum mother who had engorgement due to poor feeding technique. the left breast appeared red and swollen and was diagnosed as Which of the following is the best education for the mother

- A. Avoid wearing brassiere
- B. Begin suckling on the right breast
- C. Stop pumping milk from the left breast
- D. Take antibiotics till the soreness subside

Source:

quizlet.com

Which recommendation should the nurse make to a client with mastitis who is concerned about breastfeeding?

- | | | |
|----------|--|----------------|
| A | Continue breastfeeding because mastitis will not infect the neonate | CORRECT |
| B | Do not take analgesics while breastfeeding | |
| C | Stop breastfeeding until the antibiotic course is complete | |
| D | Supplement all feedings with formula | |

Student message:

جا سؤال ايش اهم تطعيم للمرضى السكر

Source:

quizlet.com

A two-year-old child is in the clinic for a well visit. The nurse notes that the patient's vaccinations are up to date. Which additional vaccination would the nurse suggest to the provider after noting a recent diagnosis of type one diabetes mellitus?

- | | | |
|----------|---|----------------|
| A | Hepatitis B (Hep B) | |
| B | Meningococcal vaccine | |
| C | Human papillomavirus (HPV) | |
| D | Pneumococcal polysaccharide (PPSV23) | CORRECT |

Student message:

fundal massage حطيت during 4th stage of labor what is the first intervention جا سؤال

Source:

quizlet.com

A nurse palpates a postpartum uterus that is boggy. What is the first nursing action?

- | | | |
|----------|-------------------------------|----------------|
| A | Administer antibiotics | |
| B | Perform fundal massage | CORRECT |
| C | Insert urinary catheter | |
| D | Administer magnesium sulfate | |

Student message:

uterus is not well contracted after fundal massage what is the next intervention? حظيت encourage urination

Source:

quizlet.com

A nurse assesses a client 2 hours postpartum and finds the fundus boggy and displaced to the right. Which action should the nurse take first?

- A Notify the health care provider
- B Massage the fundus
- C Encourage the client to void
- D Document the finding

CORRECT**Student message:**

الاجهاض جا سؤال وحدة جات الطوارئ عندها brown discharge و اختبار الحمل يكون سلبي

Source:

naxlex.com

A client at 11 weeks of gestation has had slight, occasional, painless vaginal bleeding for 2 weeks. The fetus has died and the placenta, fetus, and tissues remain in the uterus. How should the nurse document these findings?

- A Incomplete miscarriage
- B Complete abortion
- C Missed abortion
- D Inevitable abortion

CORRECT**Student message:**

جا سؤال عن بنت تسوي ريسرش و تكتب معلومات بدون الreference
حطيت plagiarism

Source:

naxlex.com

A nurse is writing an article for his hospital's newspaper. Which action constitutes plagiarism?

- A Using quotation marks for a word-for-word quotation
- B Referencing a paraphrased idea
- C Reusing content from a previous article without acknowledging it
- D Using common knowledge without a citation

CORRECT

Student message:

if you see your colleague making an error

Source:

quizlet.com

Which action should the nurse take first in response to an incorrect insulin dose given by a colleague?

- | | | |
|----------|---------------------------------|----------------|
| A | Assess the patient | CORRECT |
| B | Notify the nurse manager | |
| C | Complete an incident report | |
| D | Notify the health care provider | |

Student message:

Distrust + Suspiciousness = Paranoid Personality Disorder

جاني سوال عنه كان مريض نفسي يعاني من paranoid الممرضه تعرف ان وصف هذا الحاله هي

Source:

quizlet.com

A nurse is caring for a client diagnosed with paranoid personality disorder. Which behavior would the nurse expect to assess in this client?

- | | | |
|----------|--|----------------|
| A | Emotional attention-seeking behavior | |
| B | Indifference to praise or criticism | |
| C | Disregard for others with exploitation | |
| D | Distrust and suspiciousness toward others | CORRECT |

Student message:

السيناريو الاول كانت ام تبي تعطي طفلتها laxative والممرضه منعته ونصحتها وش النصيحه الي قدمتها انها تسبب rupture

Source:

quizlet.com

A client with suspected appendicitis asks for a laxative. Why should the nurse instruct the client not to take a laxative?

- | | | |
|----------|---|----------------|
| A | It decreases the spread of infection | |
| B | It should not be taken before surgery | |
| C | The client is not truly constipated | |
| D | It may cause the appendix to rupture | CORRECT |

Student message:

السؤال الثاني جاب اعراض الزائده الدويه ويسال هذه الحاله تسميها
Appendicitis

Source:

quizlet.com

Which manifestation should the nurse expect in a client with acute appendicitis?

- A High fever
- B Nausea and vomiting
- C Rebound tenderness**
- D Pain relieved by ambulation

CORRECT**Student message:**

كمان جاء وش المضاد لسميته
Calcium gluconate Antidote

Source:

quizlet.com

Calcium gluconate is the antidote for:

- A Magnesium sulfate toxicity**
- B Hyperkalemia
- C Digoxin toxicity
- D Heparin overdose

CORRECT**Student message:**

وجاني سوال عنه لي نعطيه للعندها Preeclampsia لمنع الصرع

Source:

quizlet.com

Magnesium sulfate is administered to a patient with preeclampsia primarily to:

- A Lower blood pressure
- B Prevent seizures**
- C Increase urine output
- D Induce labor

CORRECT

Student message:

جاني تمرين يقوي عضلات الحوض بسيناريو

Source:

quizlet.com

A client has stress urinary incontinence related to decreased pelvic muscle tone. Which therapeutic intervention should the nurse teach?

- A Use adult diapers
- B Perform intermittent catheterization
- C Take bethanechol
- D **Perform Kegel exercises**

CORRECT**Student message:**

جاني هنا وش العلامه الي تشوفها الممرضه في رضيع يعاني من TEF

كانت من ضمن الخيارات Cyanosis

Source:

quizlet.com

A neonate is diagnosed with esophageal atresia and tracheoesophageal fistula (EA/TEF). The nurse prepares for emergency care. Which clinical sign would confirm this condition?

- A Absence of meconium within 48 hours of birth
- B Currant jelly stools and abdominal distension
- C **Excessive frothy mucus, coughing, choking, and cyanosis with feeding**
- D Projectile vomiting and a palpable olive-shaped mass

CORRECT**Student message:**

في كمان كثير جاتني من اسئله الممرضه تشوف زميلتها تعطي ادويه غلط

هذه على طول Inform the supervisor

Source:

quizlet.com

A nurse gave medication to the wrong patient after being interrupted. Which action should the nurse take first?

- A Document the error
- B Keep the error secret
- C **Tell the immediate supervisor or charge nurse**
- D Keep the error secret and assess the patient hourly

CORRECT

Student message:

في كمان كثير جاتني من اسئلة الممرضه تشوف زميلتها تسجل قبل تعطي

Inform the supervisor هذه على طول

Source:

quizlet.com

Which action by a newly licensed nurse should prompt intervention by the charge nurse?

- A Verifying the medication label
- B Scanning the client's identification barcode
- C Checking the prescription and a medication reference
- D Documenting the medication before administering it

CORRECT**Student message:**

..Caput succ جاء تعريف

Source:

quizlet.com

A woman gave birth to a healthy term newborn about 2 hours ago. She asks the nurse about the appearance of her newborn's head. Assessment reveals swelling of the head that extends across the midline. Which response by the nurse would be appropriate?

- A Your newborn has a collection of blood that was caused by tearing of the veins and is pushing on the brain. This collection of blood will need to be drained.
- B You must have had some problems during labor with keeping your blood pressure under control. Your newborn will need to be handled gently.
- C The swelling in your newborn's head is due to the head pressing against your cervix during labor and birth. It will go away on its own in a few days.
- D The tiny blood vessels under your newborn's skull broke during labor and caused the swelling. It will get better in about 2 to 3 weeks.

CORRECT**Student message:**

معدل السقوط (Falls) زاد بشكل ملحوظ في القسم وسيناريو طويل وهرج أنا غلطت بالسؤال رغم اني اعرف كل الخيارات ومعناها لكن ناكرو كل الأنواع زي ومثال بالفهم
Root Cause analysts الاجابه كانت

Source:

quizlet.com

A hospital wants to reduce patient falls. Which action should the nurse expect first?

- A Staff discipline
- B Root cause analysis of previous falls
- C Immediate policy termination
- D Legal review

CORRECT

Student message:

كمان فيه فيه مريض جاء للطواري بالمرض كذا وأعراضه كثيره لكن فيها قى ب استمرار و يسأل ايش ABG .

Source:

quizlet.com

The nurse is caring for a client with an acid-base imbalance secondary to prolonged vomiting. Which acid-base imbalance should the nurse monitor?

- A Respiratory alkalosis
- B Respiratory acidosis
- C Metabolic acidosis
- D **Metabolic alkalosis**

CORRECT**Student message:**

وكمان الام طفلها عنده اصفرار فسيولوجي وهي خايفه عليه مره ماتبغى تعالجه ايش التصرف الصبح للنيرس

Source:

quizlet.com

A mother reports that her 3-day-old infant looks slightly yellow. Which explanation should the nurse provide?

- A **Physiologic jaundice is a normal finding that peaks at this age**
- B The infant's liver is not working
- C The infant's bowels are not excreting bilirubin
- D The infant has brain damage

CORRECT**Student message:**

وكمان تفعيل صحة المجتمع بالمدرسه للوقايه من السممه وايش افضل تدخل

Source:

quizlet.com

A school nurse wants to decrease childhood obesity. Which community action would be most effective?

- A Lobby for school lunch and snack legislation
- B Provide nutrition education programs
- C **Involve the entire family in the intervention**
- D Offer after-school weight-loss camps

CORRECT

Student message:

و فيه مسائل اللي هي طفل وزنه ٢٥ عمر ٧ كم يحتاج سوائل بعد العملية

Source:

quizlet.com

A 25kg child needs fluids, what should the daily maintenance fluid requirement be?

- A 900mL/day
- B 1300mL/day
- C 6700mL/day
- D 1600mL/day

CORRECT**Student message:**

وكمان كم نسبة حدوث عند الحوامل Hyperemesis gravidarum بالتجميعات مكتوب نسبة لكن ماحصلتها بالاختبار واخترت اقرب شي

Source:

quizlet.com

What percentage of pregnancies is affected by hyperemesis gravidarum?

- A 0.5%
- B 1%
- C 2%
- D 5%

CORRECT**Student message:**

طفل جاء للطواري عنده ألم شديد في الأطراف و الوجه وأنييميا أفرو أكثر عنه occlusive crisis

Source:

quizlet.com

Which clinical manifestation should the nurse expect when a child with sickle cell anemia experiences an acute vaso-occlusive crisis?

- A Circulatory collapse
- B Cardiomegaly, systolic murmurs
- C Hepatomegaly, intrahepatic cholestasis
- D Painful swelling of hands and feet; painful joints

CORRECT

Student message:

وكمّان طفل ADHD كان فيه خيارين كلهم صح بس يبغى الأهم نسيتهم والله

Source:

quizlet.com

Which one of the following nursing interventions should take priority for a child with ADHD?

A Structured daily routine

B Ensuring the child's safety and that of others

CORRECT

C Simplifying instructions and directions

D Improved role performance

Student message:

وكمّان مسألة احسب السوائل (Parkland Formula)

$4 \text{ mL} \times \text{الوزن (kg)} \times \% \text{TBSA}$

Source:

quizlet.com

The nurse is caring for a 154-pound patient with 50% total body surface area (TBSA) burns. If using the Parkland formula, the nurse will calculate which amount of intravenous solution to provide this patient in the first 24 hours of care?

A 14,000 mL

CORRECT

B 42,000 mL

C 3500 mL

D 7000 mL

Student message:

والأم ترفض تطعيم عشان عندها اعتقاد انه يسبب توجد مادري أمراض وكذا ايش تصرف الممرضه

Source:

quizlet.com

A mother refuses the MMR vaccine because she believes having the diseases will help her child fight illness later. Which response should the nurse make?

A Honor the decision without discussion

B Explain that antibodies fight many diseases

C Explain that not immunizing protects pregnant women

D Explain that these diseases can cause serious permanent complications

CORRECT

Student message:

كمان يسال ايش نوع المناعه طفل من الرضاعه الطبيعيه

Source:

quizlet.com

Which type of immunity does an infant receive from the mother in utero and through breast milk?

A	Natural passive immunity	CORRECT
B	Artificial active immunity	
C	Artificial passive immunity	
D	Natural active immunity	

Student message:

وليش نخط المريض على جنب وقت enema

Source:

quizlet.com

Before enema administration, the nurse positions the client in a left lateral position. What is the rationale for using this position?

A	It is more comfortable.	
B	It facilitates the passage of stool.	
C	It prevents a vasovagal response from occurring.	
D	It facilitates instillation of the enema solution into the colon.	CORRECT

Student message:

وليش ماينصح الام تنام ع ظهرها

Source:

quizlet.com

Why is it important for a pregnant woman to avoid supine positioning?

A	Inferior vena cava pressure, hypotension	CORRECT
B	Superior vena cava pressure, increased pulse	
C	Liver compression, hypertension	
D	Lung compression, hypotension	

Student message:

كمان بعد الولاده الان تسأل عن موانع الحمل وهي عندها عدم نظم الدورة وماتكون جراحي وموثوق مره احترت فيها

Source:

naxlex.com

A client has difficulty remembering daily pills, wants highly reliable contraception for at least 3 years, and prefers to avoid a method associated with reduced bone mineral density. Which contraceptive method is best?

A Norethindrone tablets taken daily

B **Etonogestrel implant placed once and removed in 3 years**

CORRECT

C Medroxyprogesterone intramuscularly every 3 months

D Ethinyl estradiol and norelgestromin patch weekly

Q-40

Student message:

سؤال تطعيمه الحج تعتبر ايش

Source:

quizlet.com

A public health nurse is providing a smoking cessation program to a group of community members. This is an example of which level of prevention?

A **Primary prevention**

CORRECT

B Secondary prevention

C Tertiary prevention

D Quaternary prevention

Q-41

Student message:

Basilar fracture اجابته الپيشنت عنده

Raccoon eyes

Source:

quizlet.com

What sign is commonly observed in a person with a basilar skull fracture?

A nystagmus (jerky eyeball movements)

B partial loss of visual fields

C pinpoint pupils

D **periorbital bruising (raccoon eyes)**

CORRECT

Student message:

A nurse is assessing a client diagnosed with Cushing syndrome. Which physical assessment finding is most characteristic of this condition?

- A. Weight loss with thin extremities and sunken cheeks
- B. Moon face and truncal obesity
- C. Enlarged hands and feet with protruding jaw
- D. Generalized edema with severe muscle wasting

Source:

quizlet.com

Which finding should the nurse expect in a patient with Cushing syndrome?

A	Protruding abdomen with increased facial fat	CORRECT
B	Hypoglycemia with decreased blood pressure	
C	Dehydration with hyponatremia	
D	Anorexia with weight loss	

Student message:

وسؤال عن
البشنت يسأل ليه ما البسهم داخل العمليات
افضل خيار لقيته
ان الممرضة تقوله ان انت راح تكون مخدر ماتحتاج تستخدمها

Source:

quizlet.com

A patient going for surgery wants to give a hearing aid to the spouse. Which action should the nurse take?

A	Encourage the patient to wear the hearing aid until anesthesia is administered	CORRECT
B	Tape the hearing aid to the patient's ear	
C	Give the hearing aid to the spouse immediately	
D	Tell the surgery nurse that the hearing aid was removed	

Student message:

head nurse received call from admission department there one measles case for admission, she have pts received chemotherapy and there is no negative pressure room available?

- A- follow international admission rules
- B follow hospital policy

Source:

quizlet.com

A charge nurse is preparing to admit a child with rubeola. Which factor should be of greatest concern?

A	Children on the unit are receiving chemotherapy	
B	Parents of other children do not want the admission	
C	The infection-control liaison is absent	
D	No negative-airflow rooms are available	CORRECT

Student message:

olive shaped انها pyloric stenosis جاء سؤال عن

Source:

quizlet.com

A 4 week old girl with projectile vomiting for 2 days is seen. She is jaundiced, and the physician is able to palpate an olive-shaped mass in the RUQ on physical examination. What is the most likely diagnosis?

A Intussusception

B Pyloric stenosis

CORRECT

C Reflux

D Ulcer

Q-46

Student message:

projectile vomting انها pyloric stenosis جاء سؤال عن

Source:

quizlet.com

The parents of a 4-week-old infant phone the pediatric clinic to report that their infant eats well but vomits after each feeding. To differentiate between normal regurgitating and pyloric stenosis, which is most important for the nurse to obtain?

A Degree of forcefulness of vomiting episodes.

CORRECT

B Level of infant's distress after vomiting.

C Odor and texture associated with emesis.

D Position of the infant when vomiting occurs.

Q-47

Student message:

bulimia nervosa and anorexia nervosa الفرق سوال عن بينهم

Source:

quizlet.com

Which finding is the primary distinction between bulimia nervosa and anorexia nervosa?

A Condition of the dentition

B Body mass index

CORRECT

C Bingeing and purging behavior

D Distorted perception of weight

Student message:

autocratic during CPR

Source:

quizlet.com

A patient becomes unresponsive and the nurse takes control and directs the resuscitation team. Which leadership style is the nurse using?

- | | | |
|----------|-------------------|----------------|
| A | Autocratic | CORRECT |
| B | Democratic | |
| C | Laissez-faire | |
| D | Bureaucratic | |

Student message:

ectopic pregnancy S&S سوال عن

Source:

quizlet.com

A client reports abrupt, sharp, right-sided lower quadrant abdominal pain, bright red vaginal bleeding, and a missed menstrual cycle while using an intrauterine device. Which condition should the nurse suspect?

- | | | |
|----------|--------------------------|----------------|
| A | Missed abortion | |
| B | Ectopic pregnancy | CORRECT |
| C | Severe preeclampsia | |
| D | Hydatidiform mole | |

Student message:

infants with cleft lips after surgery position – in unaffected side

Source:

quizlet.com

A 4-month-old infant has undergone repair of an isolated cleft lip. In which position should the nurse place the infant immediately after surgery?

- | | | |
|----------|------------------|----------------|
| A | Right side-lying | |
| B | Left side-lying | |
| C | Supine | CORRECT |
| D | Prone | |

Student message:

pt with hurtburn – elevated head of the bed

Source:

quizlet.com

Which instruction would the nurse provide to a patient diagnosed with gastroesophageal reflux disease (GERD)?

- A Sleep only on your back.
- B Avoid eating 1 hour before going to sleep.
- C **Elevate the head of your bed 6 to 12 inches.**
- D Avoid using continuous positive airway pressure (CPAP).

CORRECT**Student message:**

infant with intessepption – jelly stool

Source:

quizlet.com

Which description of a stool is characteristic of intussusception?

- A Ribbon-like stools
- B Hard stools positive for guaiac
- C **Currant jelly stools**
- D Loose, foul-smelling stools

CORRECT**Student message:**

hirshusurg disease diagnosis – barium enema هذي اقرب اجابة لانو
Rectal biopsy مو من ضمن الاجابات

Source:

quizlet.com

A neonate has not passed meconium within 48 hours and has abdominal distention and bilious vomiting. Which diagnostic test confirms Hirschsprung disease?

- A Barium enema
- B Anorectal manometry
- C **Rectal suction biopsy**
- D Abdominal ultrasound

CORRECT

Student message:

conflict between tow nurses – discusses with charge nurse in private room

Source:

quizlet.com

A nursing assistant uses a forceful conflict style. Which action by the charge nurse is best?

A Confront the assistant in front of the registered nurses

B Ask another nurse to handle the problem

C Speak with the assistant privately and discuss other approaches

CORRECT

D Penalize the assistant immediately

Student message:

bathing increases bonding attachment between infant and parents what is best time for bathing infant ? After temperature stabilization

Source:

quizlet.com

A newborn infant should have the first bath:

A Immediately

B Just prior to discharge

C After the vitamin K injection

D After temperature stabilization

CORRECT**Student message:**

Which oxygen delivery device provides the highest O2 concentration ?

Source:

naxlex.com

A nurse is caring for a client who is breathing spontaneously. Which oxygen delivery device provides the highest concentration of oxygen?

A Partial rebreather mask

B Nonrebreather mask

CORRECT

C Simple mask

D Venturi mask

Student message:

سيناريو طفل عند الشباك وش الطريقة الي ييفقد حرارته فيها radiation

Source:

quizlet.com

Which action prevents radiant heat loss in a newborn?

- A Dry the skin with a towel
- B Place the infant on a padded covered surface
- C Provide warmed humidified oxygen
- D **Keep the bassinet away from windows** CORRECT

Student message:

والسوال الثاني انه كيف نحمي الطفل من evaporation و الجواب اني اخليه dry

Source:

quizlet.com

Which action is most effective in preventing evaporative heat loss in a newborn?

- A Warm the crib pad
- B Close the room doors
- C **Dry the newborn with a warm blanket** CORRECT
- D Place the newborn under an overhead warmer

Student message:

وكيف نعطي الإنسولين
جاوب الخيارات درجه ١٥

Source:

naxlex.com

A nurse is reinforcing discharge teaching regarding self-administration of regular insulin. Which instruction should the nurse include?

- A Plan to eat a snack 6 hours after insulin administration
- B **Store opened insulin vials at room temperature for up to 4 weeks** CORRECT
- C Warm the insulin vial to dissolve any crystals
- D Keep unopened insulin vials in the freezer

Student message:

وكيف نعطي الإنسولين
أو ان نعطييه في ذرع و بطن

Source:

quizlet.com

Which recommendation about an insulin injection site is most appropriate?

- | | | |
|----------|---|----------------|
| A | Use the abdomen for rapid, consistent absorption and avoid the area within 2 inches of the umbilicus | CORRECT |
| B | Use the thigh because it provides the fastest absorption | |
| C | Use the arm because it always provides the most consistent absorption | |
| D | Use the buttocks because they provide rapid absorption | |

Student message:

What is the most common side effect of captopril?

- A. Angioedema
- B. Hyperkalemia
- C. Dry cough
- D. Hypotension

Source:

naxlex.com

What is a common side effect of captopril?

- | | | |
|----------|-----------------------|----------------|
| A | Hypokalemia | |
| B | Lower extremity edema | |
| C | Hypertension | |
| D | Dry cough | CORRECT |

Student message:

An infant is 3 months old and was diagnosed with HIV at birth. What is the priority nursing intervention?

- A. Encourage breastfeeding.
- B. Start antiretroviral therapy (ART).
- C. Document normal developmental milestones.
- D. Observe the infant without treatment.

Source:

naxlex.com

A 10-month-old infant has been confirmed with HIV. Which statement is correct?

- | | | |
|----------|--|----------------|
| A | The infant should be immediately placed on antiretroviral therapy | CORRECT |
| B | The infant should begin antiretroviral therapy after turning 12 months old | |
| C | Antiretroviral therapy should begin only after a manifestation of AIDS | |
| D | The mother must be mandatorily tested | |

Student message:

the cervix was dilated to 3 cm. They asked about the appropriate nursing action.

Source:

quizlet.com

Which pain-relief measure is appropriate for a laboring client whose cervix is dilated less than 4 cm?

- A Administer naloxone intramuscularly
- B Administer meperidine intramuscularly**
- C Administer promethazine intramuscularly
- D Administer fentanyl by epidural

CORRECT**Student message:**

Warfarin antidote (Vitamin K).

Source:

quizlet.com

Which antidote should be readily available before administering warfarin?

- A Potassium
- B Protamine sulfate
- C Vitamin K**
- D Naloxone

CORRECT**Student message:**

Best position for COPD.

Source:

quizlet.com

Which instruction should the nurse give a client with COPD who has increased work of breathing?

- A Lie prone
- B Avoid side-lying
- C Sit with the arms supported on an overbed table**
- D Lie down with the hands on the abdomen

CORRECT

Student message:

Position after adenotonsillectomy.

Source:

quizlet.com

Which position is appropriate for a child after tonsillectomy?

- A Supine
- B Trendelenburg
- C Side-lying
- D High Fowler's

CORRECT**Student message:**

Most comfortable position for a patient with appendicitis.

Source:

quizlet.com

Which position will increase comfort for a client with appendicitis?

- A Prone
- B Supine with the right knee flexed
- C Upright in a chair
- D Left side-lying

CORRECT**Student message:**

Graves' disease
based on the scenario, identify the expected TSH, T3, and T4 levels.

Source:

quizlet.com

Which laboratory pattern should the nurse expect in a client with severe hyperthyroidism?

- A High TSH, high T3, and high T4
- B Low TSH, high T3, and high T4
- C Low TSH, high T3, and low T4
- D Low TSH, low T3, and low T4

CORRECT

Student message:

A hypovolemic shock scenario asking which nursing intervention was incorrect. One of the options was placing the patient in High Fowler's position . واعتقد هو الخطأ

Source:

quizlet.com

In which position should the nurse place a client with suspected hypovolemic shock?

- | | | |
|---|-------------------------------|---------|
| A | Prone | |
| B | High Fowler's | |
| C | Left lateral | |
| D | Supine with the legs elevated | CORRECT |

Student message:

chest tube becomes
dislodged?
Cover the site with a sterile dressing, and tape on three sides and notify physician immediately.

Source:

quizlet.com

A client's chest tube becomes dislodged. Which action is the priority?

- | | | |
|---|---|---------|
| A | Activate the emergency response system | |
| B | Apply oxygen and transport the client | |
| C | Assess breathing and oxygen saturation | |
| D | Cover the insertion site with a clean gloved hand | CORRECT |

Student message:

Vaccinating pilgrims before Hajj is an example of which level of prevention?

Source:

naxlex.com

An occupational health nurse holds a flu vaccine clinic. This is an example of which level of prevention?

- | | | |
|---|--------------------|---------|
| A | Primary | CORRECT |
| B | Policy development | |
| C | Tertiary | |
| D | Secondary | |

Student message:

سؤال انه السعوديه تحاول تحد وتقلل من انتشار TB وش يسوون ؟ Screaming

Source:

quizlet.com

A community offers annual tuberculosis screening and free treatment for people with positive results. Which level of prevention does this program represent?

- A Primary prevention
- B Tertiary prevention
- C Secondary prevention
- D Secondary and tertiary prevention**

CORRECT**Student message:**

ال meningitis بعد جاء نوع العزل

Source:

quizlet.com

Which type of isolation is required for a client with suspected bacterial meningitis?

- A Contact precautions
- B Droplet precautions**
- C Airborne precautions
- D Protective isolation

CORRECT**Student message:**

الأُم اللي عندها Gestational Diabetes يجي البيبي عنده Hypoglycemia

Source:

quizlet.com

An infant of a diabetic mother is jittery 1 hour after birth. Which action should the nurse take first?

- A Administer oxygen
- B Assess the blood glucose level**
- C Place the infant under a radiant warmer
- D Continue routine monitoring

CORRECT

Student message:

A patient with a below-knee amputation reports feeling pain in the amputated leg. What is this condition called?

Source:

quizlet.com

Which statement best explains phantom limb pain after a below-knee amputation?

- A It has no physiological basis and is only in the client's mind
- B It originates in superficial subcutaneous tissue
- C It is pain experienced as if it arises from the amputated limb
- D It arises only from deep internal receptors

CORRECT**Student message:**

mother with mastitis asks about breastfeeding. What should the nurse advise?

Source:

naxlex.com

The nurse is teaching a breastfeeding mother about mastitis. Which statement by the client indicates a need for more teaching?

- A I will take antibiotics for 2 to 3 days until the soreness subsides
- B I can continue breastfeeding while the mastitis resolves
- C I will take analgesics to relieve some of the discomfort
- D I need to wear a supportive bra

CORRECT**Student message:**

MAOIs (Monoamine Oxidase Inhibitors) الداييت حقفها

Source:

quizlet.com

Which food should a client taking a monoamine oxidase inhibitor avoid?

- A Salami
- B Scallops
- C Pineapple
- D Mashed potatoes

CORRECT

Student message:

وسوال عن اعادة التأهيل تايرتري

Source:

quizlet.com

A nurse provides rehabilitation and medication education to a client recovering from a stroke. Which level of prevention is this?

- A Primary
- B Secondary
- C Tertiary
- D Quaternary

CORRECT

Student message:

ppe removeالترتيب

Source:

quizlet.com

What is the proper order of removal of soiled personal protective equipment when the nurse leaves the patient's room?

- A Gown, goggles, mask, gloves, and exit the room
- B Gloves, wash hands, remove gown, mask, and wash hands
- C Gloves, goggles, gown, mask, and wash hands
- D Goggles, mask, gloves, gown, and wash hands

CORRECT

Student message:

وترتيب النيرس بروسس

Source:

quizlet.com

The correct progression of steps of the nursing process is:

- A assessment, diagnosis, planning, implementation, and evaluation.
- B planning, assessment, diagnosis, evaluation, and implementation.
- C diagnosis, implementation, assessment, evaluation, and planning.
- D implementation, planning, evaluation, assessment, and diagnosis.

CORRECT

Student message:

وجاني abg ، ميتابولك الكلوسز واضح

Source:

quizlet.com

A patient was admitted for a bowel obstruction and has had a nasogastric tube set to low intermittent suction for the past 3 days. The patient's respiratory rate has decreased to 12 breaths per minute. The nurse would expect the patient to have which of the following arterial blood gas values?

A pH 7.78, PaCO₂ 40 mm Hg, HCO₃⁻ 30 mEq/L

B pH 7.52, PaCO₂ 48 mm Hg, HCO₃⁻ 28 mEq/L

CORRECT

C pH 7.35, PaCO₂ 35 mm Hg, HCO₃⁻ 26 mEq/L

D pH 7.25, PaCO₂ 47 mm Hg, HCO₃⁻ 29 mEq/L

Student message:

جاني سوال ليدرشيب حق democrtic بس انه colopreative

Source:

quizlet.com

The clinical nurse leader needs to identify the staff who must go home due to low census. Which answer below describes a democratic style of decision making?

A The clinical nurse leader identifies the staff person with the most vacation and asks them to go home.

B The clinical nurse leader tells the last person to show up for their shift to go home.

C The clinical nurse leader decides not to send anyone home because it is too difficult to decide who should lose hours.

D The clinical nurse leader asks the group if any of them would like the opportunity to go home and selects staff who volunteer.

CORRECT

Student message:

جاني سوال عن بوست بارتيوم وش تسوي معها عشان توقف النزيف

Source:

quizlet.com

A client gives birth within an hour of arriving at the labor and delivery unit and delivers the placenta 5 minutes later. During assessment, the nurse notes that the uterus is midline and boggy. Which action should the nurse take first?

A Check for pooled blood under buttocks

B Increase IV oxytocin infusion rate

C Monitor blood pressure and pulse

D Perform firm fundal massage

CORRECT

Student message:

ومريض رفض يأخذ آخر جرعة وفهمته وعيا يأخذ وش التصرف

Source:

quizlet.com

A patient refuses a prescribed treatment. What is the nurse's best action?

A Tell the patient they must receive the treatment.

B Ask the family to force the patient to agree.

C Respect the patient's decision and provide education about risks and benefits.

CORRECT

D Ignore the patient's concerns.

Student message:

سؤال عن العقم للكبلز جاين استشارة متى يفحصونهم 12 شهر

Source:

quizlet.com

A couple is considered infertile after how many months of trying to conceive?

A 6 MONTHS

B 12 MONTHS

CORRECT

C 18 MONTHS

D 23 MONTHS

Student message:

وسؤالين هايدروسيفلس واحد يعطيك الاعراض

Source:

quizlet.com

A nurse is caring for a newborn who has hydrocephalus. Which of the following manifestations should the nurse expect to find?

A Over-riding suture lines

B Dilated scalp veins

CORRECT

C Hypertension

D A backward sloping appearance of the forehead.

Student message:

سؤال خيارات اربعة ويبي اكثر واحد منهم معرض لنقص vitaminD

Source:

quizlet.com

The nurse is assessing a group of patients to determine their risk of vitamin D deficiency. Which of the following patients has the highest risk for vitamin D deficiency?

A A Caucasian female who is 39 weeks gestation.

B An African-American female who is breastfeeding.

CORRECT

C An Asian female diagnosed with hypoglycemia.

D A Hispanic female who has a BMI of 24.1.

Q-88

Student message:

الفيتامين مسؤول عن الرؤية والعين هو vit a

Source:

naxlex.com

A malnourished child is receiving several nutritional supplements. Which statement by the child indicates to the nurse that an adequate amount of Vitamin A is being provided?

A The bruises on my arms are all gone.

B My feet don't tingle like they used to.

C I can see at night when I wake up now.

CORRECT

D My tummy seems so much smaller now.

Q-89

Student message:

نيتروجليسرين يتحط تحت اللسان

Source:

quizlet.com

The nurse is teaching a patient about how to take a sublingual nitroglycerin tablet. Which statement by the patient best demonstrates understanding of the teaching?

A I will take the tablet with plenty of water.

B I will place the tablet inside my cheek.

C I will put the tablet under my tongue.

CORRECT

D I will take the tablet while I am eating.

Student message:

prn ومعنى

Source:

quizlet.com

A patient has an order for an analgesic medication to be given PRN. When would the nurse administer this medication?

- A Every 3 hours
- B Every 4 hours
- C Daily
- D **As needed**

CORRECT**Student message:**

pyloric stenosis عن

Source:

quizlet.com

The nurse in the nursery is caring for a 24-hour-old infant. The nurse suspects the infant of having pyloric stenosis. Which of the following manifestations would support this finding?

- A Melena
- B Currant jelly stools
- C **Projectile vomiting**
- D Steatorrhea

CORRECT**Student message:**

سؤال حبوب صغيرة بيضة على الجبهة وأمام الأذن والخد

Milia 🇬🇧

ونوعين كمان مش فاكراهم Papule

Source:

quizlet.com

Which newborn rash is BEST described as a benign, self-limited condition associated with retention of keratin in pilosebaceous follicles?

- A **Milia**
- B Erythema toxicum neonatorum
- C Neonatal pustular melanosis
- D Cutis marmorata

CORRECT

Student message:SBAR  Situation – Background – Assessment – Recommendation مورفين**Source:**

quizlet.com

The communication tool SBAR is an acronym for which words?

- A Symptoms–Background–Alignment–Referral
- B Site–Benefits–Agreement–Resolution
- C **Situation–Background–Assessment–Recommendation**
- D Situation–Background–Assignment–Reconciliation

CORRECT

Student message:Lithium  Bipolar disorder**Source:**

quizlet.com

Lithium (Eskalith) is the drug of choice for which of the following disorders?

- A Psychotic episodes
- B Obsessive compulsive disorders (OCDs)
- C **Bipolar disorders**
- D Depressive disorders

CORRECT

Student message:

Threatened abortion

Source:

quizlet.com

A woman at 12 weeks gestation comes to the ER with vaginal bleeding and a closed cervix. Which type of abortion should the nurse suspect?

- A Incomplete
- B Inevitable
- C **Threatened**
- D Missed

CORRECT

Student message:

Total placenta previa

Source:

quizlet.com

An ultrasound on a woman who is 32 weeks pregnant reveals the placenta implanted over the entire cervical os. What does the nurse understand best describes this condition?

- A Low-lying placenta
- B Marginal placenta previa
- C Partial placenta previa
- D Total placenta previa** **CORRECT**

Student message:

Breast self-examination سؤال عن الفحص الشهري بعد الدورة

Source:

quizlet.com

When should a premenopausal woman perform breast self-examination?

- A At the end of her menstrual cycle.
- B On the same day each month.
- C On the 1st day of the menstrual cycle.
- D Immediately after her menstrual period.** **CORRECT**

Student message:

Apgar score

Source:

quizlet.com

The nurse is performing an Apgar assessment on a newborn client at 1 minute of life. The newborn is completely blue, has a heart rate of 110/min, and is emitting a weak cry. Active movement and flexion of extremities are noted and the newborn grimaces when nares are suctioned. Which Apgar score should the nurse assign this newborn?

- A Apgar score of 4
- B Apgar score of 5
- C Apgar score of 6** **CORRECT**
- D Apgar score of 8

Student message:

Apgar score

Source:

quizlet.com

A nurse performing an assessment of a newborn in the neonatal unit records these findings: heart rate 85 bpm, irregular respiratory rate, normal muscle tone, weak crying, and bluish tint to skin. Using the APGAR scoring chart what would be the score for this newborn?

A	5	CORRECT
B	7	
C	8	
D	10	

Student message:

جالي cardiac sounds اي النورمال

Source:

quizlet.com

Which statement accurately represents a characteristic of the third or fourth heart sound?

A	S3 is considered normal in children and young adults and abnormal in middle-age and older adults.	CORRECT
B	S3 is best heard with the stethoscope bell at the mitral area, with the client lying on the right side.	
C	S4 is the fourth heart sound, represented by lub-dub-dee.	
D	S4 is considered normal in children and adults, but abnormal in older adults.	

Student message:

sausage palpable

Source:

quizlet.com

The nurse is caring for a child with intussusception. Which assessment finding is most characteristic of this condition?

A	Constant, high-pitched crying	
B	Abdominal distension with decreased bowel sounds	
C	Palpable sausage-shaped mass in the abdomen	CORRECT
D	Frequent vomiting of formula	

Student message:

decreased heart pump بالاسْتِيعاد cardiogenic shock واي ال بيميزها غالبا هتبقى اتسألت عن ال

Source:

quizlet.com

A patient with cardiomyopathy is demonstrating signs of cardiogenic shock. The nurse realizes that this type of shock is due to:

A	Reduced cardiac output	CORRECT
B	Increased stroke volume	
C	Reduced blood volume	
D	Blood flow blocked in the pulmonary circulation	

Student message:

metabolic alkalosis غالبا هتبقى dehydration, projectile vomiting مريض عنده

Source:

quizlet.com

The nurse admits an infant with vomiting and the diagnosis of hypertrophic pyloric stenosis. Which metabolic alteration should the nurse plan to assess for with this infant?

A	Metabolic alkalosis	CORRECT
B	Metabolic acidosis	
C	Respiratory acidosis	
D	Respiratory alkalosis	

Student message:

after craniotomy position

Source:

quizlet.com

A nurse is caring for a client after a supratentorial craniotomy. The nurse places a sign above the client's bed stating that the client should be maintained in which of the following positions?

A	Prone	
B	Supine	
C	Semi-Fowlers	CORRECT
D	Dorsal recumbent	

Student message:

meningocele position

Source:

quizlet.com

The nurse positions a neonate with an unrepaired myelomeningocele. Which position is most appropriate?

- A Supine with the hips at 90-degree flexion.
- B Right side lying position with the knees flexed.
- C **Prone with the hips in abduction.**
- D Supine in semi-Fowler's position with the chest and abdomen elevated.

CORRECT**Student message:**

ال عزل اي؟! measles

Source:

quizlet.com

The nurse determines that it is necessary to implement airborne precautions for children with which infection?

- A **Measles**
- B Streptococcus group A
- C Rubella
- D Scarlet fever

CORRECT**Student message:**

-مسأله الضغط (الفرق بين systolic and diastolic)

Source:

quizlet.com

What is the client's pulse pressure when the nurse finds that his or her blood pressure is 148/86 mm Hg?

- A 48 mm Hg
- B 56 mm Hg
- C **62 mm Hg**
- D 86 mm Hg

CORRECT

Student message:

– أكثر مريض معرض لزيادة السوائل ومن ضمن الخيارات التي عنده فشل كلوي

Source:

quizlet.com

On review of the clients' medical records, the nurse determines that which client is at risk for fluid volume excess?

- | | | |
|---|---|---------|
| A | The client taking diuretics and has tenting of the skin | |
| B | The client with an ileostomy from a recent abdominal surgery | |
| C | The client who requires intermittent gastrointestinal suctioning | |
| D | The client with kidney disease and a 12-year history of diabetes mellitus | CORRECT |

Student message:

– مريضه حامل جت وعندها نزيف مهبطي وبعد الفحص قرر الدكتور قيصري بشكل عاجل ف وش تتوقع المشكله، الخيارات تسمح ما قبل الحمل ولا انزاح المشيمه بشكل كلي، جزئي وش ثاني.

Source:

quizlet.com

Maureen in her third trimester arrives at the emergency room with painless vaginal bleeding. Which of the following conditions is suspected?

- | | | |
|---|------------------------------|---------|
| A | Placenta previa | CORRECT |
| B | Abruptio placentae | |
| C | Premature labor | |
| D | Sexually transmitted disease | |

Student message:

– مريض على دايكسون الممرضه تقول له المخاطر المتعلقة ب عمره مثل الوزن بيققل وال metabolism ف وش المضاعفات

Source:

quizlet.com

The nurse is providing medication instructions to an older client who is taking digoxin daily. The nurse explains to the client that decreased lean body mass and decreased glomerular filtration rate, which are age-related body changes, could place the client at risk for which complication with medication therapy?

- | | | |
|---|--|---------|
| A | Decreased absorption of digoxin | |
| B | Increased risk for digoxin toxicity | CORRECT |
| C | Decreased therapeutic effect of digoxin | |
| D | Increased risk for side effects related to digoxin | |

Student message:

خطوات التقييم للبطن

Source:

quizlet.com

The nurse is preparing to perform a focused assessment of the patient's abdomen. Which of the following choices is the correct order in which the focused assessment is performed?

- A Palpation, Auscultation, Inspection, Percussion
- B Inspection, Palpation, Percussion, Auscultation
- C Percussion, Palpation, Inspection, Auscultation
- D **Inspection, Auscultation, Percussion, Palpation**

CORRECT

Q-112

Student message:

امراه ترضع وحست ب الم وحراره وتبي نصيحه عشان يوخز الاحساس بعدم الراحة كان من ضمن الخياراتتاخذ مضادات ولا تحط كماده بارده ولا تستمر ب الرضاعه

Source:

quizlet.com

A mother who is breastfeeding puts ice packs on her breast 15 minutes before feeding in order to "relieve the pain." The nurse should teach the mother that:

- A this is an appropriate action.
- B cold packs should not be used on the breasts of breastfeeding mothers.
- C **cold packs can be used after feeding to reduce pain.**
- D hot packs can be used before feeding to reduce pain.

CORRECT

Q-113

Student message:

مريض ياخذ موفين وخلص كل الجرعات ولا يزال يحس ب الالم وش اسسم ذا الشي هل هو ادمان ولا تحمل للعلاج وكم شي ثاني

Source:

quizlet.com

A nurse admits a patient who has chronic pain and has been taking morphine sulfate for 4 months. The nurse should anticipate which of the following long-term effects in the patient?

- A **Tolerance**
- B Psychosomatic symptoms
- C Withdrawal
- D Respiratory depression

CORRECT

Student message:

ما اذكر السؤال ب الحرف لكنه عن طفل و جا عشان عيونه وخطوا له نظارات ف وش الفيتامين المناسب اللي هو Avitamin

Source:

quizlet.com

In assessing a patient with a vitamin A deficiency, the nurse should determine if the patient has which manifestation?

- A Excessive sweating
- B Impaired night vision
- C Tender, bleeding gums
- D Disturbed sleep patterns

CORRECT**Student message:**

شي يخص المورفين لكن ناسيه الحدث بالضبط بس انه في مضاعفه في الخيارات اعطيه نص الجرعه مورفين او اعطيه نالكسين وكم شي

Source:

quizlet.com

The nurse is caring for a client who is receiving morphine via a patient-controlled analgesia (PCA) pump. The nurse notes that the client's respiratory rate is 10 breaths per minute. The client is somnolent, with minimal response to physical stimulation. Which medication will the nurse administer immediately?

- A intravenous naloxone
- B intravenous flumazenil
- C oral modafinil
- D nebulized albuterol

CORRECT**Student message:**

سيناريو بيشنت ٩ سنوات بعد حادث جا على المستشفى بعدما استقرت حالته، الدكتور طلب اورد STAT blood transfusion كيف بياخذوا الموافقه

ينتظرون الأهل او يعطونه الدم بدون موافقه؟

Source:

quizlet.com

The nurse is caring for a 6-year-old child with hypovolemic shock. The child is a Jehovah's Witness. The child needs an immediate blood transfusion, but the child's parents refuse to provide consent. Which action would be most appropriate?

- A Administer blood to the child.
- B Administer intravenous fluids.
- C Provide oral hydration and nutrition.
- D Seek a court order for blood transfusion.

CORRECT

Student message:

جاني سؤال
بيشنت عمره ٧ سنوات وزنه ٢٥
قبل العملية كم تعطيه فلويد خلال ٢٤ ساعة
ماحدد نوع العملية ولا اي شي بس قال عمره و وزنه

Source:

naxlex.com

A nurse is calculating maintenance fluids for a child who weighs 18 kg. According to the Holliday-Segar method, what would be the total maintenance fluid requirement for this child?

- A Total maintenance fluids = 1800 mL/day.
- B Total maintenance fluids = 1200 mL/day.
- C Total maintenance fluids = 1600 mL/day.
- D Total maintenance fluids = 1400 mL/day.**

CORRECT**Student message:**

سوال اللي بعد ١٥ دقيقه من نقل الدم وحس ب كتمه خفيفه وحكه خفيفه
نكمل او نوقف او نخليه بطيء مع محاليل او نتجاهل
مافي الا الخيارات زولي الي جتني وش الصح؟

Source:

quizlet.com

A 58-year-old male patient with a history of chronic anemia is scheduled to receive a red blood cell transfusion. The patient has been properly identified using two identifiers and the blood product has been verified by two nurses. During the transfusion, the patient begins to exhibit signs of distress including facial flushing, itching, and shortness of breath. What is the FIRST action the nurse should take?

- A Administer an antihistamine to the patient
- B Slow the rate of the transfusion
- C Stop the transfusion immediately**
- D Notify the healthcare provider

CORRECT**Student message:**

جاني سؤال عن ال Fishbone Diagram ركزوا عليه

Source:

quizlet.com

Which root cause analysis tool is also known as the Ishikawa or fishbone diagram?

- A Five whys technique
- B Cause-and-effect diagram**
- C Pareto analysis
- D Brainstorming

CORRECT

Student message:

ايش اكثر شي ننتبه له لو بنعطي ليثيوم؟ صوديوم

Source:

quizlet.com

Which client statement would the nurse recognize as indicating that the client understands dietary teaching related to lithium carbonate (Lithobid) treatment?

- A I will limit my intake of fluids daily.
- B I will maintain normal salt intake.
- C I will take Lithobid on an empty stomach.
- D I will increase my caloric intake to prevent weight loss.

CORRECT**Student message:**

واحد عمره كانه ه او ٧ وش نستخدم مع بين سكل ؟ wong baker

Source:

quizlet.com

Which pain scale would the nurse use when assessing a 4-year-old child?

- A CRIES
- B FLACC
- C Numerical
- D Wong-Baker

CORRECT**Student message:**

واحد ياخذ ادويته النفسيه ب انتظام وچا وهو فيه muscle rigidity وش فيه ؟ NMS

Source:

quizlet.com

One week after beginning therapy with thiothixene (Navane), the client demonstrates muscle rigidity, a temperature of 103°F, an elevated serum creatinine phosphokinase level, stupor, and incontinence. The nurse should notify the physician because these symptoms are indicative of:

- A acute dystonic reaction.
- B extrapyramidal side effects.
- C neuroleptic malignant syndrome.
- D tardive dyskinesia.

CORRECT

Student message:

ايش الدواء حق penicillin ؟rheumatic fevers وكان فيه كلمه قبله

Source:

quizlet.com

The nurse is admitting a child with rheumatic fever. Which therapeutic management should the nurse expect to implement?

A	Administering penicillin	CORRECT
B	Avoiding salicylates (aspirin)	
C	Imposing strict bed rest for 4 to 6 weeks	
D	Administering corticosteroids if chorea develops	

Student message:

واحد شخصوه انه فيه marasmus ايش يعني؟ نقص كالوري و بروتين مع بعض

Source:

quizlet.com

Which of the following best describes marasmus?

A	A protein deficiency with edema and fatty liver	
B	A type of overnutrition with excess fat stores	
C	Protein-calorie malnutrition with severe fat and muscle wasting	CORRECT
D	A vitamin A deficiency disorder	

Student message:

عنده Pleural effusion وسووا له سحب للسائل (Thoracentesis)، فأهم complication لازم تنتبهين له هو؟
Pneumothorax

Source:

quizlet.com

The nurse is assessing a client immediately following a thoracentesis. The nurse understands that the most common complication following this procedure is a:

A	Pleural effusion	
B	Pneumonia	
C	Pulmonary embolism	
D	Pneumothorax	CORRECT

Student message:

مريضه سكر جات الطوارئ وعندها الم قوي برجولها وش اسوي
- اعطيها سوايل
- اعطيها اكسجين

Source:

quizlet.com

A client presents to the emergency department in sickle cell disease crisis. What intervention by the nurse takes priority?

- | | | |
|----------|---------------------------|----------------|
| A | Administer oxygen. | CORRECT |
| B | Initiate pulse oximetry. | |
| C | Give pain medication. | |
| D | Start an IV line. | |

Student message:

مريض HIV شلون اعرف نسبة المناعة عنده من وش ؟ CD4

Source:

quizlet.com

What should the nurse look for when reviewing a patient's chart to determine whether she has progressed from HIV disease to AIDS?

- | | | |
|----------|---|----------------|
| A | CD4+ count below 500, chronic fatigue, night sweats | |
| B | HIV-positive test result, CD4+ count below 200, history of opportunistic disease | CORRECT |
| C | Weight loss, persistent generalized lymphadenopathy, chronic diarrhea | |
| D | Fever, chills, CD4+ count below 200 | |

Student message:

contact ؟ RSV وش isolation

Source:

naxlex.com

An infant with bronchiolitis is hospitalized. The causative organism is RSV. The nurse knows that a child infected with this virus requires the following isolation:

- | | | |
|----------|---|----------------|
| A | Airborne precautions | |
| B | Contact Precautions and droplet precautions | |
| C | Standard Precautions and droplet precautions | CORRECT |
| D | Positive pressure isolation and airborne isolation | |

Student message:

مريضه حامل تحس بحرقان وش نقولها نصيحه؟ تاكل وجبات صغيره ٣ مرات باليوم او ماتسبح بعد الاكل

Source:

quizlet.com

A woman in week 34 of gestation reports that she is very uncomfortable because of heartburn. The nurse suggests that the woman:

A Substitute other calcium sources for milk in her diet

B Lie down after each meal

C Reduce the amount of fiber she consumes

D Eat five small meals daily

CORRECT

Student message:

مريض خضع لعملية بتر للطرف السفلي من فوق الركبة، وبعد العملية حضر للطوارئ ويشكو من ألم في الكاحل والقدم التي تم بترها. ما التصرف الأنسب من الممرضة؟

A. تحويل المريض إلى قسم الطب النفسي.

B. وطمأنة المريض بأن الإحساس بالألم في الطرف المبتور ممكن أن يحدث Phantom limb pain شرح مفهوم

Source:

naxlex.com

A client undergoes a right below-the-knee amputation. After surgery, the client reports right foot pain. The healthcare provider tells the client they are suffering from "phantom pain" in the amputated extremity. The client asks the nurse to explain phantom pain. What is the appropriate response by the nurse?

A Phantom pain occurs because nerves continue to send messages.

CORRECT

B Phantom pain only exists in your mind.

C I can't answer that. You'll have to ask the provider.

D Phantom pain occurs when you think about your loss. Keep your mind occupied.

Student message:

حضر Infant إلى الطوارئ ويحتاج إلى CPR. أثناء أداء ضغطات الصدر، لاحظت الممرضة أن عمق الضغوطات غير كافٍ. ما الإجراء الأنسب؟

A. إيقاف الـ CPR

B. الاستمرار بنفس الطريقة

C. التحول إلى طريقة الإبهامين (Two-thumb technique)

D. التحول إلى طريقة اليد الواحدة (One-hand technique)

Source:

quizlet.com

The 2 thumb-encircling hands technique for the infant:

A generates less blood pressure than the 2-finger technique.

B is the preferred chest compression technique for 1-rescuer CPR.

C is the preferred chest compression technique for 2-rescuer CPR.

CORRECT

D produces less blood flow than the 2-finger technique.

Student message:

أيش الترتيب الصحيح حق dying؟

Denial/ anger/ bargaining/depression/ Acceptance

Source:

quizlet.com

What is the correct order of the 5 stages of grief according to Kubler Ross?

- A Shock & Denial, bargaining, anger, depression, acceptance
- B Acceptance, anger, shock & denial, bargaining, depression
- C Anger, depression, acceptance, bargaining, shock & denial
- D **Shock & Denial, anger, bargaining, depression, acceptance**

CORRECT**Student message:**

وچاني سوال اذا المغنسيوم مرتفع وش بياثر لما نسوي ECG الجواب Prolong QRS

Source:

quizlet.com

Which EKG findings can occur in hypermagnesemia?

- A Shortened PR interval and ST elevation
- B **Prolonged PR and QT intervals, wide QRS**
- C Pathologic Q waves and sinus tachycardia
- D Prominent U waves and QT shortening

CORRECT**Student message:**

چاني عن وحده تقول ان مابتستعمل مانع عشانها ترضع رضاعه طبيعيه والخيارات نقولها ال fact حظيت ان ovulation عادي يصير حتى لو هي ترضع احد حطه ؟

Source:

quizlet.com

A client asks the nurse at the family planning clinic whether contraception is needed while she is breastfeeding. How should the nurse reply?

- A As long as you aren't having periods, you won't need a contraceptive.
- B It would be best to delay sexual relations until you have your first period.
- C **You should use contraceptives, because ovulation may occur without a period.**
- D Breastfeeding suppresses ovulation, so you don't need to worry about pregnancy.

CORRECT

Student message:

فيه جاني سؤال بعد ان پيشنت عندها بايولر وهابراكتف وش اكثر نيرسنتق دايقنوسس مناسب حظيت risk for violence ومدرې صځ او لا

Source:

quizlet.com

A newly admitted client diagnosed with bipolar I disorder is experiencing a manic episode. Which nursing diagnosis is a priority at this time?

- | | | |
|----------|--|----------------|
| A | Risk for violence: other-directed R/T poor impulse control. | CORRECT |
| B | Altered thought process R/T hallucinations. | |
| C | Social isolation R/T manic excitement. | |
| D | Low self-esteem R/T guilt about promiscuity. | |

Student message:

جاني بعد ان وش ال laxative الاغذيه
حظيت الي فيه oats الشوفان اظن يارب صځ

Source:

quizlet.com

The nurse is preparing to discharge a client who has been treated for fecal impaction due to chronic constipation. Which of the following foods can the nurse recommend that will act as a laxative?

- | | | |
|----------|-------------------------------|----------------|
| A | All whole wheat products | |
| B | Substituting beans for meat | |
| C | All dried fruit for snacks | |
| D | Unprocessed wheat bran | CORRECT |

Student message:

وجاء التفرشري

Source:

quizlet.com

A nurse is identifying tertiary prevention. Which example is correct?

- | | | |
|----------|------------------------------------|----------------|
| A | Vaccinations | |
| B | Blood pressure screening | |
| C | Rehabilitation after stroke | CORRECT |
| D | Health education | |

Student message:

جاني نيرس غلطت في الدواء وسوت انسدتس ريبورت وبلغت الطبيب بعدين فين تودي الريبورت في ملف البيشنت ولا تعطي اهله

Source:

quizlet.com

A nurse hears a client calling out for help, hurries down the hallway to the client's room, and finds the client lying on the floor. The nurse performs an assessment, assists the client back to bed, notifies the health care provider of the incident, and completes an incident report. Which statement should the nurse document on the incident report?

- A The client fell out of bed
- B The client climbed over the side rails
- C The client was found lying on the floor**
- D The client became restless and tried to get out of bed

CORRECT**Student message:**

هرمون اللي يزيد بعد الولاده هرمون الحليب

Source:

quizlet.com

A breastfeeding patient asks, "What hormone actually makes the milk?" Which response is most accurate?

- A Oxytocin
- B Prolactin**
- C Estrogen
- D Cortisol

CORRECT**Student message:**

وعنده كلفت لب عالسار الوضعيه بعد العمليه تكون يمين

Source:

quizlet.com

An infant has just returned to the nursing unit after surgical repair of a cleft lip on the right side. The nurse should place the infant in which best position at this time?

- A Prone position
- B On the stomach
- C Left lateral position**
- D Right lateral position

CORRECT

Student message:

ووضعيه الموت المفاجي وشهي

Source:

quizlet.com

A new parent expresses concern to the nurse regarding sudden infant death syndrome (SIDS). She asks the nurse how to position her new infant for sleep. In which position should the nurse tell the parent to place the infant?

- A Side or prone
- B Back or prone
- C Stomach with the face turned
- D **Back rather than on the stomach** **CORRECT**

Student message:

وتعريف ل stage 2

Source:

quizlet.com

Which finding indicates a Stage 2 pressure injury?

- A Intact skin with redness
- B **Partial-thickness skin loss** **CORRECT**
- C Exposed muscle
- D Black eschar

Student message:

جاني يرضو وش معنى صوت S3 وحطيت انه يعني مرض

Source:

quizlet.com

While auscultating heart sounds on a 7-year-old child for a routine physical, the nurse hears an S3, a soft murmur at left midsternal border, and a venous hum when the child is standing. Which of these would be a correct interpretation of these findings?

- A S3 is indicative of heart disease in children.
- B **These findings can all be normal in a child.** **CORRECT**
- C These findings are indicative of congenital problems.
- D The venous hum most likely indicates an aneurysm.

Student message:

Systemic review تعريف

Source:

quizlet.com

Which of the following definitions BEST describes a systematic literature review?

- | | | |
|----------|--|----------------|
| A | Secondary analysis of individual studies with similar characteristics | CORRECT |
| B | Secondary analysis of individual studies with divergent characteristics | |
| C | Aggregation of raw data from multiple studies to increase the sample size | |
| D | Aggregation of raw data from multiple studies to generate new hypotheses | |

Student message:

At level Bladder ، ووين احط الكاثتر

Source:

quizlet.com

A nurse is caring for a patient with an indwelling catheter. Which nursing action may increase the risk for a catheter-associated urinary tract infection?

- | | | |
|----------|--|----------------|
| A | Collecting specimens via a port in the tubing | |
| B | Keeping the drainage bag above the level of the bladder | CORRECT |
| C | Allowing the patient to wear a leg bag while ambulating | |
| D | Monitoring the drainage system to prevent backflow of urine | |

Student message:

During a vaginal delivery, the fetal head is delivered, but the shoulders fail to deliver because the anterior shoulder is impacted behind the maternal pubic symphysis. The nurse recognizes shoulder dystocia. Which intervention should the nurse assist with first?

- Apply fundal pressure to facilitate delivery.
- Assist the mother into the McRoberts position.
- Apply firm pressure to the uterine fundus.
- Encourage the mother to continue pushing forcefully.

Answer is B

Source:

quizlet.com

The nurse is preparing for a vaginal delivery by a multipara who has a history of shoulder dystocia. The nurse explains to the student nurse that one of the maneuvers used for shoulder dystocia involves having the patient flex her hips while pulling her thighs straight up to her abdomen to help rotate the symphysis pubis anteriorly and dislodge the fetus's anterior shoulder. What is the name of this maneuver?

- | | | |
|----------|---------------------------|----------------|
| A | Suprapubic pressure | |
| B | Rubin's maneuver | |
| C | Zavanelli maneuver | |
| D | McRoberts maneuver | CORRECT |

Student message:

جا سؤال عن تيتشنج للام عن ال

اختيارات ايش الاصح نقوله للام

كان من ضمن الاختيارات اللي اخترته

bleeding from the newborn's umbilical cord caused by cord clamp not securely clamped

Source:

quizlet.com

A newborn's cord begins to bleed 1 day following birth. What measures would the nurse take to address this problem?

- | | | |
|----------|---|----------------|
| A | Inspect the clamp to insure that it is tightly closed and applied correctly. | CORRECT |
| B | Clean the cord with soap and water, as oozing of blood is a common finding. | |
| C | Remove the clamp and replace with another one just above the old one. | |
| D | Notify the doctor to come suture the site of the bleeding. | |

Student message:

A newborn is diagnosed with physiologic jaundice and has an elevated serum bilirubin level. The newborn is otherwise asymptomatic, is breastfeeding well, and has adequate feeding. Which instruction should the nurse provide to the mother?

- A. Discontinue breastfeeding until the bilirubin level returns to normal.
- B. Replace breastfeeding with formula feeding.
- C. Continue frequent breastfeeding while the newborn receives prescribed phototherapy.
- D. Limit breastfeeding during phototherapy to decrease bilirubin production.

Answer: C

Source:

quizlet.com

A mother expresses concern about breastfeeding her newborn, who is receiving phototherapy for jaundice. The nurse should teach the mother that:

- | | | |
|----------|---|----------------|
| A | Breastfeeding is discontinued during phototherapy, but she should pump her breasts. | |
| B | Breastfeeding can continue after the newborn has been under the light for 12 hours. | |
| C | Breastfeeding should continue and the newborn can be removed from the light to be fed. | CORRECT |
| D | Breastfeeding can continue after the bilirubin level decreases. | |

Q-149

SnleNotes.com



Student message:

جا تعريف ال caput

Source:

quizlet.com

A nurse is caring for a newborn who was delivered by vacuum extraction and has swelling on his head that crosses the suture line. The newborn's mother asks about the swelling on her newborn's head. Which of the following responses should the nurse make?

- | | | |
|----------|---|----------------|
| A | This is a caput succedaneum, which is a collection of fluid from pressure of the vacuum extractor. | CORRECT |
| B | This is a cephalhematoma, which will resolve on its own in 3 to 5 days. | |
| C | This is a Mongolian spot, which is found on many newborns. | |
| D | This is erythema toxicum, which is a transient allergic reaction that causes edema in the skin. | |

Q-150

SnleNotes.com



Student message:

parent teaching لل umbilical cord ال جا سؤالين عن ال

واحد كان اختياراته

Use alcohol swab several times per day

Use ointment on the cord

Keep the cord covered with bandage

Avoid soaking the cord in water during bath

Source:

quizlet.com

The nurse is providing discharge teaching to parents about cord care. Which statement by the parent indicates correct understanding?

- | | | |
|----------|---|----------------|
| A | We will apply alcohol to the cord daily until it falls off. | |
| B | We should keep the cord dry and open to air. | CORRECT |
| C | We should pull on the cord gently once it's dry. | |
| D | We should cover the cord stump with the diaper to protect it. | |

Student message:

A female client experiences recurrent urinary tract infections (UTIs). Which of the following instructions is the most important for the nurse to provide to prevent recurrence?

- * A) Wipe from front to back after elimination.
- * B) Void every 2 to 3 hours and empty the bladder completely.
- * C) Avoid using vaginal douches, bubble baths, and harsh soaps.
- * D) Wear breathable cotton

Source:

quizlet.com

A nurse is teaching a female patient how to prevent urinary tract infections (UTIs). Which instruction is most important?

- A Drink less fluid to reduce the frequency of urination.
- B Wipe from back to front after using the toilet.
- C Wipe from front to back after using the toilet.**
- D Take a bath rather than a shower every day.

CORRECT**Student message:**

ووضعية عمليه اليواسير

Source:

quizlet.com

Which position would be best for the client in the early postoperative period after a hemorrhoidectomy?

- A High Fowler's.
- B Supine.
- C Side-lying.**
- D Trendelenburg's.

CORRECT**Student message:**

والعزل لـsmallpox

Source:

quizlet.com

A client is admitted with fever, myalgia, and a papular rash on the face, palms, and soles of the feet. What action should the nurse take first?

- A Obtain cultures of the lesions.
- B Place the client on Airborne Precautions.**
- C Prepare to administer antibiotics.
- D Provide comfort measures for the rash.

CORRECT

Student message:

جاني سوال عن اختبار السكل سيل انميا

Source:

quizlet.com

The gold standard for definitive diagnosis of sickle cell anemia is:

- A Reticulocyte count
- B Sickle cell test
- C Hemoglobin electrophoresis
- D Peripheral smear

CORRECT**Student message:**

سوال عن الي يحفز امتصاص الحديد

Source:

quizlet.com

A patient with anemia receives a new prescription for oral iron supplements. What should the nurse include in the medication education related to improving the absorption of the supplement?

- A Take the supplement with meals.
- B Take the supplement one hour after eating.
- C Take the supplement one hour before breakfast with orange juice.
- D Take the supplement on an empty stomach with a full glass of water.

CORRECT**Student message:**

مننجايتس طرق الايذوليشن

Source:

quizlet.com

The nurse cares for a client with bacterial meningitis. Which isolation precaution will the nurse apply?

- A Standard precautions
- B Contact precautions
- C Droplet precautions
- D Airborne precautions

CORRECT

Student message:

سؤال حامل عندها نوزيا وش تنصحها تعطيهها بسكوت مملح

Source:

quizlet.com

A client in the prenatal clinic complains of nausea and vomiting. Which intervention should the nurse suggest?

- | | | |
|----------|--|----------------|
| A | Eat dry crackers or toast before arising. | CORRECT |
| B | Consume liquids with meals. | |
| C | Eat foods high in fiber. | |
| D | Brush the teeth immediately after eating. | |

Student message:

وش تسوي بمرضى عشان تمنع التقرحات

Source:

quizlet.com

To prevent pressure injuries in a patient who spends most of the day in bed, which intervention should the nurse include?

- | | | |
|----------|---|----------------|
| A | Allow the patient to determine the repositioning schedule. | |
| B | Reposition the patient every hour. | CORRECT |
| C | Do not reposition the patient when a thick foam mattress is used. | |
| D | Use a doughnut-shaped ring under pressure areas. | |

Student message:

سؤال عن teaching تعطيه للبنات ف المدرسة ايش اهم ال puberty sign كان من الاختيارات mood changes or swing

Source:

quizlet.com

In girls, what is the initial indication of puberty?

- | | | |
|----------|---------------------------|----------------|
| A | Menarche | |
| B | Growth spurt | |
| C | Growth of pubic hair | |
| D | Breast development | CORRECT |

Student message:

سؤال عن دوا السايك كان lithium المريض جا عنده vomiting, diarrhea, titanus ال ايش first priority

Hold the medication

Call the psychiatric

Take serum lab test

Source:

quizlet.com

A client under lithium medication suffered from diarrhea and vomiting. Which nursing intervention should be implemented first?

- A Recognize a drug interaction.
- B Give benztropine.
- C Reassure the client that these are common effects.
- D **Hold the next dose and obtain a stat lithium level.**

CORRECT**Student message:**

كم حجم معدة الطفل ؟ 6- 2ml

Source:

quizlet.com

Which statement by the parent indicates understanding of a newborn's feeding capacity during the first few days of life?

- A My newborn can take up to 60 mL on the first day.
- B **On day 3, my baby's stomach can hold about 22-27 mL.**
- C By day 1, I should expect my baby to finish a 4-ounce bottle.
- D If my baby vomits, I should double the next feeding to make up for it.

CORRECT**Student message:**

low prune وش نوع الأكل ؟ gouts مريض -5

Source:

quizlet.com

Which food should a client with gout avoid?

- A Low-fat milk
- B Whole-grain bread
- C Fresh fruit
- D **Chicken liver**

CORRECT

Student message:

شخص مسويه عملية أستئصال بروسات وش ننصحه ؟ ما يحمل شيء ثقيل لمدة ٦ أشهر -7

Source:

naxlex.com

A nurse is providing discharge instructions to a client after TURP surgery. The client asks, "When can I resume normal activities like heavy lifting and strenuous exercises?" What is the nurse's best response?

- A You can resume heavy lifting and strenuous exercises immediately after discharge.
- B You should avoid heavy lifting and strenuous exercises for at least one week after surgery.
- C You can resume heavy lifting and strenuous exercises two days after surgery.
- D You should avoid heavy lifting and strenuous exercises for six to eight weeks after surgery. CORRECT**

Q-164

Student message:

gloves and gown وش نلبس له ؟ MARZA مريض مصاب -12

Source:

quizlet.com

A nurse is in charge of care for a client who has methicillin-resistant *Staphylococcus aureus* (MRSA). Which guideline is accurate for using transmission-based precautions when caring for this client?

- A Keep visitors 3 feet from the client.
- B Wear gloves whenever entering the client's room. CORRECT**
- C Place the client in a private negative-pressure room.
- D Use respiratory protection when entering the room.

Q-165

Student message:

جاني تعريفه ECT - 13

Source:

quizlet.com

Which student statement indicates that learning has occurred regarding electroconvulsive therapy (ECT)?

- A During ECT, a state of euphoria is induced.
- B ECT induces a grand mal seizure. CORRECT**
- C During ECT, a state of catatonia is induced.
- D ECT induces a petit mal seizure.

Student message:

وهذه التي أختبرتها CPR وثاني يقول بطلب مساعده وبيداء D shock ما عنده بالس المريض وش أول شوي تسويه ؟ كان جوابين محيريني واحد يقول VF طبعاً كان ECG جاني -15

Source:

quizlet.com

A post-MI patient develops ventricular fibrillation (VF). The nurse should first:

- A Check for carotid pulse
- B Start CPR immediately**
- C Administer lidocaine
- D Prepare for synchronized cardioversion

CORRECT**Student message:**

17- طفل معاه TOF?

Chest with knee

Source:

naxlex.com

The nurse is giving instructions to parents of a 4-month-old infant with tetralogy of Fallot. Which teaching point should the nurse include?

- A If the infant becomes blue and is breathing deeply, put the infant in the knee-chest position.**
- B If the infant becomes blue and is breathing deeply, put the infant in the Trendelenburg position.
- C Feed the infant every 2 hours around the clock.
- D Add rice cereal to the infant's formula to increase calories.

CORRECT**Student message:**

20- ETT كيف نحسب المقاس -

Top of nose to earlobe to xiphoid

Source:

quizlet.com

The nurse is preparing to insert a nasogastric tube. Which measurement determines the correct insertion length?

- A Nose to xiphoid plus 20 cm
- B Chin to ear to xiphoid
- C Nose to ear to xiphoid**
- D Earlobe to nose to umbilicus

CORRECT

Student message:

21- 70-45 ؟ أكلنا %كم نسبة الكربوهيدرات في

Source:

quizlet.com

What is the AMDR for carbohydrates for adults, as a percentage of total daily calories?

A 10-35%

B 20-35%

C 45-65%

CORRECT

D 50-70%

Student message:

22- restrictions fluid التهاب في الكبيبات الكلوية التي تلفت وش نوع الأكل ؟ glomeritis مريض معاه

Source:

quizlet.com

A child with acute glomerulonephritis has peripheral edema and urine output of 35 mL/hr. Which diet should the nurse expect?

A Low sodium with fluid restriction

CORRECT

B Regular diet with no added salt

C Low carbohydrate and low protein

D Low protein and low potassium

Student message:

23- KDM مريض في رحة فواكهة بنفسه ؟

Source:

quizlet.com

A client with type 1 diabetes has rapid deep respirations and fruity-smelling breath. Which condition should the nurse suspect?

A Hypoglycemia

B Diabetic ketoacidosis

CORRECT

C Hyperosmolar hyperglycemic state

D Hyperglycemia without ketosis

Student message:

false labor and true ل

Source:

quizlet.com

At 39 weeks of gestation, which finding indicates true labor?

- A Contractions fluctuate in length.
- B Contractions are continuous with no relaxation.
- C Contractions are related to rupture of membranes.
- D Progressive cervical dilation occurs. CORRECT**

Student message:

وبلاستنا بر يڤيا وانواعها

Source:

quizlet.com

Which finding should the nurse expect in a client with placenta previa?

- A Severe occipital headache
- B History of thyroid cancer
- C Previous premature delivery
- D Painless vaginal bleeding CORRECT**

Student message:

و جاني DTP عطيناها بيبي وصار عنده احمرار وحراره خفيفه مكان الابره والاهل خافو وش تقولين لهم تقولين ذا طبيعي بعد الفاكسين

Source:

quizlet.com

An infant has swelling and redness at the DTaP injection site. Which intervention should the nurse recommend?

- A Monitor the infant for fever.
- B Bring the infant to the clinic immediately.
- C Apply a hot pack to the site.
- D Apply a cold pack to the site. CORRECT**

Student message:

world salad
وبرضو جاني واحد يقول انا بركب سياره بعدها قال لا طياره بالبحر بعدها مدري شقال شي ماله دخل ببعض ووش نوع الي يمر فيه يعتبر شي غير مترابط عطول

Source:

quizlet.com

A client with schizophrenia speaks using unrelated words and phrases. How should the nurse document this finding?

A Pressure of speech

B Word salad

CORRECT

C Neologism

D Clang association

Student message:

١- جاء هذا السؤال وصراحة كان غريب ماقد مر علي
Patient pulse was 300 and p wave sawtooth?

Source:

quizlet.com

When assessing a patient's telemetry monitor, the nurse notes a sawtooth pattern of flutter waves at a rate of 300/min. What rhythm is this most likely indicative of?

A Sinus bradycardia

B Atrial fibrillation

C Atrial flutter

CORRECT

D Ventricular tachycardia

Student message:

?DVT patient diagnose -
tissue perfution

Source:

quizlet.com

A client is diagnosed with deep vein thrombosis (DVT). Which nursing diagnosis should receive highest priority at this time?

A Impaired gas exchange related to increased blood flow

B Ineffective peripheral tissue perfusion related to venous congestion

CORRECT

C Risk for injury related to edema

D Excess fluid volume related to peripheral vascular disease

Student message:

٦- سؤال عن ال primary and secondary data لخطبت فيه
انوا ممرضة كانت قاعده تسوي انترفيو وبعدين راجعت الملفات حققت
المرضى!

Source:

quizlet.com

During the interview process, the nurse obtains which type of data from the client?

- A Secondary data
- B Oral data
- C **Primary data**
- D Objective data

CORRECT**Student message:**

ABG interpretatio وجات معادله لل

Source:

quizlet.com

The nurse reviews ABG results showing pH 7.30, PaCO₂ 58 mm Hg, PaO₂ 80 mm Hg, and HCO₃ 27 mEq/L. Which acid-base disturbance is present?

- A Metabolic acidosis
- B Metabolic alkalosis
- C **Respiratory acidosis**
- D Respiratory alkalosis

CORRECT**Student message:**

To avoid spina bifida (pregnant should intake multivitamins and folic acid) .

Source:

quizlet.com

The nurse is providing nutrition counseling for a patient planning pregnancy. Which nutrient should be emphasized to prevent neural tube defects?

- A **Folic acid**
- B Calcium
- C Protein
- D Vitamin D

CORRECT

Student message:

A pregnant woman at 15 weeks of gestation has a blood pressure of 200/90 mmHg with no other labrotary abnormalities . What is the most likely diagnosis?

- A. Gestational hypertension
- B. Preeclampsia
- C. Chronic hypertension
- D. Eclampsia

Source:

quizlet.com

The prenatal clinic nurse assesses a woman at 15 weeks gestation. Her blood pressure is 146/96 mm Hg on two measurements one hour apart. Which condition does the nurse suspect?

- | | | |
|---|--------------------------|---------|
| A | Chronic hypertension | CORRECT |
| B | Gestational hypertension | |
| C | Preeclampsia | |
| D | Transient hypertension | |

Student message:

طفل عنده tracheoesophageal fistula ومقرر له عملية اش الانترفنشن اللي تسويها النيرس قبل العملية

Source:

quizlet.com

An infant with esophageal atresia and tracheoesophageal fistula is awaiting surgery. Which preoperative nursing diagnosis is the priority?

- | | | |
|---|--|---------|
| A | Ineffective tissue perfusion: gastrointestinal | |
| B | Ineffective feeding pattern | |
| C | Acute pain | |
| D | Risk for aspiration | CORRECT |

Student message:

مريضه جات للطوارئ وعندها painless bright red bleeding اش تشخيصها؟

Source:

quizlet.com

A pregnant client after 20 weeks has painless bright-red vaginal bleeding and normal vital signs. Which condition should the nurse suspect?

- | | | |
|---|-----------------|---------|
| A | Eclampsia | |
| B | Preeclampsia | |
| C | Pyelonephritis | |
| D | Placenta previa | CORRECT |

Student message:

برضو جا سؤال عن pregnant عندها toxicity من الماغنيسيوم
Calcium Gluconate الاجابه

Source:

quizlet.com

A hypertensive pregnant client receiving magnesium sulfate develops drowsiness, slurred speech, and depressed respirations. Which medication should the nurse anticipate administering?

- A Intravenous diazepam
- B Nifedipine
- C Hydralazine
- D Calcium gluconate**

CORRECT**Student message:**

جاني سوال يقول ال tb ينتقل عن طريق ايش ال airborne

Source:

quizlet.com

Tuberculosis is transmitted by which mode?

- A Airborne transmission**
- B Droplet transmission
- C Direct contact
- D Indirect contact

CORRECT**Student message:**

جاني امراه حامل وتشتكى من الم في ظهرها ايش الوضعيه الي بتخفف الالم

Source:

quizlet.com

A client in the second trimester reports low back pain and ankle edema. Which measure can relieve both symptoms?

- A Lie on the left side with the feet dorsiflexed.
- B Soak in a hot bath and perform pelvic tilts.
- C Lie on the right side with the feet elevated and apply heat.
- D Lie on the floor with the legs elevated on a couch and hips and knees at right angles.**

CORRECT

Student message:

كمان جاني سؤال عن مريض مو واعى ايش ال priority
حطيت Airway

Source:

quizlet.com

A nurse is preparing to insert an oropharyngeal airway in an emergency. Which patient is the most appropriate candidate?

A An alert patient with mild dyspnea

B An unconscious patient with tongue obstruction

CORRECT

C A conscious patient who is drowsy

D A patient who can follow commands

Student message:

جتني مساله واحده عن rate كان الجرعه ١٥٠٠ والوقت ١٢ ساعه
الاجابه كانت ١٢٥

Source:

quizlet.com

The provider orders 1500 mL of lactated Ringer's solution to infuse over 12 hours. What rate should the nurse set on the IV pump?

A 100 mL/hr

B 125 mL/hr

CORRECT

C 150 mL/hr

D 175 mL/hr

Student message:

جاني كمان سؤال انو عنق الرحم فتح ٦ هذي اي مرحله
First stage

Source:

quizlet.com

The nurse assesses a laboring client who is dilated 6 cm and is becoming more intense and more tired. Which phase of labor represents this response?

A Transition phase

B Latent phase

C Second stage

D Active phase

CORRECT

Student message:

tingling and numbness مريض عنده hyperthyroidism بعد عملية الاستئصال صار عنده
Hypocalcemia حطيت

Source:

quizlet.com

Postoperatively, a client who had a thyroidectomy complains of tingling and numbness of the fingers and toes, and the nurse observes muscle twitching. Which complication does the nurse suspect?

- A Hypokalemia
- B Hypocalcemia**
- C Thyrotoxic crisis
- D Hypovolemic shock

CORRECT**Student message:**

مريض سوا عملية hemorrhoids ايش الشيء الي نقول له عليه لمى يصير يبطلع
انو لو حس بالم يجلس بمويه دافيه

Source:

quizlet.com

A nurse at an outpatient surgery center is caring for a patient who had a hemorrhoidectomy. What discharge education topic should the nurse address?

- A The appropriate use of antibiotics to prevent postoperative infection
- B The correct procedure for taking a sitz bath**
- C The need to eat a low-residue, low-fat diet for the next 2 weeks
- D The correct technique for keeping the perianal region clean without water

CORRECT**Student message:**

Pap smear حطيت عنق الرحم ايش الي يبين لي سرطان عنق الرحم او شيء زي كذا ويعدين قال ايش الي يبين لي سرطان عنق الرحم حطيت

Source:

naxlex.com

A nurse is reinforcing teaching with a client who asks which diagnostic test is the preferred method for detecting cervical cancer. Which response is appropriate?

- A An endometrial biopsy
- B CA 125
- C Papanicolaou test**
- D Transvaginal ultrasound

CORRECT

Student message:

مريض عنده intercranial pressure بعد العملية ايش افضل position له حظيت semi

Source:

quizlet.com

A client with a closed head injury is unconscious and has an intracranial pressure monitor. Which position is most appropriate after nursing care activities?

- A High-Fowler's position
- B Semi-Fowler's position**
- C Right lateral recumbent position
- D Supine position

CORRECT**Student message:**

ام حامل صار للجنين deceleration ايش اسوي
اعطي اكسجين
اراقب نبض الجنين واسجل
ازيد ال iv oxytocin

Source:

quizlet.com

A client in labor is receiving oxytocin. The nurse observes fetal heart rate decelerations that are not associated with contractions. Which action should the nurse take?

- A Discontinue the oxytocin
- B Start oxygen by tight face mask
- C Increase the IV fluid rate
- D Change the client's position**

CORRECT**Student message:**

وفي سؤال جاء ممرض أعطت مريض 2 mg magnesium sulphate Bosch
وش تلاحظ الممرضة
Patient live little pain in 7 N10
Heart rate
Respiratory rate

Source:

quizlet.com

A patient is receiving magnesium sulfate for severe preeclampsia. Which finding should the nurse report immediately?

- A Patellar and biceps reflexes of +4
- B Urinary output of 50 mL/hr
- C Respiratory rate of 10 breaths/min**
- D Serum magnesium level of 5 mg/dL

CORRECT

Student message:

جاني ليه مانسوي ختان الليبي حطيت عشان نحتاج الجلد لترقيع

Source:

quizlet.com

The nurse is caring for a newborn with hypospadias. His parents ask if circumcision is an option. Which is the nurse's best response?

- A Circumcision can never be performed in a child with hypospadias.
- B Circumcision is an option, but it cannot be done at this time.**
- C Circumcision is a fading practice and is now contraindicated in most children.
- D Circumcision in children with hypospadias is recommended because it prevents urinary tract infections.

CORRECT**Student message:**

?When assessing the placenta after delivery, what is the most important thing to ensure. وجاني هذا بالضبط 6

- A. The umbilical cord has two arteries and one vein
- B. The placenta is complete, including all membranes
- C. The placenta has a bright blue color on both sides
- D. The placenta matches the exact weight of the newborn

Source:

naxlex.com

Which of the following would be essential to implement to prevent late postpartum hemorrhage?

- A Inspecting the placenta after delivery for intactness.**
- B Manually removing the placenta at delivery.
- C Administering broad-spectrum antibiotics prophylactically.
- D Applying traction on the umbilical cord to speed up separation of the placenta.

CORRECT**Student message:**

During resuscitation of a newborn with congenital diaphragmatic hernia, which وهذا بالضبط intervention should be avoided?

- A. Bag-mask ventilation / using a bag and mask
- B. Immediate endotracheal intubation
- C. Insertion of an orogastric (OG) tube
- D. Continuous monitoring of oxygen saturation

Source:

quizlet.com

Which of the following interventions are used to treat congenital diaphragmatic hernia?

- A I and III only
- B II and IV only
- C I, II, and IV only**
- D II, III, and IV only

CORRECT

Student message:

Which pelvic type is considered the normal female pelvis and is most favorable for vaginal delivery?

- A. Android
- B. Anthropoid
- C. Gynecoid
- D. Platypelloid

Source:

quizlet.com

The nurse should make which statement to a pregnant client found to have a gynecoid pelvis?

- A Your type of pelvis has a narrow pubic arch.
- B Your type of pelvis is the most favorable for labor and birth.**
- C Your type of pelvis has a wide pelvis with a short diameter.
- D You will need a cesarean birth because this type of pelvis is not favorable for a vaginal delivery.

CORRECT**Student message:**

bedridden patient is at risk of developing pressure ulcers. Which nursing intervention is most effective for prevention?

- A. Place the patient in Semi-Fowler's position
- B. Increase dietary fiber
- C. Reposition the patient every 1–2 hours as needed
- D. Limit fluid intake

Source:

quizlet.com

A patient is admitted with anemia, hypotension, malnutrition, and confusion. Which intervention should be used to prevent the patient from developing pressure ulcers?

- A Ensure all meals are protein-rich.
- B Administer 2 units of packed red blood cells.
- C Infuse medication to increase blood pressure.
- D Reposition every 1–2 hours.**

CORRECT**Student message:**

وبۇزىشەن سىپائىنالى بېقىدا

Source:

quizlet.com

The nurse is caring for a neonate born with a myelomeningocele. Surgery to repair the defect is scheduled the next day. What is the most appropriate way to position and feed this neonate?

- A Prone with the head turned to the side**
- B On the side
- C Supine in an infant carrier
- D Supine, with defect supported with rolled blankets

CORRECT

Student message:

tonsillectomy وپوزیشن بعد

Source:

quizlet.com

A nurse is caring for a child after a tonsillectomy. In which position should the nurse place the child?

A Supine

B Side-lying

CORRECT

C High-Fowler

D Trendelenburg

Student message:

وحامل معاها هريس وش طريقة الولاده

Source:

quizlet.com

Which instruction should the nurse give to a pregnant client with genital herpes?

A Abstain from intercourse throughout pregnancy.

B Use sitz baths daily throughout pregnancy.

C Take acyclovir every day throughout pregnancy.

D A cesarean birth will be needed if lesions are present at the onset of labor.

CORRECT**Student message:**

و جاني pico ترتيبها

Source:

quizlet.com

The process of EBP begins with a specific and answerable question typically in a PICO-format. What does PICO stand for?

A Population of interest, Intervention, Carryover, Other problems identified

B Population of interest, Intervention, Comparison, Outcomes

CORRECT

C Population of interest, Internal Validity, Carryover, Outcomes

D Population of interest, Intervention, Comparison, Other problems identified

Student message:

Tonsillectomy

هذا جاء خيارين عوروا زاسي

Prone

Monitor hemorrhage

ايش النيرس برايورتي

Source:

quizlet.com

The nurse is monitoring a 10-year-old client post-op following a tonsillectomy. Which assessment finding should the nurse immediately report to the healthcare provider?

A Drooling

B Frequent swallowing

CORRECT

C Sneezing

D Moaning

Student message:

Pico

ترتيب حقها جاء

Source:

quizlet.com

Evidence based practice questions are typically formatted as PICO questions. What does PICO stand for?

A Patient, Intervention, Comparison, Outcome

CORRECT

B Patient, Investigation, Comparison, Outlier

C Population, Intervention, Counter intervention, Outlier

D Problem, Investigation, Counter intervention, Outcome

Student message:

bluish-gray patch ☐ sacral/lower back ☐ with hair

جاني سوال ذي كذا والاجابات

Mongolian spot

Pilonidal sinus

Source:

quizlet.com

The nurse notes a bluish discoloration of the skin across the infant's sacral area. Which should the nurse do in response to this finding?

A Assess the infant for cold stress.

B Refer the parent to the care of a pediatric specialist.

C Document this finding in the record.

CORRECT

D Evaluate the infant's neurological status.

Student message:

مريض نفسي ليش نعمل له restrain
الخيارات واضحة حظيت عشان كل شويه يطلع انبويه المعده

Source:

quizlet.com

The nurse is caring for a hospitalized patient. Which of the following behaviors alerts the nurse to consider the need for restraint?

- A The patient refuses to call for help to go to the bathroom.
- B The patient continues to remove the nasogastric tube.**
- C The patient gets confused regarding the time at night.
- D The patient does not sleep and continues to ask for items.

CORRECT**Student message:**

جاني كيف تقيس طول انبويه المعده حظيت من الانف للأذن للمعده

Source:

quizlet.com

What would the nurse do to determine the correct distance to insert a nasogastric tube?

- A Measure from the center of the forehead to the umbilicus.
- B Measure from the tip of the nose to the earlobe to the xiphoid process.**
- C Measure from the lips to the ear to the umbilicus.
- D Measure from the ear to midway between the sternum and umbilicus.

CORRECT**Student message:**

مريض يغسل كلى و ياخذ حقنه ايرثروبيتين بعد الغسيل
ايش مفروض نقيس له
اخترت هيموكلوبين لفل

Source:

quizlet.com

A client in end-stage renal disease is prescribed epoetin alfa and oral iron supplements. Before administering the next dose of epoetin alfa and oral iron supplement, what is the priority action taken by the nurse?

- A Assesses the hemoglobin level**
- B Questions the administration of both medications
- C Ensures the client has completed dialysis treatment
- D Holds the epoetin alfa if the BUN is elevated

CORRECT

Student message:

جاني طفل عنده AGN امه تسأل الممرضه ليش كل شويه تقيسين له الضغط

Source:

quizlet.com

The father of a child with acute glomerulonephritis asks why the nurse measures the child's blood pressure so often. Which response by the nurse is best?

- A The antibiotic used to treat the infection can increase blood pressure.
- B Hypotension may develop at any time during the illness.
- C **Sudden increases in blood pressure can occur without warning.**
- D Frequent blood pressure checks help keep the kidneys working.

CORRECT**Student message:**

جاني سؤال مريض مفروض نطلع منه القسطره الساعة ١٢ الظهر و الممرضه ما طلعتها على طول جلست الين ١ في الليل بعدين طلعتها اول ما طلعتها المريض حس انه يبغى يتبول

الخيارات

UTI

Urin retention

Source:

quizlet.com

The nurse is caring for a patient who had an indwelling urinary catheter removed during the previous shift. The patient has not voided in the last 9 hours. Which action should the nurse take first?

- A Call the health-care provider to obtain an order for a straight catheterization.
- B Review the fluid intake the patient had during the previous shift.
- C Ask the patient if they have attempted to void without the catheter.
- D **Perform a bladder scan to identify retained urine.**

CORRECT**Student message:**

جاني سؤال طفل عنده انتفاخ في الخصيه اخترت hydrocele

Source:

quizlet.com

What is the most common cause of painless scrotal swelling?

- A Spermatocele
- B **Hydrocele**
- C Varicocele
- D Epididymitis

CORRECT

Student message:

جاني سؤال مريض م يبغى احد يعرف مرضه عشان نحافظ على الخصوصية مين من حقه يعرف عن المرض اخترت خيار مكتوب فيه الطبيب و الزوجه

Source:

quizlet.com

A patient has been diagnosed with hepatitis B. Which action should the nurse take to avoid invasion of the patient's privacy?

- A Tell the patient's spouse about the diagnosis.
- B Do not inform anyone about the diagnosis.
- C Obtain permission from the patient to inform the spouse.**
- D Obtain consent from the spouse to reveal the diagnosis to the patient.

CORRECT**Student message:**

جاني سؤالين عن القائد الديمقراطي

Source:

naxlex.com

Democratic leadership style involves:

- A Leader making all decisions independently
- B No structure or guidance
- C Shared decision-making with team input**
- D Delegation without oversight

CORRECT**Student message:**

جاني سؤال عصب السمع وش اسمه

Source:

quizlet.com

Which cranial nerve is in charge of hearing?

- A Olfactory nerve I
- B Auditory nerve VIII**
- C Vagus nerve X
- D Abducens nerve VI

CORRECT

Student message:

جاني سؤالين عن وضعيه TOF

Source:

quizlet.com

An infant with tetralogy of Fallot is crying and develops worsening cyanosis and dyspnea. In which position should the nurse place the infant?

- | | | |
|----------|----------------------------|----------------|
| A | Knee-chest position | CORRECT |
| B | Orthopneic position | |
| C | Lateral Sims position | |
| D | Semi-Fowler position | |

Student message:

جاني مريض عنده زائده دوديه و داخل على عمليه حرارته مرتفعه شويه و متألم
الخيارات
خافض حراره
مضاد حيوي جرعه وقائيه oral
سوائل ورديه و خافض حراره
سوائل ورديه و مضاد جوعه وقائيه

Source:

quizlet.com

Preparation for an appendectomy includes:

- | | | |
|----------|--|----------------|
| A | Starting an intravenous infusion | |
| B | Administering a prophylactic antibiotic | |
| C | Administering salicylates to lower temperature | |
| D | All of the above | CORRECT |

Student message:

جاني سؤال مريض سكر تعطيه اديوكيشن يشوف رجله يوميا ولا يقيس النظر كل سنتين

Source:

quizlet.com

Joseph is 55 years old and has diabetes with decreased sensation in both feet. Which instruction should the nurse include?

- | | | |
|----------|--|----------------|
| A | Walk barefoot at home to improve circulation. | |
| B | Soak the feet in hot water each evening. | |
| C | Have vision checked only every two years. | |
| D | Inspect both feet every day for cuts, blisters, or redness. | CORRECT |

Student message:

طفل عمره ١٢ سنة تاخذ الكونسنت منه ولا من اهله

Source:

quizlet.com

A 12-year-old client is scheduled for surgery and is accompanied by the parents and a sibling. Which level of involvement applies to the child's permission for treatment?

- A Emancipated consent
- B Mature minor consent
- C **Assent**
- D No involvement

CORRECT

Q-221

Student message:

تطعيمه الحج

Source:

quizlet.com

A nurse organizes a flu vaccination clinic in the community. This represents:

- A **Primary prevention**
- B Secondary prevention
- C Tertiary prevention
- D Palliative care

CORRECT

Q-222

Student message:

الوقايه من ال TB الجواب screen program

Source:

naxlex.com

An occupational health nurse at a group of health care clinics is planning activities to prevent and control the spread of communicable disease. Which activity is a secondary level of prevention?

- A Influenza immunizations
- B **Tuberculosis screenings**
- C Presentations about safer sex practices
- D Evaluations of bloodborne pathogen policies

CORRECT

Student message:

مريض قلب ما التزم بالغذاء المطلوب بسبب عادات و تقاليد اهله وش تنصحهم احترام عاداتهم و تقاليدهم و اقولهم يخصصون له غذاء لحاله

Source:

quizlet.com

Which nursing action is most culturally competent for a client whose food choices are influenced by a belief in hot and cold foods?

- A Explain that cultural food beliefs are not medically relevant.
- B Ask the family to stop bringing food from home.
- C Provide a standard cardiac diet without modification.
- D Educate staff to help the client select culturally congruent foods within the prescribed diet. CORRECT**

Student message:

client with schizophrenia refuses to eat because he believes the food is poisoned. Which nursing intervention is most appropriate?

- A. (Reassure (the (client (that (the (food (is (safe (and (encourage (him (to (eat.
- B. (Taste (the (food (in (front (of (the (client (to (prove (it (is (not (poisoned.
- C. Do not argue with the client's delusion; offer support and provide alternative food if available (such as sealed food).
- D. (Leave (the (client (alone (and (do (not (discuss (the (issue.

Source:

quizlet.com

A client with schizophrenia refuses to eat because the client believes the food is poisoned. Which nursing intervention is most appropriate?

- A Ask the family to bring food from home.
- B Insert a tube for feeding.
- C Taste the food in front of the client.
- D Offer food in unopened packages. CORRECT**

Student message:

جاني سؤال وحده حامل عندها Hypertension و protein in urine وعندها صرع

Source:

quizlet.com

A laboring patient with a known diagnosis of preeclampsia suddenly experiences a tonic-clonic seizure. Which hypertensive disorder is now present?

- A Eclampsia CORRECT**
- B Preeclampsia with severe features
- C Gestational hypertension
- D Chronic hypertension

Student message:

سؤال الحج الاجابه primary

Source:

naxlex.com

A 17-year-old college-bound student receives a vaccine against an organism that causes meningitis. This is an example of:

- A Tertiary prevention.
- B Primary prevention.**
- C Disease treatment.
- D Secondary prevention.

CORRECT**Student message:**

جاء سؤال عند ال chickenbox كم يوم ينغزل؟

Source:

naxlex.com

A nurse is discussing communicable diseases with a newly licensed nurse. Which of the following statements should the nurse include?

- A Initiate contact precautions for a child who has measles.
- B Varicella is contagious until all lesions have crusted over.**
- C Pertussis is most contagious during the paroxysmal stage.
- D Wear an N95 respirator mask when caring for a child who has scarlet fever.

CORRECT**Student message:**

البوژشن بعد ال tonsillectomy ؟ side lying

Source:

naxlex.com

A nurse understands that it is a priority to place a child in which position post-operative tonsillectomy?

- A Sitting upright
- B Prone position
- C Prone or side-lying position**
- D Lying flat on their back

CORRECT

Q-229

SnleNotes.com

**Student message:**

A nurse overhears two nurses discussing a client's medical history in the hallway.
Which action should the nurse take first?

- A. Report the incident to the charge nurse
- B. Speak to the staff members in private about client confidentiality
- ☒ C. Participate in an in-service about client confidentiality
- D. Tell the staff members to stop their discussion

Source:

quizlet.com

A nurse steps into an outdoor dining area and overhears two staff members talking about a client. Which action should the nurse take?

- A Tell the staff members that she will report the situation to their supervisor immediately.
- B Ask the staff members to lower the volume of their voices.
- C Remind the staff members that discussing a client where others can overhear them is a HIPAA violation.**
- D Avoid taking action unless she observes others listening to the conversation.

CORRECT**Q-230**

SnleNotes.com

**Student message:**

A leader allows team members to participate in decision-making. This leadership style is:

- A. Autocratic
- B. Laissez-faire
- ☒ C. Collaborative
- D. Bureaucratic

Source:

quizlet.com

A client is participating in a therapy group and focuses on viewing all team members as equally important in helping the clients meet their goals. The nurse is implementing which therapeutic approach?

- A Milieu therapy**
- B Interpersonal therapy
- C Behavior modification
- D Support group therapy

CORRECT

Q-231

SnleNotes.com

**Student message:**

A child presents with currant jelly stool. Which condition should the nurse suspect?

- A. Appendicitis
- B. Intussusception 
- C. Hirschsprung disease
- D. Gastroenteritis

Source:

quizlet.com

A 7-month-old infant has intermittent abdominal pain, distention, bilious vomiting, red currant jelly stool, and a sausage-shaped mass in the right upper quadrant. What is the most likely diagnosis?

- A Appendicitis
- B Intussusception**
- C Gastric volvulus
- D Gastroenteritis

CORRECT**Q-232**

SnleNotes.com

**Student message:**

Homan's sign is associated with which condition?

- A. Pulmonary edema
- B. Deep vein thrombosis (DVT) 
- C. Stroke
- D. Myocardial infarction

Source:

quizlet.com

The nurse is assessing a client with a potential deep vein thrombosis (DVT). What sign does the nurse use by dorsiflexing the toes?

- A Homan's sign**
- B Pratt's sign
- C Kernig's sign
- D Brudzinski's sign

CORRECT

Q-233

SnleNotes.com



Student message:

Which intervention is the most effective way to prevent healthcare-associated infections?

- A. Wear gloves at all times.
- B. Hand hygiene
- C. Wear a gown.
- D. Give antibiotics.

Source:

quizlet.com

Which action is most effective for preventing healthcare-associated infections?

- A Wear gloves for every client interaction.
- B Clean all equipment once daily.
- C **Perform hand hygiene.**
- D Use sterile technique for all procedures.

CORRECT

Q-234

SnleNotes.com



Student message:

Hyperemesis gravidarum is a common occurrence for pregnant women, and there are home remedies that have been proven to relieve nausea and vomiting. Which one of the following is one of them?

- A. Coffee
- B. Ginger
- C. Cinnamon

Source:

quizlet.com

A client who is 8 weeks pregnant wants to try an herbal remedy for nausea. Which herb should the nurse suggest?

- A **Ginger**
- B Milk thistle
- C Black cohosh
- D Echinacea

CORRECT

Q-235

SnlNotes.com

**Student message:**

A 56-year old man with history of COPD is complaining of chest, shortness of breath, lethargy, fever and productive cough. Upon examination, crackles could be heard in the lower lobes BP 11./70 HR 111 RR 18 TEM 37.4 Oxygen Sat 90% . What is position with COPD ?

- A. Prone
- B. Supine
- C. High fowler

Source:

quizlet.com

Which action should the nurse take to address dyspnea in a client with COPD?

- | | | |
|----------|---|----------------|
| A | Elevate the head of the bed to high-Fowler position. | CORRECT |
| B | Administer oxygen at 1 to 2 L/min without assessing the client. | |
| C | Administer oxygen at 1 to 4 L/min without a prescription. | |
| D | Instruct the client to deep breathe and cough continuously. | |

Q-236

SnlNotes.com

**Student message:**

Post subtotal thyroidectomy BP is 150/100 Heart rate is 120 Temperature 40The nurse considered it cause
Hyper-metabolism due to increase in T3&T4
Hypo metabolism due to decrease T3&T4
Hypo metabolism due to increase in T3&T4

Source:

quizlet.com

A client recently diagnosed with Graves' disease has rapidly increasing temperature, blood pressure, heart rate, and respiratory rate. Which condition may the client be experiencing?

- | | | |
|----------|------------------------|----------------|
| A | Hypertensive crisis | |
| B | Malignant hyperthermia | |
| C | Serotonin syndrome | |
| D | Thyroid storm | CORRECT |

Student message:

client arrives at the emergency department following a burn injury that occurred in the basement at home, and an inhalation injury is suspected. What would the nurse anticipate to be prescribed for the client?

1. 100% oxygen via an aerosol mask
2. Oxygen via nasal cannula at 6 L/minute
3. Oxygen via nasal cannula at 15 L/minute
4. 100% oxygen via a tight-fitting, nonrebreather face mas

Source:

quizlet.com

The nurse is providing emergent care for a patient with a possible inhalation injury sustained in a house fire. The patient is anxious and disoriented, and the skin is a cherry red color. What is the priority action by the nurse?

- | | | |
|----------|---|----------------|
| A | Administer 100% humidified oxygen. | CORRECT |
| B | Teach the patient deep breathing exercises. | |
| C | Encourage the patient to express feelings. | |
| D | Assist the patient to a high Fowler's position. | |

Student message:

7-year-old patient was brought to the Emergency Room with history of diabetes mellitus, hypertension and heart failure complaining of acute shortness of breath and productive cough. The sputum was pink and frothy. During the assessment, the nurse noticed crackles and wheezes. Blood pressure 80/45 mmHg Heart rate 124/min 36/min Respiratory rate 36.5°C Temperature Which of the following disorders should the nurse suspect?

- Pneumothorax
- Unstable angina
- Pulmonary edema,
- Pulmonary embolus

Source:

quizlet.com

A patient with acute left-sided heart failure suddenly develops pink frothy sputum. What should the nurse suspect?

- | | | |
|----------|---------------------------|----------------|
| A | Pulmonary embolism | |
| B | Pulmonary edema | CORRECT |
| C | Right-sided heart failure | |
| D | Stable angina | |

Q-239

SnleNotes.com



Student message:

When communicating with a client who speaks a different language which best practice should the nurse implement?

- A. Speak loudly and slowly
- B. Arrange for an interpreter to translate
- C. Speak to the client and family together
- D. Stand close to the client and speak loudly

Source:

quizlet.com

A nurse is working with a patient who has limited English proficiency. What action by the nurse is best?

A	Use a qualified interpreter.	CORRECT
B	Ask family members to translate.	
C	Use drawings and pictures.	
D	Speak in simple sentences.	

Q-240

SnleNotes.com



Student message:

406- The patient arrived at the emergency department, and vital signs were taken. The physician examined and assessed the patient and made a diagnosis of neurogenic shock. What are the signs of neurogenic shock ?

- A. Bradycardia and hypertension
- C. Tachycardia and hypertension
- D. Bradycardia and Hypotension

Source:

quizlet.com

What are the early signs and symptoms of neurogenic shock?

A	Hypotension, bradycardia, and warm, dry skin	CORRECT
B	Hypertension, bradycardia, and warm, dry skin	
C	Hypotension, tachycardia, and cool, clammy skin	
D	Hypertension, tachycardia, and cool, clammy skin	

Student message:

vegetarian people that not eat red meat. Which of deficiency is high risk?

- A. Vitamin D
- B. Vitamin C
- C. Folic Acid
- D. Riboflavin or B12

Source:

quizlet.com

The nurse is caring for a client who is a strict vegetarian; the client is at greatest risk for the development of:

- A Folic acid deficiency anemia
- B Blood loss anemia
- C Microcytic anemia

D Vitamin B12 deficiency anemia

CORRECT

Student message:

A patient was complaining of depression, muscle weakness and continuous fatigue. is suspected?

- A. Deficiency of vitamin B.
- B. Deficiency of vitamin D.
- C. Deficiency of vitamin E
- D. Deficiency of vitaminK

Source:

quizlet.com

An older person is experiencing muscle weakness and a change in balance when walking. Which vitamin should the nurse ensure the person is taking in an adequate amount?

- A Vitamin E
- B Vitamin B12
- C Vitamin D**
- D Vitamin B6

CORRECT

Student message:

Oral iron supplements are prescribed for child with iron deficiency anemia the the iron with which food?

- A. Orange juice B. Apple juice

Source:

quizlet.com

Which advice would the nurse provide about taking oral iron supplements?

- A Take them with milk
- B Take them before eating
- C Take them with fibrous food
- D Take them with orange juice**

CORRECT

Student message:

What is the most appropriate oxygen delivery device for a patient who requires a high oxygen concentration?

1. Nasal cannula
2. non-rebreather mask
3. C. Face tent
4. Simple face mask

Source:

quizlet.com

In a scenario where a patient is experiencing severe respiratory distress and requires immediate oxygen support, which device would be most appropriate to use and why?

- A A partial rebreather mask because it provides 60–90% oxygen.
- B A nasal cannula because it is less invasive.
- C A simple face mask because it provides moderate oxygen delivery.
- D A non-rebreather mask because it delivers the highest oxygen concentration available.**

CORRECT**Student message:**

patient with heart failure has the following vital signs: blood pressure level, 136/84 mmHg, heart rate 48, temperature 37.1 C (98.8 F); and respiration rate 20 per minute. Which of these vital signs should be reported to the physician prior to administ next dose of digoxin? ering the

a. Blood pressure b. Pulse c. Temperature d. Respiration rate

Source:

quizlet.com

The nurse checks the apical pulse before giving digoxin and notes a heart rate of 56 beats/min. What is the best nursing action?

- A Give the medication as prescribed
- B Hold the dose and notify the provider**
- C Recheck the pulse after 5 minutes and give the drug
- D Administer the drug with food

CORRECT**Student message:**

Patient with BP: 145/95. What stage of hypertension?

Source:

quizlet.com

You have an adult patient with diabetes whose blood pressure is 145/95 mm Hg. Which stage of hypertension does this indicate?

- A Normal
- B Pre-hypertension
- C Stage I**
- D Stage II

CORRECT

Student message:

primary جا فاكسين الحج

Source:

naxlex.com

A community health nurse is providing teaching to clients at an assisted living facility. Which statement is an example of primary prevention?

- A I use a salt substitute instead of salt to keep my heart failure under control.
- B I got my pneumonia vaccine 2 years ago and get my annual flu shot every fall.
- C I use my prescribed eye drops twice a day so my glaucoma doesn't get any worse.
- D I log my blood pressure weekly and take the list to each appointment with my doctor.

CORRECT**Student message:**

جا سؤال عن البيبي الا عمره سنتين وكان اجابه ان تعطيه العاب اظن فيها toy

Source:

quizlet.com

Which of the following is an appropriate toy for a toddler?

- A Wooden building blocks
- B Nerf guns
- C Legos
- D A Nintendo Switch

CORRECT**Student message:**

جا الديموكرتك والاونوكرتك

Source:

quizlet.com

A nurse wants to use democratic leadership with a group that is working on conflict resolution. Which action should the nurse take?

- A Observe the group's techniques without interfering.
- B Discuss a technique and then direct the group to practice it.
- C Ask the group for suggestions and support the discussion.
- D Suggest techniques and ask members to reflect on them.

CORRECT

Student message:

adminster oxygen جاني الا فيه حروق بالصدر والرقبة ، الاجابة حطيت

Source:

quizlet.com

Which action will the nurse take first for a patient with a suspected inhalation injury?

- A Obtain arterial blood gases.
- B Initiate cervical stabilization.
- C Assess for tachypnea.
- D **Apply 100% oxygen.**

CORRECT**Student message:**

جاني لما يصير swelling محل الكانيولا حطيت انفلتريشن اظن

Source:

quizlet.com

The nurse notes that a peripheral IV site is cool, pale, and swollen and that the IV has stopped running. Which complication has probably occurred?

- A Phlebitis
- B Infection
- C **Infiltration**
- D Thrombosis

CORRECT**Student message:**

وجا ال beneficence

Source:

quizlet.com

A nurse ensures that no obstacles are present between the bed and bathroom for a client with limited vision. Which ethical principle is demonstrated?

- A Veracity
- B Confidentiality
- C Fidelity
- D **Beneficence**

CORRECT

Student message:

autonomy وچا

Source:

quizlet.com

An older adult agrees to colon surgery after discussing all risks and benefits. Which ethical principle is demonstrated?

- A Beneficence
- B Nonmaleficence
- C Fidelity
- D **Autonomy**

CORRECT**Student message:**

چا سؤالین عن وزن البیبي وانترین تحدیدی low of age pregnancy وكذا

Source:

quizlet.com

After assessing a newborn, the nurse determines the newborn is small for gestational age based on which weight?

- A **2400 g**
- B 2600 g
- C 2800 g
- D 3000 g

CORRECT**Student message:**

چا سؤال بعد ان تحليل سكر الحمل ف اي اسبوع؟

Source:

naxlex.com

A nurse is teaching a pregnant woman about gestational diabetes screening. Which statement indicates understanding?

- A **I will have an oral glucose tolerance test between 24 and 28 weeks of pregnancy.**
- B I should eat a high-carbohydrate meal immediately before the test.
- C Screening is unnecessary because I have no family history of diabetes.
- D The screening can be performed at any time during pregnancy.

CORRECT

Student message:

جا حق تنقيف الحامل وش الشي الا تحتاج فيه تنقيف؟ ان تغسل الصدر قبل وبعد الرضاعة

Source:

naxlex.com

The nurse is teaching a new mother proper breastfeeding techniques. Which guideline should the nurse include?

- A Wash the hands and breasts before each feeding.
- B Bring the infant's wide-open mouth around the nipple and areola.**
- C Pull the infant away from the breast when ending the feeding.
- D Stroke the nipple against the infant's chin to stimulate rooting.

CORRECT**Student message:**

وجا عن الفولك اسد

Source:

quizlet.com

Which action should a pregnant woman take to reduce the risk of neural tube defects?

- A Eat iron-rich foods.
- B Take folic acid daily.**
- C Avoid dairy products.
- D Limit fluid intake.

CORRECT**Student message:**

وجا سؤال اجابته ان اشرح مرة ثانية simple language

Source:

quizlet.com

Which communication strategy should the nurse use with a mechanically ventilated patient?

- A Use professional terminology and provide extensive detail.
- B Use simple language and explain the information another way if the patient does not understand.**
- C Provide minimal information to avoid overwhelming the patient.
- D Communicate primarily through the patient's family.

CORRECT

Student message:

وجا بعد ان لما تعطي مديكشن غلط وش بتسوي

Source:

quizlet.com

A nurse administered lacosamide to the wrong patient. Which action should the nurse take first?

A Assess vital signs and level of consciousness.

CORRECT

B Notify the health care provider.

C Complete an incident report.

D Call respiratory therapy to apply oxygen.

Student message:

وجا لما تصير مشكلة بين اثنين من النيرس وش بتسوي؟

Source:

quizlet.com

Conflict develops between two staff nurses on the same unit. Which strategy is most important for the nurse manager?

A Address the conflict in the break room.

B Make a timely decision about if and when to intervene.

CORRECT

C Accept full responsibility for solving the conflict.

D Redirect the disagreement to another issue.

Student message:

الTB طريقة انتقاله وش؟

Air droplet

Contact

Blood عن طريق

والخيار الاخير انه تكح بيدك وتسلم او انه عن طريق السلام يعني شي زي كذا ناسيه

Source:

quizlet.com

The nurse provides care for a client diagnosed with tuberculosis. Which transmission-based precautions will the nurse implement?

A Standard

B Airborne

CORRECT

C Droplet

D Contact

Student message:

suction mouth and nose حطيت وش النيرس انترفشن؟ aspirated meconium انو فيه بيبي
كان فيه خيار ثاني انو احط له اكسجين

Source:

quizlet.com

What is the best technique for removing secretions from the mouth and nose of a newborn during resuscitation?

- A Suction the nose before the mouth.
- B Use vigorous and deep suctioning.
- C Suction the mouth before the nose.**
- D The mouth or nose can be suctioned first.

CORRECT**Student message:**

flat اخذت post op of vps ايش البوزشن اللي

Source:

quizlet.com

A 4-month-old infant is 6 hours postoperative following placement of a ventriculoperitoneal shunt. Which action is the priority?

- A Position in semi-Fowler's at 30 to 45 degrees.
- B Position the infant on the operative side.
- C Keep the infant supine and flat, turning every 2 hours to the nonoperative side.**
- D Measure head circumference once at discharge.

CORRECT**Student message:**

وسؤال عن العزل للمعاسل measles الجواب ايربورن

Source:

quizlet.com

A child with rubeola (measles) is being admitted to the hospital. Which precaution should the nurse plan?

- A Enteric
- B Airborne**
- C Protective
- D Neutropenic

CORRECT

Student message:

Elementary school children، أي health education الـ risk فيه؟ bicycle و driving.

الجواب: Bicycle

Source:

quizlet.com

Which consideration is most important when a school nurse teaches bicycle safety to school-age children?

A Collisions with automobiles are the most common bicycle injury.

B Head injuries are a major cause of bicycle-related fatalities.

CORRECT

C A helmet is needed only when riding on paved roads.

D Riding double is safe when the bicycle has an extra-large seat.

Student message:

مريض يأخذ psychiatric medication وظهر عنده agranulocytosis، أي نوع من antipsychotics يرتبط بها؟
الجواب: Atypical antipsychotic.

Source:

quizlet.com

A client with schizophrenia is starting clozapine. Which potentially fatal adverse effect should the nurse monitor for?

A Agranulocytosis

CORRECT

B Akathisia

C Pseudoparkinsonism

D Akinesia

Student message:

Pregnant woman at 33 weeks complaining of heartburn، ما السبب؟

الجواب: Decreased LES muscle tone

Source:

naxlex.com

Which physiological change contributes to heartburn in pregnancy?

A Increased lower esophageal sphincter tone

B Decreased intra-abdominal pressure

C Relaxation of the lower esophageal sphincter

CORRECT

D Accelerated gastric emptying

Student message:

Patient post-op renal biopsy ويشكي من
pain، ال possible complication؟
الجواب: Hemorrhage .

Source:

naxlex.com

A patient has just undergone a renal biopsy. Which laboratory value should the nurse prioritize to identify complications?

- A Arterial blood gases
- B Calcium and phosphate levels
- C **Complete blood count, renal function, and coagulation studies**
- D Liver enzymes and lipid profile

CORRECT**Student message:**

Appendectomy position؟
الجواب: Semi-Fowler's position .

Source:

quizlet.com

Which position is appropriate early after an appendectomy for a ruptured appendix in an adolescent?

- A **Semi-Fowler's**
- B Supine
- C Lithotomy
- D Prone

CORRECT**Student message:**

Enema bag 50 cm؟
الجواب: 45-50 cm فوق ال anus/rectum .

Source:

quizlet.com

What is the maximum height for the solution container when administering a high cleansing enema?

- A 30 cm
- B **46 cm**
- C 51 cm
- D 66 cm

CORRECT

Student message:

Addison's disease، إيش parameter

نراقب؟

الجواب: Electrolytes

Source:

quizlet.com

Which laboratory result should the nurse expect in a client who has Addison's disease?

A Calcium 8.2 mg/dL

B Potassium 6.2 mEq/L

CORRECT

C Glucose 320 mg/dL

D Sodium 148 mEq/L

Student message:

Post-op fistula، إيش عند الأطفال، position؟

الجواب: Semi-Fowler's position TEF repair

Source:

quizlet.com

Which position is appropriate for a newborn with a tracheoesophageal fistula?

A Prone

B Trendelenburg

C Semi-Fowler's

CORRECT

D Supine

Student message:

Alcohol withdrawal patient، إيش أهم شيء نراقب؟، wrist restraint، يحتاج

الجواب: Distal circulation or radial pulse، %.

Source:

naxlex.com

A nurse is observing a client in four-point restraints for violent and self-destructive behavior. Which action should the nurse take?

A Assess the client every hour for circulation, injury, and readiness for discontinuation.

B Attach the restraint straps to the bed rails using a quick-release buckle.

C Assist with passive range-of-motion exercises every 3 hours.

D Check peripheral pulses and skin integrity every 15 minutes.

CORRECT

Student message:

Patient لديه pyloric stenosis ومعه vomiting، أي parameter نستخدمه لمتابعة dehydration؟
الجواب: Weight loss

Source:

quizlet.com

The nurse plans care for an infant with pyloric stenosis and deficient fluid volume. Which parameter best evaluates the outcome?

A Abdominal distention

B Weight loss

CORRECT

C Vomiting

D Respiratory effort

Student message:

Definition of line of command؟
الجواب: Hierarchy of authority

Source:

naxlex.com

The principle of scalar chain refers to which concept?

A Flexible organizational arrangements

B Sharing responsibility equally

C Equal treatment of all workers

D A clear line of authority from top to bottom

CORRECT**Student message:**

جالي سؤال يقولك فين تسمع ال apical pulse الايجابيه بين الرابع والخامس على ال Nipple

Source:

quizlet.com

Where should the nurse place the stethoscope to assess an adult client's apical pulse?

A Third left intercostal space at the midclavicular line

B Fourth left intercostal space at the midclavicular line

C Fifth left intercostal space at the midclavicular line

CORRECT

D Second left intercostal space at the midclavicular line

Student message:

سؤال كمان بيقولك واحده ست نزل عليها ميه مره واحده كده وحت الطوارئ وهي حامل في الاسبوع 33 نعمل اي؟
 جاب أننا نعمل PV
 او نسحب عينه من ال amniocentesis
 وجاب اختيارات تانيين اجابات غريبه منها
 حاجه اسمها ceps ودي ترجمتها أنه اختبار اجسام مضاده أو مش فاكركها بالظبط
 وحاجه تانيه مش مفهومه خالص.

Source:

naxlex.com

A nurse is caring for a client at 33 weeks of gestation in preterm labor who reports a sudden gush of fluid. Which action should the nurse take first?

- | | | |
|----------|--|----------------|
| A | Assess fetal heart rate and activity. | CORRECT |
| B | Perform a nitrazine test. | |
| C | Administer oxytocin. | |
| D | Place the client in Trendelenburg position. | |

Student message:

painless bleeding سؤال جاني
 abruptio placenta و متذكره الللي هي الصبح و placenta previa

Source:

quizlet.com

A pregnant client at 25 weeks reports bright red vaginal bleeding after intercourse without pain or cramping. Which condition is most likely?

- | | | |
|----------|--------------------------------|----------------|
| A | Placental abruption | |
| B | Friable cervix | |
| C | Placenta previa | CORRECT |
| D | Sexually transmitted infection | |

Student message:

G P T A L و سؤال احسب

Source:

naxlex.com

A client is 28 weeks pregnant, had an elective abortion at 9 weeks, twins at 36 weeks, and a miscarriage at 15 weeks. Which GTPAL is correct?

- | | | |
|----------|------------------|----------------|
| A | 4-0-0-2-2 | |
| B | 4-2-0-2-2 | |
| C | 4-0-2-2-2 | |
| D | 4-0-1-2-2 | CORRECT |

Student message:

Immediately after a surgical repair of cleft palate ??

الاجابه "prone"

Source:

quizlet.com

A nurse is providing postoperative care for a child who had a cleft palate repair. In which position should the nurse place the child?

- A Infant seat
- B Supine
- C **Prone**
- D Side-lying

CORRECT**Student message:**

4' Post thyroidectomy position

الاجابه

Semi fowlers

Source:

quizlet.com

A client is 8 hours postoperative following a subtotal thyroidectomy. Which position should the nurse use?

- A High-Fowler's with the neck extended
- B High-Fowler's with the neck neutral
- C Semi-Fowler's with the neck extended
- D **Semi-Fowler's with the neck neutral**

CORRECT**Student message:**

5. انواع العزل للمeningitis

الاجابه Droplet

Source:

quizlet.com

Which isolation precaution should the nurse implement for a client with meningitis?

- A **Droplet**
- B Contact
- C Standard
- D Reverse

CORRECT

Student message:

What is the correct sequence
putting the equipment on 6

الاجابة
Gown ,face'mask ,eyewear'gloves

Source:

quizlet.com

When using a full set of personal protective equipment, which sequence correctly describes donning the equipment?

- A Gown, gloves, mask, goggles
- B Gown, mask, goggles, gloves**
- C Gloves, gown, goggles, mask
- D Mask, gloves, gown, goggles

CORRECT**Student message:**

مريض شخص ب tB ويلبس ماسك N95 ليه

Source:

quizlet.com

Which personal protective equipment is required when caring for a client with tuberculosis?

- A N95 respirator**
- B Surgical mask
- C Full-face respirator
- D Gas-mask respirator

CORRECT**Student message:**

سؤال مريض بياخذ دواء عضل في المنزل

الممرضه بتعلمه فين يرمي اليندل والسررنجه

Source:

quizlet.com

A family member gives subcutaneous injections at home. How should used needles and syringes be discarded?

- A Break the needle, wrap it in newspaper, and place it in the trash.
- B Recap the needle and place it in the household garbage.
- C Save the needles for the visiting nurse to remove.
- D Place the unrecapped needle and syringe in a large plastic container with a secure lid.**

CORRECT

Student message:

الام التي توفي مولودها وقت الولادة وتقول للممرضة انا السبب وتلوم نفسها وش ردة فعل الممرضة وقتها ؟

Source:

quizlet.com

After giving birth to a stillborn infant, the woman turns to the nurse and says, "I just finished painting the baby's room. Do you think that caused my baby to die?" The nurse's best response is:

- A That's an old wives' tale; lots of women are around paint during pregnancy and have healthy babies.
- B It is not likely. Paint was used in your house, and the fumes must have been strong.
- C Remain silent and sit with the client.
- D I can understand your need to find an answer to what caused this. What else are you thinking about? **CORRECT**

Q-287

Student message:

ام اتصلت على المركز تسأل عن سرية الطفل لونها احمر بدون نزيه وش تتصرف

Source:

quizlet.com

A nurse assesses a newborn's umbilical cord and notes warmth, swelling, tenderness, and a foul odor. Which action should the nurse take first?

- A Document this as an expected finding.
- B Apply petroleum jelly to the cord.
- C Notify the provider immediately. **CORRECT**
- D Recommend a tub bath.

Q-288

Student message:

سؤال الحج

Source:

naxlex.com

Preventive measures such as immunizations and water fluoridation are examples of which type of prevention?

- A Quaternary prevention
- B Tertiary prevention
- C Secondary prevention
- D Primary prevention **CORRECT**

Student message:

سؤال عزل الطفل المصاب ب measles

Source:

quizlet.com

If a patient has measles, which of the following is a required additional precaution?

- A Hand hygiene
- B **N95 respirator**
- C Gloves
- D Eye protection

CORRECT**Student message:**

جاني سوال عن Group A β -hemolyti وحطيت الجواب Rheumatic fever

Source:

quizlet.com

Which of the following organisms is responsible for the development of rheumatic fever?

- A **Group A beta-hemolytic streptococcus**
- B Staphylococcus aureus
- C Streptococcus pneumoniae
- D Haemophilus influenzae

CORRECT**Student message:**

جاني الوضعيه بعد استئصال اللوز

Source:

naxlex.com

In which position should a nurse place a child postoperative tonsil and adenoidectomy (T&A)?

- A Semi-Fowler with the head turned to the side
- B High Fowler, head slightly forward and to the side
- C **Side-lying**
- D Supine

CORRECT

Student message:

❓(Tetralogy of Fallot (TOF وضعية

Source:

quizlet.com

An infant with tetralogy of Fallot suddenly becomes cyanotic during a hypercyanotic spell. Which position should the nurse place the infant in?

- | | |
|---|-----------------------|
| A | Prone |
| B | Knee-chest |
| C | High-Fowler's |
| D | Reverse Trendelenburg |

CORRECT

Q-293

Student message:

عندي سؤال إنه في عندي طفل عنده rash طفح جلدي فلود فيه موية. من ضمن الأجوبة كانت الmeasles والchickenpox

Source:

quizlet.com

When caring for a hospitalized child who has varicella, which of the following actions should a nurse take?

- | | |
|---|--|
| A | Place the child on airborne and contact isolation until lesions have crusted over. |
| B | Request a provider prescription for antibiotics. |
| C | Request a corticosteroid for pruritus. |
| D | Apply a hot, moist compress. |

CORRECT

Q-294

Student message:

جانى سؤال الحج ٤

Source:

naxlex.com

A public health nurse is participating in the care of several populations within the community. Which action by the nurse is an example of primary prevention?

- | | |
|---|---|
| A | Creating a free exercise program for adults who have cardiovascular disease. |
| B | Implementing immunization clinics for students at elementary schools. |
| C | Providing tuberculosis screenings for health care workers. |
| D | Administering immunoglobulin to members of the community after exposure to hepatitis A. |

CORRECT

Student message:

وسؤال دایت لپیشنٹ نباتی

Source:

quizlet.com

Which combination of foods will the nurse recommend to a vegan patient for a healthy protein balance?

- A Eggs and fish
- B Dairy and eggs
- C Fish and poultry
- D **Grains and legumes** CORRECT

Student message:

وسؤال عن پیشنت عندہ anemia ایش ننصحہ یاخذ الجواب کان فیتامین سی

Source:

quizlet.com

A pregnant teenage client has iron-deficiency anemia. Which nutrient should she increase to enhance iron absorption?

- A Vitamin A
- B **Vitamin C** CORRECT
- C Vitamin D
- D Vitamin E

Student message:

سؤال عن نوع الماسك لل TP
اللي هو 95 ماسك

Source:

quizlet.com

A nurse is caring for a client recently diagnosed with active tuberculosis. Which infection-control measure is the priority when entering the client's room?

- A Wear a surgical mask.
- B Use a standard face shield.
- C **Wear an N95 or HEPA respirator.** CORRECT
- D Apply a gown only.

Q-298

SnleNotes.com



Student message:

renal failure مريض عنده
ايش العلامات من ضمن الخيارات

☐ Hyponatremia + edema.

Source:

naxlex.com

Which is a common complication of acute renal failure during the oliguric phase?

- A Hyponatremia
- B Pulmonary edema**
- C Metabolic acidosis
- D Hypokalemia with arrhythmias

CORRECT

Q-299

SnleNotes.com



Student message:

What patient is at risk for excess fluid volume?
A. Patient with ileostomy B. Patient taking a loop diuretic C. Patient with chronic renal failure
D. Patient hooked to gastrointestinal

Source:

quizlet.com

The nurse is caring for a group of patients. Which patient is at greatest risk for increased extracellular fluid accumulation?

- A A patient with osmotic diuresis
- B A patient with renal impairment**
- C A patient with an intestinal obstruction
- D A patient with drainage from a rectal fistula

CORRECT

Student message:

A 29 year-old man is in the Surgical Ward on his first post-operative thyroidectomy. He appears drowsy but the he is able to respiration by nodding head. He is developing mild restlessness. What is the initial recommendedgoal of care?

- A. Monitor vital signs of thyroid storm
- B. Assess for bilateral vocal fold mobility
- C. Monitor for swelling on the neck
- D. Monitor for vocal cord paralysis

Source:

quizlet.com

A 29-year-old man is in the surgical ward on his first postoperative day after thyroidectomy. He appears drowsy but responds by nodding his head and is developing mild restlessness. What is the initial recommended goal of care?

- | | | |
|----------|---|----------------|
| A | Monitor vital signs for thyroid storm. | CORRECT |
| B | Assess for bilateral vocal fold mobility. | |
| C | Monitor for swelling of the neck. | |
| D | Monitor for vocal cord paralysis. | |

Student message:

جاني سيناريو عن روماترك فيفر

Source:

quizlet.com

Which complication will the nurse monitor for when caring for a client with an infection caused by group A beta-hemolytic streptococci?

- | | | |
|----------|------------------------|----------------|
| A | Hepatitis A | |
| B | Rheumatic fever | CORRECT |
| C | Spinal meningitis | |
| D | Rheumatoid arthritis | |

Student message:

وجاني وش نوع blood الي ينقل
الاكسجين ، بلازما ، RBC ، platelets

Source:

quizlet.com

Which blood component is primarily responsible for oxygen transport?

- | | | |
|----------|------------------------|----------------|
| A | White blood cells | |
| B | Platelets | |
| C | Red blood cells | CORRECT |
| D | Plasma | |

Student message:

storming حَقّ

Source:

quizlet.com

Patients with mental health issues are having difficulty resolving conflicts about their opinions. The nurse determines that the group is in which phase?

- A Forming
- B **Storming**
- C Performing
- D Adjourning

CORRECT**Student message:**

وجا دايمو قرطك بس كلمتها الثانية collaion كذا المهم فهمتو

Source:

quizlet.com

A nurse manager meets with staff about cost containment and asks for their input. Which leadership style is the manager using?

- A Autocratic
- B **Democratic**
- C Laissez-faire
- D Moral

CORRECT**Student message:**جا سيناريو انو ام حامل كان فمرحلة Labor وولدت ولا زالت انقباضات الرحم فيه وش يعني؟
بداية مرحلة 3 نزول البلاستنا**Source:**

quizlet.com

In which stage of labor is the placenta expelled?

- A First stage
- B Second stage
- C **Third stage**
- D Fourth stage

CORRECT

Student message:

سؤال ترتيب stages of grief

Source:

quizlet.com

What is the correct order patients go through the Kubler-Ross stages of dying?

- A Denial, anger, bargaining, depression, acceptance
- B Depression, denial, bargaining, anger, acceptance
- C Patients may move back and forth through the stages

D Answers 1 and 3

CORRECT

Student message:

سؤال عن وحده معها DVT وصار

فيه pain وزيادة ف cm وش نسوي ؟ حطيت elevate leg الخيارات الباقية مو منطقية وافيه خيار نسوي اكسرسايز مدري ايش ماقتنعت

Source:

naxlex.com

A nurse is planning care for a client who has a deep vein thrombosis in the right leg. Which action should the nurse include?

- A Maintain bed rest.
- B Elevate the affected extremity.**
- C Apply cold compresses.
- D Massage the muscle.

CORRECT

Student message:

سؤال primary prevention

Source:

naxlex.com

Which action is an example of primary prevention?

- A Avoiding unnecessary imaging
- B Receiving a flu vaccination**
- C Attending cardiac rehabilitation after a heart attack
- D Undergoing breast cancer screening

CORRECT

Student message:

سؤال وش احسن اسسمنت لمريض معاه dissoative disorder ? الخيارات

Family history

Lap investigation

Observation sometime

Physical examination

Source:

naxlex.com

The nurse who is counseling a client with dissociative identity disorder should understand that which assessment is the highest priority?

- | | | |
|----------|---------------------------|----------------|
| A | Risk for self-harm | CORRECT |
| B | Memory fragmentation | |
| C | Cognitive function | |
| D | Self-esteem | |

Student message:

سؤال عن ER autucatic in

Source:

quizlet.com

A nurse manager is coordinating care after a plane crash brings multiple victims to the emergency department. Which leadership style is most appropriate?

- | | | |
|----------|-------------------|----------------|
| A | Autocratic | CORRECT |
| B | Democratic | |
| C | Laissez-faire | |
| D | Eclectic | |

Student message:

سؤال عن democratic

Source:

quizlet.com

A nurse manager asks staff for suggestions to improve collaboration. Which leadership style is being used?

- | | | |
|----------|-------------------|----------------|
| A | Laissez-faire | |
| B | Democratic | CORRECT |
| C | Autocratic | |
| D | Transactional | |

Student message:

chest pain + radiating shoulder سؤال مريض جاي ب

وش نسوي؟

اخترت بين خيارين

– nitroglycerin

– improve myocardial oxygenation

حطيت نetro حسيتها اشمل للإجابة

Source:

naxlex.com

A client with angina asks, "Why am I taking nitroglycerin?" Which response should the nurse make?

A It dissolves clots in your coronary arteries.

B It dilates cardiac blood vessels to deliver more oxygen.

CORRECT

C It relieves nausea caused by angina.

D It acts as a bronchodilator.

Student message:

سؤال حامل انخفاض الFHR من 160 الى 120

والمطلوب انه وش تسوي التيرس للإسمت ؟ حطيت physician notify

Source:

naxlex.com

At a routine prenatal visit, the nurse notes that a patient at 37 weeks of gestation has a fetal heart rate of 120 beats/min, decreased from 160 beats/min earlier in pregnancy. What should the nurse do first?

A Ask whether the patient took a sedative.

B Record the finding as normal.

CORRECT

C Notify the physician.

D Turn the patient onto her right side.

Student message:

مريضة عندها بليدينق ماوقف بعد المساج وبعد pressure سواه الدكتور وش نسوي ؟ صراحة اخترت اقرب اجابة كانت Uterine packing

Source:

naxlex.com

A nurse is caring for a client with postpartum hemorrhage. Which surgical management should be expected if she has uterine atony?

A Manual removal of retained fragments

B Repair of lacerations or hematomas

C Uterine tamponade with a balloon catheter or gauze packing

CORRECT

D Uterine artery embolization

Student message:

tunnig fork in weber test سؤال مكان

Source:

quizlet.com

Which technique should the nurse implement when performing a Weber test?

- A Tap the patellar tendon using a reflex hammer.
- B Shine the light of an ophthalmoscope into the pupil.
- C Visualize the tympanic membrane using an otoscope.
- D Place a vibrating tuning fork midline on top of the head. CORRECT**

Student message:

anti malarial side effects? Tinnitus سؤال

Source:

quizlet.com

A client is receiving quinine for drug-resistant malaria. The nurse should monitor for cinchonism, which presents with which findings?

- A Diarrhea, nausea, and fever
- B Yellow sclera and skin
- C Tremors and ataxia
- D Vomiting, tinnitus, and vertigo CORRECT**

Student message:?captopril side effects سؤال
Postural hypotension**Source:**

quizlet.com

After a client receives newly prescribed captopril, which priority intervention decreases complications?

- A Provide food with the medication.
- B Ask the client to request assistance when rising from bed. CORRECT**
- C Have assistive personnel give the client a bath.
- D Monitor the client for hypokalemia.

Student message:

pressure ulcer stage 4 سؤال

Source:

naxlex.com

Which statement best describes the most critical aspect of the client's pressure injury and treatment?

- A The client was admitted three days ago.
- B The pressure injury is stage 4.**
- C The client rates pain as 2 out of 10.
- D The dressing was reapplied and sealed.

CORRECT**Student message:**

ARDS سؤال من خصائص

Source:

quizlet.com

When caring for a patient with acute respiratory distress syndrome, which finding is most characteristic?

- A Progressive hypercapnia
- B Refractory hypoxemia**
- C Increased pulmonary artery wedge pressure
- D Bronchial breath sounds

CORRECT**Student message:**

سؤال من وين ناخذ urine sample موجود يغيث

Source:

naxlex.com

Where should the nurse collect a urine specimen from a patient with an indwelling catheter on day two?

- A The specimen port on the catheter**
- B The drainage valve on the bag
- C The tip of the catheter
- D The balloon port

CORRECT

Student message:

سؤال MMR تمنع ايش
Mumps, measles, rubella

Source:

quizlet.com

Which group of diseases is prevented by the MMR vaccine?

- | | | |
|----------|------------------------------------|----------------|
| A | Measles, mumps, and rubella | CORRECT |
| B | Measles, malaria, and rabies | |
| C | Measles, mumps, and rotavirus | |
| D | Malaria, mumps, and rubella | |

Student message:

سؤال
Purified Protein Derivative) route ? intradermal

Source:

naxlex.com

A nurse is administering an injection to a patient at a 15-degree angle. Which type of injection is the nurse administering?

- | | | |
|----------|--------------------|----------------|
| A | Subcutaneous | |
| B | Z-track | |
| C | Intramuscular | |
| D | Intradermal | CORRECT |

Student message:

مریض علی اوکسیجن ماسک وصار عنده ریڈنس تحت الستراپ وش نسوي ؟ حظیت انه نخط تحته gauze
وكان فيه خيار نبدأ لل nasal cannula بس ماحسيتها صح

Source:

quizlet.com

A nurse is applying an oxygen mask for a client with bronchial pneumonia. What should the nurse do to prevent skin breakdown?

- | | | |
|----------|---|----------------|
| A | Place cotton balls under the entire mask. | |
| B | Place gauze pads under the elastic strap at pressure points. | CORRECT |
| C | Apply powder around the edges of the mask. | |
| D | Adjust the straps loosely. | |

Student message:

فيه سؤال من غيٲ او ايمان انه مريض دمنشيا عنده جرس بس جينا حصلناه جالس ومدي ايس وش نسوي فالبلان ؟ نكمل عليها ونذكر المريض يستخدم الجرس وينادينا

Source:

quizlet.com

When a patient turns on the call bell every few minutes, what is the appropriate response?

A Ask the patient not to call so often.

B Stop by the patient's room more often.

CORRECT

C Put the call bell out of reach.

D Tell the patient how busy the staff are.

Q-325

Student message:

سؤال عن postpartum لها خمس ايام تبكي وماتنام وش التشخيص ؟
لان لها خمس ايام baby blue

Source:

quizlet.com

During a telephone follow-up conversation 5 days postpartum, a woman says, "I don't know what's wrong with me. I love my baby, but I seem to be crying all the time!" The woman is most likely experiencing:

A Taking-in

B Letting go

C Postpartum blues

CORRECT

D Attachment

Q-326

Student message:

جاني سؤال عن واحد
مسوي prostatectomy له اسبوع وش نعطيه اديوكيشن

Avoid heavy lifting for 6 month

Check incision daily

Source:

quizlet.com

Which statement by a client after transurethral resection of the prostate demonstrates understanding of discharge teaching?

A I will use a daily enema.

B I will avoid heavy lifting, climbing, and driving until my follow-up visit.

CORRECT

C I no longer have any risk for prostate cancer.

D I will drink coffee, tea, and soft drinks frequently.

Student message:

جاني سؤالين عن cast بس بسيناريو واعراض مختلفه بس كلهم نفس الفكرة وكلهم نفس الاجابة الاولوية نشوف pulse ف الاطراف

Source:

quizlet.com

A client has a closed ankle injury. The right foot is pale and cool, pain is 8 out of 10, and no pulse is palpable. Which action should the nurse take first?

- A Administer pain medication.
- B Prepare the client for reduction.
- C Obtain a Doppler assessment of the right foot pulse. CORRECT**
- D Notify the physician that there is no pulse.

Student message:

سؤال وش افضل infant J non pharmlological pain management
وناسيه باقي الخيارات Oral feeding

Source:

naxlex.com

A nurse is caring for an infant who just had a circumcision. Which action should the nurse take?

- A Avoid oral sucrose.
- B Administer intravenous morphine.
- C Swaddle the infant. CORRECT**
- D Apply petroleum once daily.

Student message:

سؤال علاج dissociate disorder ? سايكوثيرابي

Source:

naxlex.com

The ultimate goal of therapy for a client with dissociative identity disorder is most likely achieved through which treatment?

- A Crisis intervention and directed association
- B Psychotherapy and hypnosis CORRECT**
- C Psychoanalysis and free association
- D Insight psychotherapy and dextroamphetamines

Student message:

diphthria جاء سوال كيف تنتقل

Source:

quizlet.com

A nurse is caring for a client who has pharyngeal diphtheria. Which of the following transmission-based precautions should the nurse initiate?

- A Contact precautions
- B Droplet precautions**
- C Airborne precautions
- D Protective environment

CORRECT**Student message:**

high fowler البوزسشن حق اللي هو nasogastric

Source:

quizlet.com

A nurse is inserting an NG tube for a client. Which of the following actions should the nurse take?

- A Place the client on the right side
- B Place the client in Low Fowler's position
- C Place the client in High Fowler's position**
- D Place the client supine with the head flat

CORRECT**Student message:**

primary تطعيمه الحج تعتبر

Source:

quizlet.com

A nurse is preparing to administer a DTaP immunization booster to a 4-year-old child. Which level of prevention does this action represent?

- A Primary prevention**
- B Tertiary prevention
- C Secondary prevention
- D Primary nursing care

CORRECT

Student message:

جت عن كيف ترتيب PPE

Source:

quizlet.com

What is the proper order for putting on personal protective equipment (PPE)?

A	Gown, mask, goggles, gloves	CORRECT
B	Gloves, goggles, gown, mask	
C	Mask, gloves, goggles, gown	
D	Gown, gloves, mask, goggles	

Student message:

اعراض نقص البوتاسيوم جابوها واخترت بوتاسيوم

Source:

quizlet.com

Which clinical finding would the nurse associate with hypokalemia?

A	Peripheral edema	
B	Muscle spasms	
C	Kussmaul respirations	
D	Muscle weakness	CORRECT

Student message:

وجاء tension pneumothorax اللي مسوي حادث وصار deviation right

Source:

quizlet.com

Which finding should the nurse expect in a client who has a tension pneumothorax?

A	Tracheal deviation toward the unaffected side	CORRECT
B	Bilateral equal chest movement	
C	Decreased respiratory effort	
D	Decreasing central venous pressure	

Student message:

ممرضه اعطت مديكشن غلط المفروض نبليغ على طول

Source:

quizlet.com

A nurse realizes that a medication error has occurred and the client appears unharmed. Which action should the nurse take first?

- A Document the error in the medical record
- B Notify the provider
- C Complete an incident report
- D Assess the client**

CORRECT**Student message:**

حامل عطيناها oxtocin وصارت انقباضات ماتوقف

Source:

quizlet.com

Which intervention is the priority when uterine tachysystole occurs while a client is receiving oxytocin?

- A Increase the IV fluid rate
- B Stop the oxytocin infusion**
- C Administer oxygen
- D Place the client supine

CORRECT**Student message:**

اعطينا مريض lithium وفجأة صارت اعراض نوقفه عنه

Source:

quizlet.com

A client taking lithium has a serum lithium level of 1.8 mEq/L. Which action should the nurse take?

- A Administer the scheduled dose
- B Hold the dose**
- C Encourage the client to restrict water
- D Give the medication after supper

CORRECT

Student message:

meta-analysis جاء وش افضل EBP حظيت

Source:

quizlet.com

Which source provides the highest level of evidence?

- | | | |
|---|---|---------|
| A | A single cohort study | |
| B | A controlled study without randomization | |
| C | A systematic review of qualitative studies | |
| D | A meta-analysis of randomized controlled trials | CORRECT |

Student message:

hypermagnesim جاء وش اكثر علامه مميزه ب-cushing syndrome والخيارات او hypertension او وانا اتذكر الكورتيزول بس ههههه

Source:

quizlet.com

Which blood pressure finding should the nurse expect in a client who has Cushing syndrome?

- | | | |
|---|-------------------------|---------|
| A | Hypotension | |
| B | Normal blood pressure | |
| C | Hypertension | CORRECT |
| D | Orthostatic hypotension | |

Student message:

Rheumatic fever جاني سوال عن Group A β -hemolyti وحظيت الجواب

Source:

quizlet.com

Treatment for group A beta-hemolytic streptococcal infection prevents which serious sequela?

- | | | |
|---|-----------------------|---------|
| A | Otitis media | |
| B | Diabetes insipidus | |
| C | Nephrotic syndrome | |
| D | Acute rheumatic fever | CORRECT |

Student message:

جاني الوضعيه بعد استئصال اللوز

Source:

quizlet.com

A nurse is preparing a child for the postoperative period following a tonsillectomy. Which position should the nurse plan to use?

A Supine

B Side-lying

CORRECT

C High-Fowler's

D Trendelenburg

Student message:

(Tetralogy of Fallot (TOF وضعية

Source:

quizlet.com

A 2-month-old infant with tetralogy of Fallot becomes cyanotic and tachypneic during a painful procedure. Which action should the nurse take initially?

A Calm the infant and reduce stimuli

B Administer 100% oxygen

C Place the infant in the knee-chest position

CORRECT

D Administer IV fluids

Student message:

جاني سؤال ل TP في السعودية كيف الوقاية
ومن ضمن الخيارات فاكسين BCG

Source:

quizlet.com

Which person would be an appropriate candidate for the BCG vaccine?

A An infant born in the United States

B A foreign-born person entering the United States

C A home health nurse working in a rural area

D A physician caring for clients with tuberculosis in an endemic region

CORRECT

Student message:

عندي سؤال إنه في عندي طفل عنده rash طفح جلدي فلود فيه موية. من ضمن الأجوبة كانت وال measles وال chickenpox

Source:

quizlet.com

A preschool child with varicella has fluid-filled skin lesions. How should the nurse classify these lesions?

A	Vesicles	CORRECT
B	Wheals	
C	Papules	
D	Pustules	

Student message:

جاني سؤال الحج

Source:

quizlet.com

A women's health club asks a community nurse to speak about primary prevention. Which activity should the nurse include?

A	Immunizations	CORRECT
B	Routine physician visits	
C	Antibiotic treatment	
D	Cervical cancer screening	

Student message:

وسؤال داييت لبيشنت نباتي

Source:

quizlet.com

Which food should the nurse offer a client who follows a vegan diet?

A	Bagel with cream cheese	
B	Fried egg	
C	Fruit yogurt	
D	Wheat toast with peanut butter	CORRECT

Student message:

وسؤال عن پیشنهات anemia ايش ننصحه ياخذ الجواب كان فيتامين سي

Source:

quizlet.com

Which vitamin enhances iron absorption?

- A Vitamin A
- B Vitamin B2
- C **Vitamin C**
- D Vitamin D

CORRECT

Student message:

جاني سؤال طفل بعد الرضاعة يستفرغ ويطلع مع الأنف وكان من ضمن الخيارات

- [] cleft lip + cleft palat
- [] Hirschsprung disease
- [] Intussusception
- [x] TEF = Tracheoesophageal Fistula

Source:

quizlet.com

A nurse caring for a neonate notices excessive frothy mucus coming from the nose and mouth. Which condition should the nurse suspect?

- A Cleft lip
- B Cleft palate
- C Biliary atresia
- D **Tracheoesophageal fistula**

CORRECT

Student message:

سؤال عن نوع الماسك لل TP
اللي هو 95 ماسك

Source:

quizlet.com

A nurse is caring for a client with active tuberculosis in a private room. What should the nurse do before entering the room?

- A Wear a surgical mask
- B Put on a gown and gloves
- C **Wear a HEPA-filtered N95 respirator**
- D Use standard precautions only

CORRECT

Student message:

renal failure مريض عنده
ايش العلامات من ضمن الخيارات
☐ Hyponatremia + edema.

Source:

quizlet.com

Which finding supports the nursing diagnosis of excess fluid volume in a client with acute renal failure?

- | | | |
|----------|---|----------------|
| A | Pitting edema of the lower extremities | CORRECT |
| B | Normal bowel sounds | |
| C | Wheezing without edema | |
| D | Generalized weakness | |

Student message:

Thyroidectomy سؤال عن وضعية بعد
☐ Semi-Fowler's position + slight neck flexion
slight neck flexion او full neck flexion حط
وركزو لانه حط

Source:

quizlet.com

Which position is appropriate for a client following thyroidectomy?

- | | | |
|----------|--|----------------|
| A | Flat supine | |
| B | Semi-Fowler's with the head and neck supported and avoiding extension | CORRECT |
| C | High-Fowler's with the neck hyperextended | |
| D | Side-lying without neck support | |

Student message:

Saudi Arabia wants to prevent TB..
A- TB screening
B- mass BCG vaccination

Source:

quizlet.com

Which measure is most effective for preventing and controlling pulmonary tuberculosis?

- | | | |
|----------|----------------------------|----------------|
| A | Screening only | |
| B | Monthly medical missions | |
| C | BCG vaccination | CORRECT |
| D | Standard precautions alone | |

Student message:

Hajj vaccinations for considered

A- Primary

B- Secondary

Source:

quizlet.com

An influenza vaccination clinic is an example of which level of prevention?

- | | | |
|----------|---------------------------|----------------|
| A | Primary prevention | CORRECT |
| B | Secondary prevention | |
| C | Tertiary prevention | |
| D | Restorative prevention | |

Student message:

nephrotic syndrome جاني سؤالين عن
symptoms واحد طلب ال

Source:

quizlet.com

Which group of manifestations is characteristic of nephrotic syndrome?

- | | | |
|----------|--|----------------|
| A | Hematuria, bacteriuria, and weight gain | |
| B | Gross hematuria, albuminuria, and fever | |
| C | Hypertension, weight loss, and proteinuria | |
| D | Massive proteinuria, hypoalbuminemia, and edema | CORRECT |

Student message:

findings والسؤال الثاني يعني ال
Generalized edema واظن الجواب

Source:

quizlet.com

Which nursing diagnosis is most directly related to the major manifestation of nephrotic syndrome?

- | | | |
|----------|---|----------------|
| A | Constipation | |
| B | Risk for injury | |
| C | Hyperthermia | |
| D | Excess fluid volume related to generalized edema | CORRECT |

Student message:

post thyroidctomy الوضعيه الصحيحه

Semi folwer with slight neck flexing فاولر سيمي فاولر

Source:

quizlet.com

Which position should the nurse use for a client immediately after thyroidectomy?

A Side-lying with one pillow

B Head of bed 30 degrees without pillows

C Semi-Fowler's with the head supported by two pillows

CORRECT

D Supine with a neck roll

Student message:

جاني في الاختبار تطعيم الحج وش الهدف منه الي هو برايمري بريفتشن

Source:

quizlet.com

A community health nurse is planning a primary prevention strategy. Which action should the nurse include?

A Provide nutritional counseling to clients with diabetes

B Report suspected child neglect

C Conduct vision and hearing screening

D Teach community members about handwashing

CORRECT

Student message:

وجاني برضوا سؤال وش اول خطوه في الايفندس باسد براكتس

Source:

quizlet.com

What is the first step in evidence-based practice?

A Acquire the evidence

B Appraise the evidence

C Ask a focused clinical question

CORRECT

D Apply the evidence

Student message:

جاني سؤالين عن لو اعطاك الدكتور اوردر اتصال وش نسوي

Source:

quizlet.com

Which action should a nurse take when receiving a telephone order from a provider?

- A Print a copy of the order
- B Read the order back to the provider**
- C Ask another nurse to listen on an extension
- D Require the provider to write it within 24 hours before acting

CORRECT**Student message:**

وجاني سؤال وش تطعيم التشكن بوكس الي هو فيرسلا

Source:

quizlet.com

Which vaccine is given to prevent chickenpox?

- A DPT
- B IPV
- C HBV
- D Varicella**

CORRECT**Student message:**

والام الي عندهت بليدينق بس اليوترس كونفيرم اخترت لاسيريشن

Source:

quizlet.com

A postpartum client has heavy vaginal bleeding while the uterine fundus is firm. Which cause should the nurse suspect?

- A Uterine atony
- B Genital tract laceration**
- C Retained placenta
- D Endometritis

CORRECT

Student message:

وسؤال كيف نقيم ان الرحم جالس يرجع لمكانه صح الحل نقيس الفندل هاي

Source:

quizlet.com

A client is 48 hours postpartum. Where should the nurse expect to palpate the fundus?

- A 1 cm above the umbilicus
- B 2 cm above the umbilicus
- C 1 cm below the umbilicus
- D 2 cm below the umbilicus**

CORRECT**Student message:**

جاني اشيء بديهيه مثل تطعيمات الحج

Source:

quizlet.com

A community health nurse is planning a public service campaign to decrease influenza transmission. Which intervention is primary prevention?

- A Provide influenza immunizations**
- B Screen clients for influenza
- C Refer ill clients for treatment
- D Provide rehabilitation after complications

CORRECT**Student message:**

وجاني انواع العزل سؤال واحد وكان كونت

Source:

quizlet.com

An infection is spread by direct and indirect contact. Which transmission-based precaution should the nurse implement?

- A Airborne precautions
- B Droplet precautions
- C Contact precautions**
- D Protective environment

CORRECT

Student message:

وعطاني اربع حالات وعندي سرير واحد فقط من له الاولويه كان من ضمن الاختيارات واحد يفكر ينتحر وحطيته

Source:

quizlet.com

An adolescent has made repeated suicide attempts. Which nursing action is the priority?

- A Check the client every hour
- B Ask the client why the attempts occurred
- C Place the client in seclusion
- D Have a staff member remain with the client**

CORRECT**Student message:**

bipolar وثنائي عن اعراض

Source:

quizlet.com

A highly agitated client paces and says, 'I could buy and sell this place.' The mood fluctuates from laughter to anger. Which documentation is most accurate?

- A Mood 8/10, looseness of association, euphoric
- B Mood euthymic, magical thinking, restless
- C Mood labile, delusions of reference, hyperactive
- D Agitated and pacing, grandiosity, mood labile**

CORRECT**Student message:**

FLACC scale جاء سؤال عن الاجابات نسبتهم

Source:

quizlet.com

A child's FLACC pain score is 9. How should the nurse interpret this score?

- A Little or no pain
- B Mild pain
- C Moderate pain
- D Severe pain**

CORRECT

Student message:

جاء الابدومن اسسمنت
انسبكت اسكلتيشن بركشن بالييشن

Source:

quizlet.com

What is the correct sequence for assessing the abdomen?

A Inspect, palpate, auscultate, percuss

B Inspect, auscultate, percuss, palpate

CORRECT

C Auscultate, inspect, palpate, percuss

D Palpate, inspect, auscultate, percuss

Student message:

Hirshsprung
كل الاجابات استبعدتها
واخترت كونستيبشن

Source:

quizlet.com

A 3-day-old infant has abdominal distention, vomiting, and has not passed meconium. Which disorder should the nurse suspect?

A Pyloric stenosis

B Intussusception

C Hirschsprung disease

CORRECT

D Celiac disease

Student message:

تسمم الحمل جا
اني عندها هاي بروتين يورين

Source:

quizlet.com

Which finding distinguishes preeclampsia from gestational hypertension?

A Blood pressure above 140/90 mm Hg

B Abnormal proteinuria

CORRECT

C Generalized edema

D Epigastric pain

Student message:

طفل عنده سكل سيل انيميا
يشكي الم اطرافه العلويه والسفليه وكريكينز
وش التدخل
انا اخترت هيدريشن ومانجمنت الالم

Source:

quizlet.com

Which intervention is appropriate for a child experiencing a sickle cell vaso-occlusive crisis?

A Correct acidosis only

B Provide hydration and pain management

CORRECT

C Administer heparin with analgesics

D Give oxygen and factor VIII

Student message:

جاني سؤال اللي يساعد على امتصاص الكالسيوم ؟ فيتامين D

Source:

quizlet.com

Which vitamin helps the body absorb calcium?

A Vitamin A

B Vitamin B

C Vitamin C

D Vitamin D

CORRECT

Student message:

واللي يساعد على امتصاص ال iron ؟ فيتامين C

Source:

quizlet.com

Which food should a client take with an oral iron supplement to enhance absorption?

A Milk

B Yogurt

C Antacid

D Orange juice

CORRECT

Student message:

primary prevention وتطعيمه الحج

Source:

quizlet.com

Which community health activity is an example of primary prevention?

- A Screen adults for hypertension
- B Provide rehabilitation after stroke
- C Treat active tuberculosis

D Administer recommended immunizations

CORRECT

Student message:

Leg cramp in pregnancy ↻ Dorsiflex the foot.

Source:

quizlet.com

A pregnant client reports leg cramps. Which action should the nurse recommend?

- A Bend the foot toward the body while flexing the knee

B Bend the foot toward the body while extending the knee

CORRECT

- C Point the foot away while flexing the knee
- D Point the foot away while extending the knee

Student message:

جاني سؤال ان هذا الدايوركت ايش يعمل بالاكترولوات

Source:

quizlet.com

A client is taking furosemide. Which electrolyte imbalance should the nurse monitor for?

- A Hypernatremia

B Hypokalemia

CORRECT

- C Hyperkalemia
- D Hypocalcemia

Student message:

جاء سؤال عن الاختبار/التشخيص الأكثر تأكيداً بعد ECG.

Troponin

Cardiac catheterization

لمريض MI يعني إيش بعدهم يكون

Source:

quizlet.com

Which laboratory test is most specific for acute coronary syndrome or myocardial infarction?

A	Troponin markers	CORRECT
B	Serum lactate dehydrogenase	
C	Serum myoglobin	
D	Creatine kinase–MB	

Student message:

RSV=contact

Source:

quizlet.com

A child is admitted with respiratory syncytial virus infection. Which precautions should the nurse initiate?

A	Protective precautions	
B	Contact precautions	CORRECT
C	Standard precautions only	
D	Airborne precautions	

Student message:

Newborn مكان إبرة فيتامين k

vastus laterali

Source:

quizlet.com

Which injection site should the nurse use to administer vitamin K to a newborn?

A	Lower rectus femoris	
B	Lateral middle third of the vastus lateralis	CORRECT
C	Medial deltoid	
D	Gluteus maximus	

Student message:

Weber test وممرضه بتسوي

ووفيه انه خيارات يقيس فقط sensorineural hearing loss

Rinne test وخيارات كثير كانت الأقرب انه بيكون مكمل وينسوا مع

Source:

quizlet.com

What do the Rinne and Weber tests assess?

A	Air and bone conduction	CORRECT
B	Tympanic membrane movement	
C	Mastoid tenderness	
D	Ear canal nodules	

Student message:

Blood transfusion reaction ❗ STOP the transfusion FIRST

هذا ذاكرينه اوريدي بالسؤال ولكن الخيارات ذكر ان الممرضه Keep IV line open with normal saline using هذا صح

Source:

quizlet.com

A nurse stops a blood transfusion after identifying a transfusion reaction. Which action should the nurse take next?

A	Check the tubing and blood bag	
B	Obtain vital signs	
C	Keep the IV line open with normal saline	CORRECT
D	Notify the health care provider	

Student message:

Hirschsprung disease

العلامة الكلاسيكية عند الـ newborn:

Failure to pass meconium within the first 24–48 hours

Source:

quizlet.com

Which finding should the nurse expect in a newborn who has Hirschsprung disease?

A	Acute diarrhea and poor skin turgor	
B	Currant-jelly stools and episodic pain	
C	Projectile vomiting and hypochloremia	
D	Failure to pass meconium and abdominal distention	CORRECT

Student message:

Herd immunity إننا أعطوا المجتمع vaccinations ويعدها قلت نسبة المرض، فهذا يدل على

Source:

naxlex.com

Which statement should a nurse include when teaching a community group about the primary reason vaccinations are recommended?

- A They eliminate the need for antihypertensive medicines
- B They improve skin tone
- C They protect against serious disease and help prevent spread to others** CORRECT
- D They mainly treat illness after it occurs

Student message:

The patient has a UTI. What advice is given regarding drinking to prevent UTI?

A. Cranberry

Source:

quizlet.com

Which beverage should a client increase to help reduce the risk of urinary tract infections?

- A Nut-based drinks
- B Caffeinated beverages
- C Citrus drinks
- D Cranberry juice** CORRECT

Student message:

Long-term goal في حالة تلوث/تسمم مياه المجتمع انو الممرضه بتسوي تدخل كان الكلام مو مفهوم بس من الخيارات المنطقيه تسوي زي تيسر او أشياء لمياه هذي المنطقه وتبلغ

Source:

quizlet.com

Several households in a community lack access to clean water. What is the most effective long-term intervention?

- A Provide water-purification tablets
- B Install a deep well or community water-filtration system** CORRECT
- C Advise residents to boil water
- D Distribute bottled water

Student message:

شخص عنده Malnutrition ايش العلامات اللي ممكن تظهر فيها

Source:

quizlet.com

Which finding in a client with malnutrition should the nurse report?

- | | | |
|---|-------------------------------|---------|
| A | BMI of 18.5 kg/m ² | |
| B | Potassium 3.7 mEq/L | |
| C | Phosphorus 3.5 mg/dL | |
| D | Albumin 2.5 g/dL | CORRECT |

Student message:

وجا حق 2 hypertension stage

Source:

quizlet.com

Which blood pressure reading is classified as stage 2 hypertension?

- | | | |
|---|--------------|---------|
| A | 118/76 mm Hg | |
| B | 126/78 mm Hg | |
| C | 134/86 mm Hg | |
| D | 146/92 mm Hg | CORRECT |

Student message:

وجالي سوال طفل circumsetiion والبست بتقول انه cry والطفل apeard red without bleeding

كانت الاختيارات اشيل البيني

اتوجه للطوارئ

اختارت اني اشيل البيني بس كده

الاجابات حرفيا

Hold baby

Directly go to the emergency department in the hospital

Source:

quizlet.com

A nurse is assessing a newborn infant following circumcision and notes that the circumcised area is red with a small amount of bloody drainage. Which nursing action would be most appropriate?

- | | | |
|---|--|---------|
| A | Document the findings | CORRECT |
| B | Contact the physician | |
| C | Circle the drainage and reassess in 30 minutes | |
| D | Reinforce the dressing | |

Student message:

وجالي سؤال رخم جدا برضو
ايه المطلوب intervene
وجايب ٣ اختيارات
Bp 140/100 HR 90 RES 32
Bp 129/80 HR 70 RES 28
Bp 110/70 HR 120 RES 30
اختارت الثالثة

Source:

quizlet.com

The home care nurse is assessing a 37-year-old client's vital signs at rest. Which finding requires nursing intervention?

- A Blood pressure 116/80 mm Hg
- B Respirations 18 breaths/min
- C Pulse rate 70 beats/min
- D **Temporal temperature 100.8°F (38.2°C)** CORRECT

Student message:

cleft lip عنده طفل
نخليه ميعيطش ولا ناكله بالمعلقة لمدة يومين بعد العملية

Source:

quizlet.com

Which postoperative nursing care would the nurse provide to a 3-week-old infant after cleft lip repair?

- A Provide spoon feeding
- B **Cleanse the suture line** CORRECT
- C Provide a pacifier
- D Apply wrist restraints

Student message:

جالي سوال برضو عن premenstrual priod كان سيفير
المفروض اقول للبنت تعمل ايه
قولت تمنع كافين

Source:

quizlet.com

What should the nurse stress when teaching a woman how to deal with premenstrual syndrome?

- A **Decrease caffeine intake** CORRECT
- B Drink wine with meals
- C Decrease fluid intake
- D Eat three large meals daily

Student message:

وسوال عن نورمان فاجينيل دليفري بعد سيزرين يقي رابشر اوف يترين

Source:

naxlex.com

A client is attempting a vaginal delivery after a previous cesarean birth. She suddenly has intense abdominal pain and the fetal monitor stops recording contractions. What has occurred?

- A Placenta previa
- B Uterine rupture**
- C Prolapsed cord
- D Abruptio placentae

CORRECT

Q-394

Student message:

بيقول ان احنا مش عندنا اكسياس او البحوث الجديدة مش بتوصل قد كده. بس المفروض نعمل ايه as needed

Source:

quizlet.com

During a staff meeting, nurses discuss problems accessing research studies for evidence-based clinical decisions. Which suggestion by the nurse manager would best help?

- A Form a committee to conduct research studies
- B Post published studies on the unit bulletin boards
- C Encourage nurses to visit the library
- D Teach nurses how to conduct electronic searches for research studies**

CORRECT

Q-395

Student message:

واحد لاستشاري بيفحص المريض هقوله يغسل ايده قبل ما يلمسه

Source:

quizlet.com

What is the most important nursing action to reduce transmission of microorganisms before beginning a physical assessment?

- A Clean the bell and diaphragm of the stethoscope
- B Perform hand hygiene**
- C Wear gloves when anticipating exposure to body fluids
- D Wear eye protection when anticipating splatter

CORRECT

Student message:

وواحد ل منع العدوى ف المستشفيات
كانت هاند اون هاند

Source:

quizlet.com

A nurse is obtaining vital signs for a client who has AIDS. Before entering the room, which action should the nurse take?

- A Wear gloves and a gown
- B Perform hand hygiene**
- C Review the client's viral load
- D Obtain a disposable stethoscope

CORRECT**Student message:**

A nurse is caring for clients who have already been diagnosed with chronic illnesses and are receiving treatment to reduce complications and improve quality of life. Which level of prevention is being implemented?

- A. Primary prevention
- B. Secondary prevention
- C. Tertiary prevention
- D. Health promotion

Source:

quizlet.com

A nurse is teaching a patient how to manage chronic obstructive pulmonary disease. This intervention is an example of which level of health promotion?

- A Primary prevention
- B Secondary prevention
- C Tertiary prevention**
- D Risk factor prevention

CORRECT**Student message:**

نفس السؤال جاني بس السيناريو عن طفل فيه ربو

Source:

quizlet.com

Which nursing intervention is an example of tertiary preventive care?

- A Administering immunizations
- B Teaching stress-reduction classes
- C Performing blood-pressure screening
- D Assisting with speech therapy after traumatic brain injury**

CORRECT

Student message:

Which of the following best describes Evidence-Based Practice?

- A. Practice based only on nurse's experience.
- B. Practice guided by physician orders.
- C. Practice based on research evidence, clinical expertise, and patient preferences.
- D. Practice following hospital policy only.

Source:

quizlet.com

Which statement best describes evidence-based practice?

- | | | |
|----------|---|----------------|
| A | The conscientious integration of the best research evidence with clinical expertise and patient needs and values | CORRECT |
| B | Standards of behavior that professional nurses are expected to perform | |
| C | Using one study to determine the best evidence | |
| D | Determining the factors that control patient responses to nursing care | |

Student message:

Ask  Formulate a Clinical Question

فيه سؤال بيسألك اول خطوه في EBP
اول مرحله وهي مرحلة السؤال

Source:

quizlet.com

What is the first step in the evidence-based practice process?

- | | | |
|----------|------------|----------------|
| A | Apply | |
| B | Assess | |
| C | Appraise | |
| D | Ask | CORRECT |

Student message:

What is a common barrier to implementing EBP among nurses?

- A. Availability of research databases
- B. Supportive hospital management
- C. Lack of time and skills to review literature.
- D. Strong collaboration among staff

الاجابة C

Source:

quizlet.com

Which barrier do nurses rank as the chief obstacle to conducting evidence-based practice inquiries?

- | | | |
|----------|---|----------------|
| A | Difficulty understanding research articles and data | |
| B | Lack of computer skills | |
| C | Not having enough time | CORRECT |
| D | Not understanding the organization | |

Student message:

Systematic Reviews and Meta-analysis : الافضل

Source:

quizlet.com

Which is considered the highest level of evidence?

- | | | |
|---|--|---------|
| A | A systematic review of descriptive studies | |
| B | A controlled study without randomization | |
| C | A systematic review or meta-analysis of randomized controlled trials | CORRECT |
| D | An expert panel opinion | |

Student message:

systematic reviews فيه سؤال يقول افضل مرجع في
Cochrane Database <<< هو

Source:

quizlet.com

Which database is best for locating synthesized evidence such as systematic reviews and meta-analyses?

- | | | |
|---|----------------------------------|---------|
| A | Cochrane Database | CORRECT |
| B | PubMed | |
| C | National Guideline Clearinghouse | |
| D | CINAHL | |

Student message:

It is a type of study that statistically pools the result from previous studies into a single quantitative analysis that provides one of the highest levels of evidence for an intervention's efficacy.
A-Meta synthesis B-Meta-analysis C-Systemic review D-Outcomes research

الاجابة B

Source:

quizlet.com

What is the main function of a meta-analysis?

- | | | |
|---|---|---------|
| A | Collect qualitative data | |
| B | Combine statistical results from multiple studies | CORRECT |
| C | Develop clinical guidelines | |
| D | Conduct interviews | |

Student message:

فيه سوال بعد سؤالف المريض. وش هي.
الألم ٩ من ١٠
الضغط
الحراره
التنفس. اخترت الألم

Source:

quizlet.com

A client reports persistent headaches. Which finding is an example of subjective data?

- A Temperature is 104.1°F (40.1°C)
- B The client is slow to respond to questions
- C The client is oriented to person, place, and time

D Pain is 4 out of 10 on a pain scale

CORRECT

Student message:

Child restraint around the elbow.

Source:

quizlet.com

A child has elbow restraints after cleft palate repair. What should the nurse do when the mother asks to remove them?

A Remove one restraint at a time

CORRECT

- B Remove both restraints
- C Loosen both restraints
- D Explain that the restraints cannot be removed

Student message:

Tetralogy of fallot : knee chest position

Source:

quizlet.com

A young child with tetralogy of Fallot may assume a posturing position as a compensatory mechanism. Which position should the nurse expect?

- A Low Fowler's
- B Prone
- C Supine

D Knee-chest

CORRECT

Student message:

.Report&document the missed medication &inform next shift nurse. النيرس اللي نست تعطي ميديكاشن.

Source:

naxlex.com

A nurse realizes that a medication due 4 hours ago was not administered. Which action should the nurse take first?

- A File an incident report
- B Determine factors that led to the omission
- C Assess the client for adverse reactions**
- D Report the missed dose to the provider

CORRECT**Student message:**

. lochia rubra لون

Source:

naxlex.com

A nurse checks a client's perineal pad 3 days postpartum and finds 2 cm of red lochia. How should this finding be documented?

- A Heavy lochia alba
- B Heavy lochia rubra
- C Moderate lochia serosa
- D Scant lochia rubra**

CORRECT**Student message:**

أم رفضت التطعيمة... تبين الممرضة لها اهمية التطعيم وحرية الإختيار انها مواجبارية

Source:

quizlet.com

A mother refuses the MMR vaccine because she believes childhood diseases help the immune system. What is the nurse's most appropriate response?

- A Honor the mother's decision without further discussion
- B Explain that antibodies protect against many illnesses
- C Explain that not vaccinating protects pregnant women
- D Explain that these diseases can cause serious permanent complications**

CORRECT

Student message:

Magnesium sulfate. Prevent seizures.

Source:

naxlex.com

A client at 36 weeks of pregnancy is admitted with eclampsia. Which medication should the nurse anticipate to prevent seizures?

A Hydralazine

B Nifedipine

C Magnesium sulfate

CORRECT

D Diazepam

Student message:

Allow Decision making... democratic.

Source:

quizlet.com

Which situation is an example of democratic leadership?

A A manager explains the rules and then asks staff to vote

CORRECT

B A manager directs all actions during an emergency

C A manager asks only close nurse friends

D A manager ignores policy and allows staff to decide

Student message:

DKA...metabolic acidosis.

Source:

quizlet.com

Which laboratory finding should the nurse expect in a client who has diabetic ketoacidosis?

A Blood glucose 30 mg/dL

B Negative serum ketones

C Arterial pH 7.38

D Serum bicarbonate 12 mEq/L

CORRECT

Student message:

Suction for child...less 10 seconds.

Source:

quizlet.com

A home health nurse is teaching parents about endotracheal suctioning of their child. Which instruction should the nurse include?

- A Apply suction when inserting the catheter
- B Apply suction for less than 10 seconds**
- C Set suction pressure to 110 mm Hg
- D Allow 10 to 15 seconds of rest after each attempt

CORRECT**Student message:**

Wilms tumor... كان فيه اختيارات insepion for redness

Source:

quizlet.com

Which preoperative action is appropriate for a child who has Wilms tumor?

- A Limit fluids
- B Do not palpate the abdomen**
- C Force oral fluids
- D Palpate the abdomen every 4 hours

CORRECT**Student message:**

ممرضين يتكلمون عن خصوصية المريض... انكرهم بخصوصية المريض.

Source:

naxlex.com

A nurse overhears two staff members discussing a client's diagnosis in a public hallway. Which action should the nurse take?

- A Ask them to speak more quietly
- B Tell them to stop discussing confidential information**
- C Alert the facility attorney
- D Ignore the situation because no one is nearby

CORRECT

Student message:

stoma عنایة ب

Source:

quizlet.com

Which finding indicates a healthy stoma?

- | | | |
|----------|----------------------------|----------------|
| A | Dark pink and moist | CORRECT |
| B | Red and dry | |
| C | Off-white and pale | |
| D | Dark purple | |

Student message:

Autocratic leader.

Source:

quizlet.com

A nurse manager has a reputation as an autocratic leader. Which statement supports that reputation?

- | | | |
|----------|--|----------------|
| A | I would like to hear your ideas for improving morale | |
| B | I am placing a suggestion box in the break room | |
| C | The new work schedule is posted for the next six weeks | CORRECT |
| D | Please add comments to the blank sheet on the new procedure manual | |

Student message:

Muscle rigidity بارکسنونیزم حطیت

Source:

quizlet.com

A client receives an antipsychotic medication. Which finding indicates pseudoparkinsonism?

- | | | |
|----------|-----------------------|----------------|
| A | Drooling | |
| B | Blurred vision | |
| C | Muscle tremors | CORRECT |
| D | Photosensitivity | |

Student message:

spina bifida occulta تعريف

Source:

quizlet.com

What is a neural tube defect that is not visible externally in the lumbosacral area called?

- A Meningocele
- B Myelomeningocele
- C Spina bifida cystica
- D Spina bifida occulta**

CORRECT**Student message:**

Stage 2 hypertension

Source:

quizlet.com

During two clinic visits, a patient's blood pressure readings are 162/91 mm Hg and 165/94 mm Hg. Which classification should the nurse anticipate?

- A Normotensive
- B Hypotensive
- C Hypertensive crisis
- D Stage 2 hypertension**

CORRECT**Student message:**

تطعيم الحج.

Source:

quizlet.com

A nurse administers a vaccine to children in an immunization program. Which level of prevention does this represent?

- A Primary prevention**
- B Tertiary prevention
- C Secondary prevention
- D Early diagnosis

CORRECT

Student message:

Pacemaker contradiction اللي عنده اشعة MRI يكون

Source:

quizlet.com

A client is scheduled for MRI of the cervical vertebrae. Which history finding is a contraindication?

- A A new tattoo
- B Unable to sit upright
- C Peripheral vascular disease
- D **A pacemaker**

CORRECT**Student message:**

وش الانتى دوت تبع الهبرين

Source:

quizlet.com

What is the antidote for Heparin?

- A **Protamine sulfate**
- B Vitamin K
- C Flumazenil
- D Narcan

CORRECT**Student message:**

وش الانتى دوت تبع المورفين

Source:

quizlet.com

Your patient is post-op from surgery. The patient is receiving Morphine. The patient is experiencing severe respiratory depression. What medication below do you anticipate the physician to order for this patient?

- A Hydroxocobalamin
- B Succimer
- C Atropine
- D **Naloxone**

CORRECT

Student message:

ليش نعطييه فيتامين K للأطفال

Source:

quizlet.com

A nurse prepares to administer a vitamin K injection to a newborn. The mother asks the nurse why her newborn infant needs the injection. The best response by the nurse would be:

- A Your newborn needs vitamin K to develop immunity.
- B Newborns have sterile bowels and vitamin K promotes the growth of bacteria in the bowel.
- C The vitamin K will protect your infant from being jaundiced.
- D Newborns are deficient in vitamin K, and this injection prevents your baby from abnormal bleeding. CORRECT**

Student message:

سوال ثاني رفض الدواء. أنا حطيت اني أحطه مع الاكل.

Source:

quizlet.com

A client refuses a medication. What should the nurse do first?

- A Document the refusal and discard the medication
- B Explain that refusing medications is harmful
- C Ask the client why they do not want to take it CORRECT**
- D Call the provider immediately

Student message:

الفيزكل اسممنت اول خطوه له

Source:

quizlet.com

When performing a physical assessment, the first technique the nurse will always use is:

- A Palpation
- B Inspection CORRECT**
- C Percussion
- D Auscultation

Student message:

جاء سؤال عن تحجر الثدي وش المعلومه الخطا اني تغسله بصابون ومويه

Source:

quizlet.com

A nurse is conducting a home visit for a client who is 1 week postpartum and breastfeeding. The client reports breast engorgement. Which of the following recommendations should the nurse make?

- | | | |
|----------|---|----------------|
| A | Apply cold compresses between feedings. | CORRECT |
| B | Take a warm shower right after feedings. | |
| C | Apply breast milk to the nipples and allow them to air dry. | |
| D | Use the various infant positions for feedings. | |

Student message:

وجاني ان الناس يشوفون الي عندها Mental Illness خطيرين ولازم نتجنبهم حظيت اشجع على التعامل معهم

Source:

quizlet.com

What is the first step the nurse should take to reduce stigma of mental health clients?

- | | | |
|----------|--|----------------|
| A | Increase social contact with mental health clients | |
| B | Attend on-the-job training about mental health clients | |
| C | Have a willingness to interact with mental health clients | CORRECT |
| D | Understand the person as a mental health client | |

Student message:

جاني ان الدكتور حدد لمريضة قيصري وش متوقع حالتها اخترت total preva

Source:

quizlet.com

Which maternal condition always necessitates delivery by cesarean birth?

- | | | |
|----------|------------------------------|----------------|
| A | Partial abruptio placentae | |
| B | Total placenta previa | CORRECT |
| C | Ectopic pregnancy | |
| D | Eclampsia | |

Student message:

جاني سيناريو جفاف المحلول اخترت isotonic

Source:

quizlet.com

The nurse is expecting the admission of a child with severe isotonic dehydration. Which intravenous fluid should the nurse anticipate the practitioner to order initially to replace fluids?

- A D5W
- B 0.9 percent Normal Saline (NS)
- C Albumin
- D D5 0.2 percent (1/4) Normal Saline

CORRECT

Student message:

جاني سيناريوهات anorexia nervosa

Source:

quizlet.com

Which assessment finding would the nurse document as subjective evidence of anorexia nervosa?

- A Lanugo
- B Bradycardia
- C 25-lb weight loss
- D Patient states fear of gaining weight.

CORRECT

Student message:

واسئلة عن العزل في السل

Source:

quizlet.com

A nurse is preparing to care for a patient with active tuberculosis (TB). Which of the following infection control measures should the nurse implement?

- A Place the patient in a positive-pressure isolation room.
- B Wear an N95 respirator when entering the room.
- C Require visitors to wear surgical masks.
- D Implement contact precautions.

CORRECT

Student message:

جاني سوال عن pica بالحمل كان غريب بس اخترت صابون

Source:

quizlet.com

A prenatal client tells the nurse about her craving for laundry starch. How should the nurse respond?

- | | | |
|----------|---|----------------|
| A | This craving is called pica. Try nonfat powdered milk to see if it satisfies your craving. | CORRECT |
| B | You have a condition called bulimia. You must stop the ingestion of laundry starch immediately. | |
| C | You have a condition called anorexia. This disorder will compromise fetal weight gain. | |
| D | Since you are a vegan, the ingestion of laundry starch is considered normal. | |

Student message:

جاني المريض الي بيبي ينتحر اساله كيف الخطه

Source:

quizlet.com

A client on an inpatient psychiatric unit tells the nurse, 'I don't want to be here anymore. None of this is helping, and I've been thinking about ending it.' What should be the nurse's first response?

- | | | |
|----------|--|----------------|
| A | Assign the client to 1:1 observation and document the order. | |
| B | Encourage the client to attend a group therapy session for support. | |
| C | Notify the health care provider of the client's suicidal ideation. | |
| D | Ask the client if they have a specific plan to harm themselves. | CORRECT |

Student message:

وسوال على DKA عند الاطفال vomiting

Source:

quizlet.com

A nurse is caring for a client with Type 1 diabetes who has nausea, vomiting, abdominal pain, and Kussmaul respirations. Which condition should the nurse suspect?

- | | | |
|----------|---------------|----------------|
| A | HHS | |
| B | DKA | CORRECT |
| C | SIADH | |
| D | Myxedema coma | |

Student message:

جاني سؤال عن كيف الطفل يفقد حرارته ما اذكر بالضبط بس كان بالسؤال eva والاجابه حطيتها اتنا لازم ننشفه من الغرق

Source:

quizlet.com

While caring for an infant, which method should the nurse adopt to prevent heat loss caused by evaporation?

- A Wrap the infant in a cloth
- B Place the infant in a warm crib
- C Place the crib away from the windows
- D Dry the infant immediately after the bath**

CORRECT**Student message:**

وضعيه الطفل اللي مسويه cleft lip باليسار حطيت اتنا نخطه على يمينه

Source:

quizlet.com

The nurse is planning postoperative care for an infant after a cleft-lip repair. Which nursing intervention is most appropriate for this infant?

- A Prone positioning
- B Suctioning with a Yankauer device
- C Supine or side-lying positioning**
- D Avoidance of soft elbow restraints

CORRECT**Student message:**

ممرضتين ما حافظو على معلومات المريض حطيت اتنا نذكرهم بالخصوصيه

Source:

quizlet.com

Which of the following actions should a nurse take after witnessing a breach of a client's confidentiality in a provider's office?

- A Complete a health information privacy complaint form.**
- B Anonymously notify the proper governmental agency.
- C Notify the client and ask them to complete a health information privacy complaint form.
- D Inform the provider that a formal complaint will be submitted if another breach is committed.

CORRECT

Student message:

ممرضه غلطت بالدواء وش نسوي حظيت اننا نبليغ على طول

Source:

quizlet.com

The nurse administers an incorrect medication to a client and realizes the error a few minutes later. Which action should the nurse perform?

- | | | |
|----------|--|----------------|
| A | Complete an incident report but do not document the report in the medical record. | CORRECT |
| B | Document the error but do not complete an incident report unless the client has an adverse reaction. | |
| C | Complete an incident report and document the report in the medical record. | |
| D | Do not complete an incident report because the client did not experience any adverse effect. | |

Student message:

الطبيب كسر التعقيم نذكره ونعطيه نيو قلفز

Source:

quizlet.com

While donning sterile gloves for a client's dressing change, the nurse rips the cuff while pulling it over a wristwatch. What is the appropriate nursing action?

- | | | |
|----------|--|----------------|
| A | Use the ripped glove for nonsterile actions. | |
| B | Continue with the dressing change. | |
| C | Place a new sterile glove over the ripped glove. | |
| D | Obtain a new pair of sterile gloves. | CORRECT |

Student message:

DVT وش مضاعفات

Source:

quizlet.com

A nurse is caring for a client with a deep vein thrombosis (DVT). What nursing assessment indicates that an important outcome has been met?

- | | | |
|----------|---------------------------------|----------------|
| A | Ambulates with assistance | |
| B | Oxygen saturation of 98% | CORRECT |
| C | Pain of 2/10 after medication | |
| D | Verbalizing risk factors | |

Student message:

vitamin K ليش نعطي الطفل

Source:

quizlet.com

The nurse prepares to administer a vitamin K injection during the admission assessment for a newborn. The father asks, 'Why does my baby need a shot?' Which rationale for administering this injection should the nurse include in the response?

- | | | |
|----------|---------------------------------------|----------------|
| A | Activates clotting factors | CORRECT |
| B | Dissolves blood clots | |
| C | Promotes gas exchange | |
| D | Promotes the production of hemoglobin | |

Student message:

اصوات كراكلز بالرئنه وش التشخيص؟

Source:

quizlet.com

The nurse is assessing a patient with chronic heart failure. Which abnormal chest sound would the nurse most likely auscultate?

- | | | |
|----------|--------------------|----------------|
| A | Expiratory wheezes | |
| B | Friction rub | |
| C | Harsh vesicular | |
| D | Crackles | CORRECT |

Student message:

life long learning الheid نيرس تدعم الستاف يتعلمون اكثر

Source:

quizlet.com

Thomas has been a nurse in your ICU for 10 years. In facilitating Thomas' professional development, the nurse manager would focus on:

- | | | |
|----------|---|----------------|
| A | Certification for the ICU environment. | |
| B | Discussions about how Thomas can fit with role expectations and relationships. | |
| C | Possible changes to other ICU environments. | |
| D | Encouraging him to lead changes that leave long-term impacts after his retirement. | CORRECT |

Student message:

جاني سؤال ان البيشنت عنده كحه ويطلع دم وش اجراءات العزل الخيارات كانت نيقتف روم وبوزيتف روم وستاندر والعزل الوقائي حطيت نيقتف

Source:

quizlet.com

A charge nurse is planning a room assignment for a client who has a productive cough, a questionable chest x-ray, and a positive Mantoux test. Room 208 is a private, negative-pressure airflow room; 212 is a semi-private, positive-pressure airflow room; 214 is a negative-pressure, semi-private room; and 216 is a private, positive-pressure airflow room. To which room should the nurse assign the client?

A	208	CORRECT
B	212	
C	214	
D	216	

Student message:

اتذكر جاء سؤال انه كيف نعزل المريض وما فيه غرف نيقتف روم متوفره والله ما انكر الخيارات ولا انكر وش حطيت

Source:

quizlet.com

The nurse is caring for a client who is admitted to the unit with tuberculosis (TB). Which type of isolation room is most appropriate?

A	Single-door room with positive airflow	
B	Isolation room with an anteroom and negative airflow	CORRECT
C	Isolation room with an anteroom and normal airflow	
D	Single-door room with normal airflow	

Student message:

الطفل مسوي عمليه ختان وطلعت افرازات صفراء وش ارد على الام قلت انها انفكشن

Source:

quizlet.com

The nurse assesses a newborn's penis 2 days after a circumcision and notes a yellow exudate around the head. Which is the appropriate nursing intervention?

A	Wash the penis with soap and a warm washcloth.	
B	Take the newborn's temperature to determine if an infection is present.	
C	Leave the area alone, as this is a normal finding.	CORRECT
D	Report the finding to the health care provider.	

Student message:

الدكتور قال انه القائد في CPR ذا Autocratic

Source:

quizlet.com

The nurse has recently been promoted to nurse manager on an oncology unit and has decided to be the sole decision maker regarding issues that concern the unit. Which type of leadership style is the nurse embodying?

- A Quantum
- B Democratic
- C Autocratic
- D Laissez-faire

CORRECT

Q-451

Student message:

الهيدي نيرس تشارك الموظفين القرار participant

Source:

quizlet.com

The nurse manager plans to develop a unit-based council to assist in decision-making. The nurse manager is demonstrating which leadership style?

- A Authoritative
- B Democratic
- C Laissez-Faire
- D Transactional

CORRECT

Q-452

Student message:

جاني سؤال عن pyloric ان المريض عنه استفراغ مستمر وهي الاجابه

Source:

quizlet.com

Which classic symptom is most associated with pyloric stenosis in an infant?

- A Projectile, nonbilious vomiting
- B Bilious green vomiting
- C Bloody diarrhea
- D Abdominal pain relieved by eating

CORRECT

Student message:

ايش مقياس الألم لطفل عمره 3 سنوات

Source:

quizlet.com

The nurse caring for a 3-year-old child plans to assess the child's pain using the Wong-Baker FACES Pain Rating Scale. Which accompanying assessment question would be the most useful?

- A If number 0 were no pain and number 10 were a big pain, what number would your pain be?
- B Can you point to the face picture with one finger and tell me what that pain feels like inside of you?
- C The smiling face has no hurting; the crying face has a really big hurting. Which face is most like your hurting?** CORRECT
- D If you look at these faces and I give you a paper and pencil, can you draw for me the face that looks most like your pain?

Q-454

Student message:

جا البوزشن حق copd

Source:

quizlet.com

A patient with chronic obstructive pulmonary disease (COPD) has poor gas exchange. Which action by the nurse would be most appropriate?

- A Have the patient rest in bed with the head elevated to 15 to 20 degrees.
- B Ask the patient to rest in bed in a high-Fowler's position with the knees flexed.
- C Encourage the patient to sit up at the bedside in a chair and lean slightly forward.** CORRECT
- D Place the patient in the Trendelenburg position with several pillows behind the head.

Q-455

Student message:

والبوزشن حق sids

Source:

quizlet.com

The pediatric nurse is providing education to a new mother regarding ways to decrease the risk of sudden infant death syndrome (SIDS). Which statement by the nurse is appropriate?

- A You should keep the baby with you at all times to assess for apnea.
- B Make sure the baby has a soft blanket and pillow when sleeping.
- C It is recommended that you place your baby on his back for sleep.** CORRECT
- D SIDS has been linked to immunizations. I recommend that you avoid immunizing your baby.

Student message:

tetralogy of fallot والوزشن حق

Source:

quizlet.com

During a 'tet spell,' which action should the nurse perform first?

- | | | |
|----------|--|----------------|
| A | Place the child in a knee-to-chest position | CORRECT |
| B | Administer oxygen | |
| C | Call the provider | |
| D | Administer IV fluids | |

Student message:

سؤال ايش الاستراتيجية اللي تسويها للtb

Source:

quizlet.com

The public health nurse provides care for a client on a directly observed therapy (DOT) program to treat tuberculosis. Which option best describes the care the nurse provides?

- | | | |
|----------|--|----------------|
| A | Follows the client until 3 sputum cultures are normal | |
| B | Gives the client bus tokens or cab fare vouchers to attend scheduled clinic visits | |
| C | Provides and watches the client swallow every prescribed medication | CORRECT |
| D | Screens all of the client's close contacts | |

Student message:

وجت سؤالين عن pyloric stenosis

Source:

quizlet.com

Which client would the nurse suspect to have pyloric stenosis?

- | | | |
|----------|---|----------------|
| A | A 7-month-old with choking episodes | |
| B | An 11-year-old with an olive-shaped abdominal mass | |
| C | A 5-week-old infant with projectile vomiting | CORRECT |
| D | A 2-year-old with a harsh cough | |

Student message:

lochia rubra وچا سوال عن

Source:

quizlet.com

A nurse is performing a fundal assessment for a client who is 2 days postpartum and observes the perineal pad saturated approximately 12 cm with bright red lochia containing small clots. Which finding should the nurse document?

- | | | |
|----------|------------------------------|----------------|
| A | Moderate lochia rubra | CORRECT |
| B | Excessive lochia serosa | |
| C | Light lochia rubra | |
| D | Scant lochia serosa | |

Student message:Ask  Formulate a Clinical Questionفيه سؤال بيسألك اول خطوه في EBP
اول مرحله وهي مرحلة السؤال**Source:**

quizlet.com

The nurse working on the burn unit is interested in understanding the rate of renal compromise with a burn. Which step should the nurse take first?

- | | | |
|----------|---|----------------|
| A | Complete a literature review. | |
| B | Work with a medical librarian to identify key words. | |
| C | Develop a clinical question that can guide further research. | CORRECT |
| D | Join the policy and procedure committee to evaluate care in the hospital. | |

Student message:

Systematic Reviews and Meta-analysis : الافضل

Source:

quizlet.com

Which following level of evidence includes systematic reviews of multiple studies?

- | | | |
|----------|----------------|----------------|
| A | Level IV | |
| B | Level III | |
| C | Level II | |
| D | Level I | CORRECT |

Student message:

جاء التقييم انه low الي هي Horn

Source:

quizlet.com

Periodically, the nurse would return to work as a per diem nurse in the CCU. The staff was impressed with the nurse's performance; however, one staff member complained that the RN was unfamiliar with the new telemetry monitors when they first returned to work several months ago. This comment showed up in the annual evaluation, resulting in a poorer overall evaluation from the nurse manager compared with previous evaluations. This is an example of?

- A contrast bias.
- B **a horn effect.**
- C recent behavior bias.
- D similar-to-me effect.

CORRECT**Student message:**

مريض اضطراب شخصي زوجته خايفه على أطفالها منه وكيف تتصرف

Source:

naxlex.com

A nurse is reinforcing discharge teaching with a client who has borderline personality disorder. The client reports being a single parent caring for two toddlers. Which of the following actions should the nurse take?

- A Notify child protective services.
- B Suggest the children live with other relatives.
- C Encourage the children to visit the psychiatric unit when the client is leaving.
- D **Offer the client information about a support group for parents.**

CORRECT**Student message:**

Donabedian Model (جودة الرعاية الصحية) نموذج دونايديان يستخدم لتقييم جودة الرعاية الصحية (Quality of Care) لكن افهمو كل الأنواع ومثال علي كل واحد

Source:

quizlet.com

In quality improvement models, policies and procedures would represent an example of?

- A Process
- B **Structure**
- C Outcomes
- D Direction

CORRECT

Student message:

وسيناريو عن team development وانش النوع

Source:

quizlet.com

Several nurses on a medical-surgical unit have been asked by the nurse manager to form a group and gather data regarding patient complaints of late meals. When the nurses meet and establish ground rules, this would be what phase of group development?

- | | | |
|---|------------|---------|
| A | Forming | CORRECT |
| B | Storming | |
| C | Norming | |
| D | Performing | |

Student message:

جاني وش اعطي المريض علاج عشان اخفف icp ناسي الاجوبة

Source:

quizlet.com

Which following medication is commonly administered to reduce intracranial pressure in patients with brain injuries?

- | | | |
|---|----------|---------|
| A | Morphine | |
| B | Aspirin | |
| C | Marinol | |
| D | Mannitol | CORRECT |

Student message:

وجاني اختر الاجابة اللي تحتاج تنقيف في طريقة رضاعة ال cleft palate واضحه من الخيارات تقول الأم برضعه بالمعلقة

Source:

quizlet.com

A nurse is caring for a 12-month-old infant following the surgical repair of a cleft palate. The nurse should plan to feed the infant using which of the following instruments?

- | | | |
|---|-------------|---------|
| A | Spoon | |
| B | Straw | |
| C | Firm nipple | |
| D | Cup | CORRECT |

Student message:

جاني سوال بعد وش النصيحة لوحده يجيبها كل شوي التهابات وش النصيحة الي لازم تقدمينها وكانت كل الخيارات صح كلها قال اهم شي

Source:

quizlet.com

A female patient asks the nurse for ways to prevent recurrent urinary tract infections. How should the nurse respond?

- | | | |
|----------|---|----------------|
| A | Avoid douching. | CORRECT |
| B | Clean the perineal area from back to front. | |
| C | Use feminine hygiene sprays. | |
| D | Wear clean nylon underpants. | |

Student message:

وجاني حساب حق حرق في اليد اليسار وفي الرجلين وانتي تحسبين كم

Source:

quizlet.com

Using the Rule of Nines to assess a client with burn injuries to the entire back region and all of the left arm, how should the nurse document the percentage (TBSA) of the patient's body that sustained burns?

- | | | |
|----------|------------|----------------|
| A | 18% | |
| B | 36% | |
| C | 9% | |
| D | 27% | CORRECT |

Student message:

تطعيمة الحج

Source:

quizlet.com

A community health nurse is planning a public service campaign to decrease the transmission of influenza. Which of the following interventions should the nurse include as a primary prevention?

- | | | |
|----------|---|----------------|
| A | Going to the hospital for dehydration after getting influenza | |
| B | Obtaining an immunization | CORRECT |
| C | Staying home when sick | |
| D | Getting tested for influenza when you have symptoms | |

Student message:

عن البحث و انواعه والغرض منه

Source:

quizlet.com

The nurse is designing a quantitative research study. What is the purpose of this type of study in nursing?

- A Determine how patients feel about prescribed treatments.
- B Answer questions about statistically measurable concepts.
- C Understand the nursing process in relation to the scientific method.
- D Identify interventions that are based upon the best evidence from research.

CORRECT**Student message:**

عن advocate

Source:

quizlet.com

The nurse is caring for a terminally ill pediatric client. The parents have decided to remove their child from life support. Which action by the nurse displays the role of client advocate?

- A Respecting the parents' decision
- B Telling the parents they are making the right decision
- C Asking to be assigned to a different client
- D Referring the parents to social services

CORRECT**Student message:**

وضعيه COPD

Source:

quizlet.com

A client with COPD is short of breath. Which position should the nurse encourage to ease the work of breathing?

- A Supine with a single pillow
- B Side lying (Sims) position
- C Sitting upright and leaning forward over a bedside table (tripod/orthopneic position)
- D Trendelenburg position

CORRECT

Student message:

primary prevention سؤال عن ال

Source:

quizlet.com

Which primary prevention nursing intervention would be implemented by the community nurse to decrease the risk of community members contracting sexually transmitted infections (STIs)?

- A Provide treatment for the infected population
- B Hand out a risk survey for the adult population
- C Screen for sexually transmitted disease infections
- D Educate about the importance of safe sex practices**

CORRECT**Student message:**

–مرضه تساعد مريض وتسوي له خطه متابعه لكن المريض يرجع للماضي، الخيارات كانت resistance او count resistance او transtion او transtion، مو دقيق الاملاء

Source:

quizlet.com

The patient tells the nurse, 'I'm going to call you Stella because you remind me so much of my granddaughter.' Which barrier to therapeutic communication is the patient displaying?

- A Defending
- B Resistance
- C Transference**
- D Countertransference

CORRECT**Student message:**

–تطعيم الحج وقايه اوليه

Source:

quizlet.com

The Centers for Disease Control and Prevention has predicted that the flu will be very contagious this season. Based on this information, nurses set up flu vaccine clinics in local churches and senior citizen centers. Which level of prevention is this an example of?

- A Primary**
- B Secondary
- C Tertiary
- D Restorative

CORRECT

Q-477

SnleNotes.com



Student message:

condom سؤال يخص

Source:

quizlet.com

After discussing various methods of contraception with a client and her partner, the nurse determines that the teaching was successful when they identify which contraceptive method as providing protection against sexually transmitted infections (STIs)?

- A oral contraceptives
- B tubal ligation
- C condoms
- D intrauterine system

CORRECT

Q-478

SnleNotes.com



Student message:

جنتي برتل نيل

Source:

quizlet.com

You are caring for a patient with a diagnosis of iron-deficiency anemia. Which clinical manifestations are you most likely to observe when assessing this patient?

- A Convex nails, bright red gums, and alopecia
- B Brittle nails; smooth, shiny tongue; and cheilosis
- C Tenting of the skin, sunken eyes, and complaints of diarrhea
- D Pale pink tongue; dull, brittle hair; and blue mucous membranes

CORRECT