



SNLE Review Series

سبتمبر 2026

مراجعة مركزة للأسئلة والاجابات الصحيحة

مذكرة مصممة تساعدك على مراجعة المحتوى بوضوح وفهم الاجابة الصحيحة والعودة للمعلومة بسرعة اثناء الاستعداد للاختبار.

[Focused Review](#)

[Verified Answers](#)

[Question Bank](#)

500 سؤال

تم التحديث في 27-09-2026

SnleNotes.com

Q-1

SnleNotes.com



Student message:

تذكرت جاني نوع فوبيا Agoraphobia

Source:

quizlet.com

Ms. T. has been diagnosed with agoraphobia. Which behavior would be most characteristic of this disorder?

- A Ms. T. experiences panic anxiety when she encounters snakes.
- B Ms. T. refuses to fly in an airplane.
- C Ms. T. will not eat in a public place.
- D **Ms. T. stays in her home for fear of being in a place from which she cannot escape.** **CORRECT**

Q-2

SnleNotes.com



Student message:

جاء بعد الروبرا لوكيا

Source:

quizlet.com

The nurse is evaluating the involution of a woman who is 3 days postpartum. Which of the following findings would the nurse evaluate as normal?

- A Fundus 1 cm above the umbilicus, lochia rosa.
- B Fundus 2 cm above the umbilicus, lochia alba.
- C Fundus 2 cm below the umbilicus, lochia rubra.
- D **Fundus 3 cm below the umbilicus, lochia serosa.** **CORRECT**

Q-3

SnleNotes.com



Student message:

وجاء بنت مع امها منقطعه عنها الدورة حطيت temur syndrome الباقيه ماليا شغل

Source:

quizlet.com

Which of the following is a cause of primary amenorrhea?

- A **Turner syndrome** **CORRECT**
- B Hypothyroidism
- C Menopause
- D Obesity

Q-4

SnleNotes.com

**Student message:**

NGT insertion position و

Sims

Prone

Supine

Semi-F

Source:

quizlet.com

A client is to have gastric lavage. In which position should the nurse place the client when the nasogastric tube is being inserted?

A Supine

B Mid-fowler

C High-fowler

CORRECT

D Trendelenburg

Q-5

SnleNotes.com

**Student message:**

MV سوال فطام ال

Source:

quizlet.com

A patient is scheduled to begin weaning from mechanical ventilation. Which finding is the best indicator that the patient is ready for weaning?

A Rapid shallow breathing index less than 105

CORRECT

B Fraction of inspired oxygen less than 50%

C Minute ventilation greater than 10 L/min

D Respiratory rate of 30 breaths/min or greater

Q-6

SnleNotes.com

**Student message:**

Vaccine of 6month

-hepatitis B

- DTaP

- varicella

- MMR

Source:

quizlet.com

A 6-month-old is scheduled for vaccines. Which is appropriate?

A DTaP, PCV, Hep B, Influenza (if season)

CORRECT

B MMR and Varicella

C HPV and Meningococcal

D Tdap booster

Student message:

(Coarctation of Aorta – CoA) تشخيص جاني سؤال/

Source:

quizlet.com

A 12 year-old boy presents to the office with pain in his legs with activity gradually becoming worse over the past month. He is unable to ride a bicycle with his friends due to the pain in his legs. Examination of the heart reveals an ejection click and accentuation of the second heart sound. Femoral pulses are weak and delayed compared to the brachial pulses. Blood pressure obtained in both arms is elevated. Chest x-ray reveals rib notching. Which of the following is the most likely diagnosis?

- A abdominal aortic aneurysm
- B pheochromocytoma
- C coarctation of the aorta
- D thoracic outlet syndrome

CORRECT**Student message:**

برضو جاء حقت قصور الغده اللي تنخفض وترتفع الارمز حقتها كانت قصور وقتها

Source:

quizlet.com

Which of the following characterizes primary hypothyroidism?

- A Increased T3 and T4, decreased TSH
- B Decreased T3 and T4, increased TSH
- C Increased T3 and T4, increased TSH
- D Normal T3 and T4, increased TSH

CORRECT**Student message:**

يقول وش القراءه اللي تخلي الضغط عالي الكف ايش

Source:

quizlet.com

A nurse observes an assistive personnel preparing to obtain blood pressure with a regular size cuff for a client who is obese. Which of the following explanations should the nurse give the AP.

- A The reading will be inaudible if the cuff is too small for the client
- B The width of the cuff bladder should be 75 percent of the circumference of the clients arm
- C As long as the cuff will circle the arm the reading will be accurate
- D Using a cuff that is too small will result in inaccurately high reading

CORRECT

Student message:

جاني حققت الحج تكون الوقايح اوليه .

Source:

quizlet.com

A public health nurse is applying the principles of primary prevention in the community. Which activity best reflects primary prevention?

- A Teaching a smoking cessation class for adults who smoke
- B Screening middle-aged adults for hypertension at a health fair
- C Providing physical therapy to a client after a stroke
- D Administering immunizations at a back-to-school clinic**

CORRECT**Student message:**

جا اذكر تو نيرسز يتكلمون عن الپيشنت بنص القسم وش اقولهم

Source:

quizlet.com

Which action by a nurse constitutes a breach of a patient's right to privacy?

- A Documenting the patient's behavior in the medical record
- B Releasing information to the patient's employer without consent**
- C Discussing the patient's history during care planning
- D Asking the family about the patient's prehospital behavior

CORRECT**Student message:**

برضو نيرس أثناء العملية عدت القوز وطلع ناقص وسالت الدكتور وطنشها وش تسوي

Source:

quizlet.com

The circulating nurse and scrub technician note a discrepancy in the sponge count. What is the first action the nurse should take?

- A Notify the surgeon
- B Complete an occurrence report
- C Notify the nurse manager
- D Recount the sponges**

CORRECT

Student message:

Post tonsillectomy position

Source:

quizlet.com

The nurse is preparing to care for a child after a tonsillectomy. The nurse documents on the plan of care to place the child in which position?

A Supine

B Side-lying**CORRECT**

C High-Fowler's

D Trendelenburg's

Student message:

RSV وش العزل حقه

Source:

quizlet.com

Which isolation precaution is required for RSV?

A Airborne

B Droplet and contact**CORRECT**

C Neutropenic

D Standard only

Student message:

Meningitis العزل بمرض

Source:

quizlet.com

The nurse cares for a client with bacterial meningitis. Which isolation precaution will the nurse apply?

A Standard

B Contact

C Droplet**CORRECT**

D Airborne

Student message:

How to prevent nosocomial infection

Source:

quizlet.com

Which is the most effective nursing action for preventing and controlling the spread of infection?

- | | | |
|----------|--|----------------|
| A | Thorough hand hygiene | CORRECT |
| B | Wearing gloves and masks when providing direct client care | |
| C | Implementing appropriate isolation precautions | |
| D | Administering broad-spectrum prophylactic antibiotics | |

Student message:

complained of severe lower right quadrant. Upon palpation. Appendicitis

Source:

quizlet.com

which condition would the nurse suspect a 6 year old child who was admitted with abdominal pain and guarding, nausea, anorexia, and pain with palpation of the right lower quadrant?

- | | | |
|----------|--------------------------|----------------|
| A | viral infection | |
| B | inflamed appendix | CORRECT |
| C | irritable bowel | |
| D | parasitic infestation | |

Student message:

فيه سؤال إننا احدا اخذ تطعيمات وش الادوية الي يتعارض معه

Source:

quizlet.com

A provider prescribes several interventions for a client who is taking azathioprine. Which prescription should the nurse question?

- | | | |
|----------|---|----------------|
| A | Draw an anti-DNA antibody titer | |
| B | Administer the varicella vaccine | CORRECT |
| C | Administer naproxen | |
| D | Administer famotidine | |

Student message:

الحجاج إذا أخذوا الفاكسين وش نوعه

Source:

quizlet.com

A community health nurse organizes an influenza vaccination clinic at a senior center. This intervention is which level of prevention?

A	Primary prevention	CORRECT
B	Secondary prevention	
C	Tertiary prevention	
D	Restorative prevention	

Student message:

client who diagnosed with brain was scheduled for craniotomy. It is important to preventing the developing of cerebral edema after surgery. What medication would the nurse expect to be prescribed for the client?

A. Steroids

Source:

quizlet.com

A post-craniotomy patient is prescribed dexamethasone (Decadron). A nursing student asks the instructor why this medication is ordered. What is the best response?

A	It prevents seizures by stabilizing neuronal membranes.	
B	It reduces cerebral edema by suppressing the inflammatory response.	CORRECT
C	It prevents surgical site infection through its antibacterial properties.	
D	It stimulates CSF reabsorption to normalize intracranial pressure.	

Student message:

الطفل الذي دخلوه المستشفى وأهله راحوا وش نوع ال separation anxiety

Source:

quizlet.com

The child is aggressive and refuses to comply with the staff of the facility. Which of the following phases of separation anxiety is the child going through?

A	Protest	CORRECT
B	Despair	
C	Detachment	
D	Denial	

Student message:

Democratic and lassie faire فيه اسئلة جات عنهم

Source:

quizlet.com

The nurse manager plans to develop a unit-based council to assist in decision-making. The nurse manager is demonstrating which leadership style?

- A Authoritative
- B **Democratic**
- C Laissez-Faire
- D Transactional

CORRECT**Student message:**

Democratic and lassie faire فيه اسئلة جات عنهم

Source:

quizlet.com

During a therapeutic group, which nursing action demonstrates a laissez-faire leadership style?

- A The nurse mandates that all group members reveal an embarrassing personal situation.
- B The nurse asks for a show of hands to determine group topic preference.
- C **The nurse sits silently as the group members stray from the assigned topic.**
- D The nurse shuffles through papers to determine the facility policy on length of group.

CORRECT**Student message:**

نيرس تبي تعطي أدوية للبيشنت حقننها الي هم ؟ نفس الاسم الاول ويغرفه واحده كيف ماتخريط بينهم << تسال وتشيك السواره

Source:

quizlet.com

A nurse is preparing to administer a medication. Which action demonstrates the Right Patient?

- A Use the room number to identify the patient
- B Ask a family member to identify the patient
- C **Verify the patient's identity using two identifiers**
- D Compare the medication label with the MAR only

CORRECT

Student message:

Diabetic mother تسال النيرس وش المضاعفات الي ممكن تصير معها

Source:

quizlet.com

Which major neonatal complication is carefully monitored after the birth of the infant of a diabetic mother?

- | | | |
|----------|---------------------|----------------|
| A | Hypoglycemia | CORRECT |
| B | Hypercalcemia | |
| C | Hypobilirubinemia | |
| D | Hypoinsulinemia | |

Student message:

mush as I love my children , I had
had hoped we would not have any more “ this statement reflect جا نفسه بالضبط

Source:

quizlet.com

A 32-year-old client who has just been told she is pregnant says, 'As much as I love my children, I had hoped we would not have any more.'
Which reaction to pregnancy does this statement reflect?

- | | | |
|----------|--------------------|----------------|
| A | Anger | |
| B | Denial | |
| C | Guilt | |
| D | Ambivalence | CORRECT |

Student message:

Ecotopic pregnancy وين يصير الحمل

Source:

quizlet.com

What is the most common site for ectopic pregnancy?

- | | | |
|----------|-----------------------|----------------|
| A | Abdominal cavity | |
| B | Ovary | |
| C | Cervical canal | |
| D | Fallopian tube | CORRECT |

Student message:

explaining pudendal block anesthesia to primigravida women who is inactive labor. Which of the following relief areas identified by the woman would indicate that teaching was effective?

B. Perineum

Source:

quizlet.com

A primigravida in active labor is about 9 days post-term. The client desires a bilateral pudendal block anesthesia before delivery. After the nurse explains this type of anesthesia to the client, which of the following locations identified by the client as the area of relief would indicate to the nurse that the teaching was effective?

A Back

B Abdomen

C Fundus

D Perineum

CORRECT

Q-29

Student message:

فيه اسئلة عن انواع الاجهاضات

Source:

quizlet.com

Which of the following best describes a threatened abortion?

A Complete expulsion of the products of conception

B Cervical dilation with rupture of membranes

C Vaginal bleeding without cervical dilation

CORRECT

D Retained products of conception with infection

Q-30

Student message:

كم الزيادة الطبيعية للوزن للحامل

Source:

quizlet.com

A client presents to the health care clinic for her first prenatal visit. The client's current nonpregnant weight is normal for her height. What recommendation for proper weight gain should the nurse discuss with the client?

A 15 to 25 pounds

B 25 to 35 pounds

CORRECT

C 35 to 40 pounds

D 35 to 45 pounds

Student message:

مراقة ماتحب تاكل مع عايلتها ونحفت مره وش ننصحها

Source:

quizlet.com

A 17-year-old, female patient with anorexia nervosa has just been released from the hospital. To facilitate recovery at home, the psychiatric-mental health nurse instructs the family to:

- A Discourage the patient from sneaking food between meals, by unobtrusively reducing her access to the kitchen
- B Encourage the patient's interest in menu planning, food magazines, and cooking lessons, by leaving information and materials around the house
- C Permit the patient to eat her meals privately in her bedroom to discourage family preoccupation with meals
- D **Recommend that the patient joins in routine family meals and clears the dishes after dinner, even if she does not eat** **CORRECT**

Student message:

طفل انولد بـ week 38 ووزنه 1000 g وفي المخطط وش يعتبر سمول او لا رج

Source:

quizlet.com

After completing an assessment of a newborn, the nurse determines that the newborn is small-for-gestational-age based on which weight assessment?

- A **weight of 2,400 g** **CORRECT**
- B weight of 2,600 g
- C weight of 2,800 g
- D weight of 3,000 g

Student message:

tracheoesophageal
fistula سوال عن هذي نسيته

Source:

quizlet.com

The nurse is caring for a neonate with a suspected tracheoesophageal fistula. What nursing care should be included?

- A **Elevate the head but give nothing by mouth.** **CORRECT**
- B Elevate the head for feedings
- C Feed glucose water only.
- D Avoid suctioning unless infant is cyanotic.

Student message:

stool color for a newborn on the first day after delivery.

Source:

quizlet.com

A first-time father is changing the diaper of his 1-day-old daughter. He asks the nurse, What is this black, sticky stuff in her diaper? The nurse's best response is:

- | | | |
|----------|--|----------------|
| A | That's meconium, which is your baby's first stool. It's normal. | CORRECT |
| B | That's transitional stool. | |
| C | That means your baby is bleeding internally. | |
| D | Oh, don't worry about that. It's okay. | |

Student message:

Caushing syndrome

Source:

quizlet.com

Based on the clinical manifestations of Cushing syndrome, which nursing intervention would be appropriate for a client who is newly diagnosed with Cushing syndrome?

- | | | |
|----------|--|----------------|
| A | Monitor blood glucose levels daily. | CORRECT |
| B | Increase intake of fluids high in potassium. | |
| C | Encourage adequate rest between activities. | |
| D | Offer the client a sodium-enriched menu. | |

Student message:

عائله ترفض تعطي ولدها فيتامين K وش ننصحها

Source:

quizlet.com

The nurse prepares to administer a phytonadione (vitamin K) injection to a newborn, and the mother asks the nurse why her infant needs the injection. What best response should the nurse provide?

- | | | |
|----------|---|----------------|
| A | Your newborn needs the medicine to develop immunity. | |
| B | The medicine will protect your newborn from being jaundiced. | |
| C | Newborns have sterile bowels, and the medicine promotes the growth of bacteria in the bowel. | |
| D | Newborns are deficient in vitamin K, and this injection prevents your newborn from bleeding. | CORRECT |

Student message:

the milk returns through the child's nose and mouth and the infant become cyanotic. Which of the following condition the new-born should have?

Source:

quizlet.com

A child presents with excessive drooling, choking during feedings, and episodes of unexplained cyanosis. The nurse suspects:

A Hirschsprung's disease

B Pyloric stenosis

C Tracheoesophageal fistula

CORRECT

D Intussusception

Student message:

Hirschsprung's Disease

Source:

quizlet.com

An infant returns from initial surgery for Hirschsprung's disease. All of the following are routine postoperative nursing interventions. Because of the type of surgery this child had, the nurse would exclude which of them?

A Maintain the child's NPO status until bowel sounds return

B Monitor rectal temperature every 4 hours

CORRECT

C Reunite the parents with the child as soon as possible

D Assess the surgical site every 2 hours

Student message:

Q. A patient suffering from severe asthma is evaluated for lung function. Which of the following indicates an improvement in the severity of asthma?

- Higher air volume during forceful expiration
- Higher air volume during forceful inspiration
- Lower air volume during forceful expiration
- Lower air volume during forceful inspiration

Source:

quizlet.com

A patient seen in the asthma clinic has recorded daily peak flows that are 85% of the baseline. Which action will the nurse plan to take?

A Teach the patient about the use of oral corticosteroids.

B Administer a bronchodilator and recheck the peak flow.

C Instruct the patient to continue to use current medications.

CORRECT

D Evaluate whether the peak flow meter is being used correctly.

Student message:

سؤال عن انه ايش يوضح فحص

Urine osmolality and urine specific gravity tests

للاسف نسيت الخيارات

Source:

quizlet.com

A patient had a craniotomy 2 days ago for removal of a tumor. He is awake and talking to the nurse and demonstrates no neurologic deficit. Blood pressure is 110/80 mm Hg, pulse is 92 beats/min, and respiratory rate is 22 breaths/min. Urine outputs have been approximately 60 mL/hr over the last 2 days, but he has had a recent change. He has had 300 to 400 mL/hr of urine output over the last several hours. The urine has a specific gravity of 1.002. The nurse checks his serum glucose and finds that it is 100 mg/dL. The nurse would expect the following osmolality of the urine and serum:

- A Both are elevated.
- B Both are decreased.
- C Urine osmolality is decreased, and serum osmolality is increased. CORRECT**
- D Urine osmolality is increased, and serum osmolality is decreased.

Student message:

Q. Ringer lactate solution type?

- Isotonic

Source:

quizlet.com

A physician orders an isotonic I.V. solution for a client. Which solution should the nurse plan to administer?

- A 5% Dextrose in NS
- B Lactated Ringers CORRECT**
- C 0.45% NS
- D 10% dextrose in water

Student message:

Q. A patient is complaining of fatigue and muscles weakness. Which of vitamin deficiencies is the most likely cause?"

- Vitamin D

Source:

quizlet.com

A patient has been taking phenytoin (an antiepileptic) for 5 years and has begun to complain of muscle weakness and difficulty walking. Which of the following is the best explanation?

- A Hypervitaminosis D
- B Hypervitaminosis A
- C Vitamin E deficiency
- D Vitamin D deficiency CORRECT**

Student message:

Q. Antipsychotic medications action?

- block dopamine receptors

Source:

quizlet.com

How do antipsychotic drugs primarily work?

- A Increase serotonin
- B Block dopamine receptors**
- C Increase acetylcholine
- D Block histamine receptors

CORRECT**Student message:**

Q. A psychiatric patient create new words that carry a specific, private meaning for him. What is the clinical term for this symptom?

- Neologism
- wards salad

Source:

quizlet.com

A client diagnosed with schizophrenia tells a nurse, The Shopatouliens took my shoes out of my room last night. Which is an appropriate charting entry to describe this clients statement?

- A The client is experiencing command hallucinations.
- B The client is expressing a neologism.**
- C The client is experiencing a paranoia.
- D The client is verbalizing a word salad.

CORRECT**Student message:**

Q. A patient undergoing Percutaneous Transluminal Angioplasty. Return to the unit and have large thigh sheath. Which nursing intervention is the highest priority at this time?

- Keep the affected leg flat and straight

Source:

quizlet.com

A patient with a history of valvular disease has just arrived in the PACU after a percutaneous balloon valvuloplasty. Which intervention should the recovery nurse implement?

- A Assess the patient's chest tube output.
- B Monitor the patient's chest drainage.
- C Evaluate the patient's endotracheal lip line.
- D Keep the patient's affected leg straight.**

CORRECT

Student message:

سؤال/ مريض أجبر على دخول المستشفى من غير موافقته؟
● المريض اعتدى على الناس

Source:

quizlet.com

Which of the following clients meets the criteria for an involuntary admission to a psychiatric mental health unit?

- A A 76-year-old retired librarian who is experiencing memory loss and some confusion at times
- B A 26-year-old kindergarten teacher who is not in touch with reality and was found wandering in and out of traffic on a busy road** **CORRECT**
- C A 30-year-old accountant who has developed symptoms of depression
- D A 23-year-old college student who has developed symptoms of anxiety and is missing classes and work

Student message:

Q. Abdominal assessment:

- inspection, auscultation, percussion, and palpation

Source:

quizlet.com

What is the correct order for abdominal assessment?

- A Inspection, palpation, auscultation, percussion
- B Inspection, auscultation, percussion, palpation** **CORRECT**
- C Auscultation, inspection, palpation, percussion
- D Palpation, inspection, auscultation, percussion

Student message:

Q. A pregnant woman presents to the antenatal clinic for a routine assessment, including Leopold's maneuvers. What is the primary purpose of performing these maneuver?

- To determine the fetal presentation and position.

Source:

quizlet.com

Leopold's maneuvers are primarily used to assess which fetal characteristics?

- A Cervical dilation
- B Fetal position and presentation** **CORRECT**
- C Placental location
- D Amniotic fluid volume

Student message:

Q. A 35-year-old woman asks the nurse How often should I get a Pap smear test?

- every 3 years

Source:

quizlet.com

A 35-year-old client has a Pap test with a normal test result. The client has had two previous tests with normal results. Which information is correct for the nurse to tell this client with regard to future screening for cervical cancer?

- A Because of the client's age, exams should be done every year
- B Option to stop screening can be considered
- C Continue exams every 3 years**
- D Lengthen time to every 7 years because of her test results

CORRECT**Student message:**

Deaf patient need informed consent for procedure, the nurse want to ensure the patient understand the procedure, what should the nurse do?

- Provide a written copy of the consent and ensure that the patient correctly understands the procedure.

Source:

quizlet.com

A client with impaired hearing communicates through sign language and has been admitted to the unit before scheduled surgery. The interpreter that the hospital employs is at the bedside. The nurse needs to take what actions into consideration prior to doing preoperative teaching with this client?

- A The interpreter may lag a few words behind--especially if names or technical terms are to be finger spelled.**
- B A family member would be better to use as the interpreter.
- C An interpreter is not needed.
- D The nurse should talk to the interpreter while teaching the client.

CORRECT**Student message:**

جاني سؤال عن limitation of democratic انه ما يستخدم بالحالات الطارئة

Source:

quizlet.com

A charge nurse on the step-down unit will likely use which leadership style during resuscitation efforts for a cardiac arrest?

- A Democratic
- B Laissez-faire
- C Servant
- D Autocratic**

CORRECT

Student message:

حامل وعندها pica وانها رغبه تاكل أشياء ماهي صالحة للأكل نسيت الخيارات بس حظيت soil

Source:

quizlet.com

A patient in her first trimester confesses that she has been craving and consuming starch and clay in recent weeks. The nurse recognizes this condition as which of the following?

- A Ptyalism
- B **Pica**
- C Lordosis
- D Melasma

CORRECT**Student message:**

سؤال عن متى يظهر سكري الحمل غالبا 1-2 trimester او 2-3 trimester تأكدوا من الاجابة .

Source:

quizlet.com

GDM is most commonly diagnosed at what gestational age?

- A 8–12 weeks
- B 16–20 weeks
- C **24–28 weeks**
- D 36–40 weeks

CORRECT**Student message:**

جاء بعد عن تكنيك الصح intramuscular injection

Source:

quizlet.com

The nurse is preparing to administer an intramuscular injection via the Z-track method. Which action should be taken by the nurse?

- A Pinch the skin between the thumb and the first finger.
- B **Insert the needle at a 90-degree angle.**
- C Immediately remove the needle after injecting the medication.
- D Release the skin before removing the needle from the site.

CORRECT

Student message:

جاء سؤالين انه IM بالأطفال تكون بأية عضلة

Source:

quizlet.com

The nurse is preparing to administer an intramuscular (IM) injection to a 6-month-old infant. Which injection site is the most appropriate for this patient?

- A Deltoid muscle
- B Dorsogluteal injection site
- C Vastus lateralis**
- D Abdomen 2 inches away from the umbilicus

CORRECT**Student message:**

chickin pox اي فاكسين نستخدمه

Source:

quizlet.com

The nurse is providing anticipatory guidance to the mother of a 10-month-old child. The mother asks how soon her daughter will be able to receive the chickenpox (varicella) vaccine. What is the best nursing response?

- A She will receive it today.
- B She can receive it when she is 12 months old.**
- C She can receive it any time before her first birthday.
- D She will receive it before entry into kindergarten, at 4 to 6 years of age.

CORRECT**Student message:**

سؤال الحج برايمري بعد جاني

Source:

quizlet.com

Which of the following is an example of primary prevention?

- A Taking insulin for diabetes
- B Blood pressure screening
- C Administering a flu vaccine**
- D Physical therapy after a stroke

CORRECT

Student message:

physiological jaundice يظهر في ٣-٤ ايام

Source:

quizlet.com

The mother of a 3-day-old infant calls the clinic and reports that her baby's skin is turning slightly yellow. What should the nurse explain to the mother?

- | | | |
|----------|---|----------------|
| A | Physiologic jaundice is normal, and peaks at this age. | CORRECT |
| B | The newborn's liver is not working as well as it should. | |
| C | The baby is yellow because the bowels mull not excreting bilirubin. | |
| D | The yellow color indicates that brain damage might be occurring. | |

Student message:

جات اسثله عن sign of kwashiorkor (يميز انه يكون شعرهم احمر)

Source:

quizlet.com

Which of the following conditions is caused by a protein deficiency that primarily affects toddlers in developing nations and leads to a range of symptoms, such as lethargy, irritability, and thinning of hair?

- | | | |
|----------|--------------------|----------------|
| A | Eczema | |
| B | Tuberculosis | |
| C | Micronutrients | |
| D | Kwashiorkor | CORRECT |

Student message:

أم رضيعها عنده cleft plate اهم شي تعليم أعطيها اياه (feeding)

Source:

quizlet.com

Which information concerning a safe feeding technique would the nurse provide to a mother whose newborn infant son has a cleft lip and palate?

- | | | |
|----------|---|----------------|
| A | Because he tires easily, it's best to have him lying in bed while he is being fed. | |
| B | Hold him in a horizontal position and feed him slowly to help prevent aspiration. | |
| C | Give him frequent rest periods and frequent burpings during feedings so he can get rid of swallowed air. | CORRECT |
| D | Try using a soft nipple with an enlarged opening so he can get the milk through a chewing motion. | |

Student message:

جاني سوال تحديد مستوى قياس الالم بالسوال حاطين لي من 6-10

هل هو سيفير ولا ميلد ولا ايش
حطيت سيفير

Source:

quizlet.com

A client who describes his pain as a 7 on a scale of 0 to 10 is classified as having which of the following?

- A No pain
- B Mild pain
- C Moderate pain
- D Severe pain

CORRECT**Student message:**

جاني تطعيمه 1 year ايش

Source:

quizlet.com

A mother calls the pediatric clinic to ask when her daughter will receive the Varicella vaccine. Your answer to her question is:

- A at 2, 4, and 6 months
- B at 12 months and 4-6 years
- C at 6 and 12 months
- D at 4 months and 4-6 years

CORRECT**Student message:**

جاني طفل بعد عملية كلفت لب وش تسوي له بعد العملية لقيت من الخيرات elbow

Source:

quizlet.com

The nurse is caring for an infant whose cleft lip was repaired. This infant's postoperative care includes:

- A arm restraints, postural drainage, mouth irrigations.
- B cleansing the suture line, supine and side-lying positions, elbow restraints.
- C mouth irrigations, prone position, cleansing suture line.
- D supine and side-lying positions, postural drainage, wrist restraints.

CORRECT

Student message:

و طفل بعد عملية استئصال اللوز وش تنتبه له ؟ الخيارات كانت تنتبه لارتفاع الضغط ولا نزيف انف ولا كثرة النوم اخترت نزيف الأنف اخطر شي

Source:

quizlet.com

A nurse is caring for a child after a tonsillectomy. The nurse monitors the child, knowing that which of the following may indicate that the child is bleeding?

- A A decreased pulse rate
- B An elevation in blood pressure
- C Complaints of discomfort
- D Frequent swallowing**

CORRECT**Student message:**

تطعيمة الحج برايمري

Source:

quizlet.com

Indicate the level of prevention that is represented in each question: Immunization against rubella

- A Primary Prevention Active**
- B Primary Prevention Passive
- C Secondary Prevention
- D Tertiary Prevention

CORRECT**Student message:**

ترتيب (ازالة)لبس القاون وقلفز و الفيس ماسك يبي ترتيب ازالته مو ترتيب لبسه

Source:

quizlet.com

Referring back to question 4, in what order would you doff (remove) the PPE?

- A Gloves then mask
- B Goggles then mask
- C Gloves, gown, goggles, and mask**
- D Gloves, mask, goggles, then gown

CORRECT

Student message:

هذا كمان جاني نوع العزل Measles

Source:

quizlet.com

Which of the following communicable diseases requires airborne isolation precautions?

- A Influenza
- B Measles**
- C Scarlet fever
- D Respiratory syncytial virus

CORRECT**Student message:**

وجاني سوال السمنه بالسعوديه

Endemic

B. Epidemic

C. Pandemic

D. Sporadic

كذا

Source:

quizlet.com

A disease that is consistently present within a specific geographic area or population is best described as:

- A Epidemic
- B Pandemic
- C Endemic**
- D Sporadic

CORRECT**Student message:**

Which of the following best describes Evidence-Based Practice (EBP)?

- A. Practice based only on nurse's experience
- B. Practice guided by physician orders
- C. Practice based on research evidence, clinical expertise, and patient preferences
- D. Practice following hospital policy only

Source:

quizlet.com

Which statement best describes evidence-based practice (EBP)?

- A A combination of best research evidence, clinical expertise, and the needs and values of patients**
- B A determination of the factors necessary to control patient responses to care and delivery of care
- C The development of population care guidelines applicable to all patients
- D The utilization of quantitative and qualitative studies to enhance patient outcomes

CORRECT

Student message:

ومريض جاء الطوارئ بكسر يرقبته إيش اول شي نسويه له

Source:

quizlet.com

A patient arrives at the emergency department by private vehicle and complains of neck pain after falling from the roof of a house. Which initial instruction should be given to the patient?

- A Move your head if you can.
- B Leave your earrings on while I apply a cervical collar.
- C Let me help you to a more comfortable position.
- D Remain completely still until a spinal injury can be ruled out. CORRECT**

Student message:

A child suddenly develops severe abdominal pain, vomiting, and stools containing blood and mucus that look like red jelly. Which condition should the nurse suspect?

- A. Pyloric stenosis
- B. Intussusception
- C. Hirschsprung disease
- هذا جاني السؤال مكان الجواب

Source:

quizlet.com

A previously healthy 9-month-old infant suddenly begins screaming and pulling the knees toward the chest. Later, the nurse observes red, mucus-filled stools. Which condition should the nurse suspect?

- A Hirschsprung disease
- B Gastroesophageal reflux disease
- C Intussusception CORRECT**
- D Lactose intolerance

Student message:

فيتامين قوة النظر اللي هو A

Source:

quizlet.com

A vitamin with a main role in visual process is:

- A Menadione
- B Retinoid CORRECT**
- C Tocopherol
- D Ergocalciferol

Student message:

سؤال الحج

Source:

quizlet.com

Which one of the following interventions addresses a primary prevention need of this patient?

A Reviewing appropriate use of her medications

B Administration of annual influenza immunization

CORRECT

C Obtaining spirometry measurement

D Periodic colonoscopy

Student message:

breast enlargement ويزداد الهرمون المسؤول عن

Source:

quizlet.com

The development of female breast tissue is related to which process of sexual maturation?

A Release of luteinizing hormone from the anterior pituitary gland

B Release of oxytocin from the posterior pituitary gland

C Release of estrogen from the ovaries

CORRECT

D Release of prolactin from the breasts

Student message:

Lithium حق ال داييت

Source:

quizlet.com

A client who is prescribed lithium carbonate is being discharged from inpatient care. Which medication information should the nurse teach this client?

A Do not alter your dietary sodium intake.

CORRECT

B Have serum lithium levels checked every 6 months.

C Limit fluid intake to 1,000 mL per day.

D Adjust the dose if you feel out of control.

Student message:

ونوع stool اول ماينولد الطفل اللون

Source:

quizlet.com

A 6 hour old infant passes an unformed, black, tarlike stool. What conclusion should the nurse draw from this finding?

- | | | |
|----------|---|----------------|
| A | Meconium stool that is expected at this time | CORRECT |
| B | Meconium stool expected at the time of birth | |
| C | Transitional stool expected at this time | |
| D | Transitional stool that is expected later | |

Student message:

والPT المكتئب اللي يناظر الشباك

Source:

quizlet.com

The nurse notices that one of her clients, who has depression, is sitting by the window crying. What is the most appropriate response by the nurse?

- | | | |
|----------|---|----------------|
| A | It's okay. No need to cry or worry while you're here. We all feel down now and then. | |
| B | Please don't consider suicide. It really isn't an appropriate way out of your troubles. | |
| C | You seem to be experiencing a sad moment. I'll sit here with you for a while and talk if you would like. | CORRECT |
| D | Why don't you go into the dayroom and join the card game going on? That'll take your mind off of your problems for a while. | |

Student message:

والمترنتي جاني انواع ال phase

Source:

quizlet.com

A client whose cervix is dilated to 5 cm is considered to be in which phase of labor?

- | | | |
|----------|---------------------|----------------|
| A | Latent phase | |
| B | Active phase | CORRECT |
| C | Second stage | |
| D | Third stage | |

Student message:

thoracotomy procedure بعدها نسيك على ايش اول شي

Source:

quizlet.com

A nurse in the post-anesthesia care unit is caring for a client who is postoperative following a thoracotomy and lobectomy. Which of the following postoperative assessments should the nurse give highest priority to?

- | | | |
|----------|-----------------------------|----------------|
| A | Arterial blood gases | CORRECT |
| B | Urinary output | |
| C | Chest tube drainage | |
| D | Pain level | |

Student message:

COPD سؤال من مضاعفات

Source:

quizlet.com

A nurse is creating a health promotion intervention focused on chronic obstructive pulmonary disease (COPD). What should the nurse identify as a complication of COPD?

- | | | |
|----------|----------------------------|----------------|
| A | Lung cancer | |
| B | Cystic fibrosis | |
| C | Respiratory failure | CORRECT |
| D | Hemothorax | |

Student message:

A patient presents with vomiting, shortness of breath, and dehydration. The patient's pH is elevated, indicating metabolic alkalosis, most likely due to the loss of gastric acid from vomiting.
ومنه سؤال مريض عنده
Metabolic alkalosis الجواب

Source:

quizlet.com

A client is hospitalized after four days of epigastric pain, nausea, and vomiting. The nurse reviews the laboratory test results: plasma pH 7.51, Pco₂ 50 mm Hg, bicarbonate 58 mEq/L (58 mmol/L), chloride 55 mEq/L (55 mmol/L), sodium 132 mEq/L (132 mmol/L), and potassium 3.8 mEq/L (3.8 mmol/L). What condition does the nurse determine the results to indicate?

- | | | |
|----------|----------------------------|----------------|
| A | Hypernatremia | |
| B | Hyperchloremia | |
| C | Metabolic alkalosis | CORRECT |
| D | Respiratory acidosis | |

Student message:

Corticosteroids + Live vaccine = Avoid/Contraindicated. العلاج اللي يقلل من اللقاح

Source:

quizlet.com

The nurse is screening a patient before administering a live virus vaccine. The patient is currently taking a glucocorticoid medication. Which action should the nurse take?

- A Continue screening and give the vaccine if appropriate.
- B Note the contraindication but give the vaccine anyway.
- C Note the contraindication and clarify the order with the healthcare provider. CORRECT**
- D Hold the vaccine and notify the department of health.

Student message:

Primary لقاح الحج

Source:

quizlet.com

The nurse is teaching about primary prevention and includes which educational statement in the instructions?

- A Limiting disability is a vital role of nursing since preventive measures are therapeutic.
- B The nurse is involved in minimizing the effects of disease and disability by surveillance and maintenance.
- C Health teaching about the risk factors of heart disease should be performed. CORRECT**
- D Everyone should participate in colorectal cancer screening.

Student message:

الاكل الممنوع تناوله للحامل

Source:

quizlet.com

A nurse is discussing diet with a pregnant woman. Which of the following foods should the nurse advise the client to avoid consuming during her pregnancy?

- A Bologna CORRECT**
- B Cantaloupe
- C Asparagus
- D Popcorn

Student message:

وكمان طفل عنده نقص حديد وياخذ علاج وكان السؤال عن الاكل اللي يدعمه او يتجنبه حاجه مثل كذا

Source:

quizlet.com

Oral iron supplements are prescribed for a 6-year-old child with iron deficiency anemia. The nurse reinforces instructions to the mother and tells the mother to administer the iron with which best food item?

- A Milk.
- B Water.
- C Apple juice.
- D **Orange juice.**

CORRECT**Student message:**

مكان ابرة الانسولين subcutaneous

Source:

quizlet.com

When preparing to administer heparin or insulin subcutaneously, which site is preferred?

- A **Abdomen**
- B Scapula
- C Deltoid muscle
- D Back of the upper arm

CORRECT**Student message:**

متى يبدأ مفعول الانسولين يبدأ من 30_60 دقيقة الجواب

Source:

quizlet.com

The nurse is preparing to administer regular insulin. Which onset of action should the nurse expect?

- A Within 15 minutes
- B **30-60 minutes**
- C 2-4 hours
- D 4-6 hours

CORRECT

Student message:

وجا سوال عن fishy بالنساء للولاده توها لها ٤ ايام ومن ضمن الخيارات نزيف ولا عدوى

Source:

quizlet.com

The nurse is assessing the lochia on a 1 day postpartum patient. The nurse notes that the lochia is red and has a foul-smelling odor. The nurse determines that this assessment finding is:

- A Normal
- B Indicates the presence of infection
- C Indicates the need for increasing oral fluids
- D Indicates the need for increasing ambulation

CORRECT**Student message:**

جا سؤال عن rotavirus اش نوع العزل له

Source:

quizlet.com

A nurse is providing care to a child diagnosed with rotavirus who is experiencing vomiting and diarrhea. Which precautions should the nurse implement?

- A Wear a gown and gloves
- B Contact precautions
- C Droplet precautions
- D Wear gloves and a surgical mask

CORRECT**Student message:**

جاني سؤال hepatitis B متى اعطيه

0-2-4

0-2-6

0-1-6

0-1-8

Source:

quizlet.com

He has no documentation of vaccination against hepatitis B. What is the recommended routine schedule for vaccination against hepatitis B?

- A 0 and 2 months
- B 0 and 6 months
- C 0, 1, and 2 months
- D 0, 1, and 6 months

CORRECT

Student message:

سؤال عن tonsillectomy اش يقدر ياكل بعدها
الخيارات ايسكريم فراوله
Mash potatoes

Source:

quizlet.com

Which dietary recommendations would the nurse provide the parent of a 3-year-old being discharged post-tonsillectomy?

- A Bacon strips, cola, fruit punch, toast with butter and jelly, and vanilla pudding
- B Orange juice, grape popsicles, French toast with syrup, vanilla ice cream, and orange soda
- C **Scrambled eggs, banana popsicles, mashed potatoes, crushed ice, and apple juice**
- D Lemonade, orange popsicles, French fried potatoes with ketchup, grape soda, and pancakes with syrup

CORRECT**Student message:**

سؤال مريض ياخذ بوتاسيوم no edama بس فيه حراره بسيطه in site IV ويحس المويض بالم اش تسوين
الخيارات اوقفه واغير المكان
انقصه زي كذا الخيارات

Source:

quizlet.com

The nurse assesses pain and redness at a vascular access device (VAD) site. Which action is taken first?

- A Apply a warm, moist compress.
- B Aspirate the infusing fluid from the VAD.
- C Report the situation to the health care provider.
- D **Discontinue the intravenous infusion**

CORRECT**Student message:**

سوال مريض جا للعياده وعنده muscle rigidity وكان من ضمن الخيارات parkinson's

Source:

quizlet.com

Which clinical manifestation would be required to confirm the diagnosis of Parkinson disease?

- A **Tremors at rest and bradykinesia**
- B Bradykinesia only
- C Rigidity only
- D Tremor at rest and flaccidity

CORRECT

Student message:

سؤال عن Anorexia ايش تقول عن نفسها من ضمن الخيارات تشوف نفسها اسمن من الاخرين

Source:

quizlet.com

A nurse assesses four adolescents diagnosed with various eating disorders. Which comment would the nurse expect from the adolescent diagnosed with anorexia nervosa?

- A I look good because whenever I overeat, I purge myself.
- B I love sweets. I make myself throw up so I can eat more.
- C I've lost 60 pounds but I'm still a size 2. I want to be a size 0.**
- D I've hidden my eating disorder from everyone, even my parents.

CORRECT**Student message:**

سؤال عن schizophrenia قال انه يسمع صوت ايش نوعه Auditory

Source:

quizlet.com

Which of the following is an example of the most common type of hallucination seen in schizophrenia?

- A Bill was convinced that his mother was inserting evil thoughts into his mind.
- B Sondra tried to ignore the voices that appeared to come from nowhere.**
- C Ned believed he was Elvis.
- D Rachel would frequently see her husband, even though he had been dead for several years.

CORRECT**Student message:**

Which of the following best describes Evidence-Based Practice?

- A. Practice based only on nurse's experience.
- B. Practice guided by physician orders.
- C. Practice based on research evidence, clinical expertise, and patient preferences.
- D. Practice following hospital policy only.

Source:

quizlet.com

What is the best definition of Evidence-Based Practice (EBP)?

- A Clinical decision-making based on tradition and provider experience
- B The use of the most recent study to guide patient care
- C Integration of best research evidence, clinical expertise, and patient preferences**
- D Decision-making based solely on institutional policy

CORRECT

Student message:Ask  Formulate a Clinical Questionفيه سؤال بيسألك أول خطوه في EBP
اول مرحله وهي مرحلة السؤال**Source:**

quizlet.com

The first step of the evidence-based practice process is?

- A acquiring an article through a search on PubMed
- B appraising an article
- C applying a research article to practice
- D asking a clinical question**

CORRECT**Student message:**Acquire  Search for Evidence

هنا مرحلة البحث

Source:

quizlet.com

What is the step in the evidence-based practice process AFTER defining a question?

- A Identify the relevant evidence**
- B Formulate a question based on a clinical problem
- C Evaluate the evidence
- D Implement useful findings

CORRECT**Student message:**Appraise  Evaluate the Evidence

وهنا ما بعد البحث نحصل اكثر من مرجع وناخذ الافضل من بينها

Source:

quizlet.com

Which of the following is a question that would be asked as part of the process of appraising research evidence?

- A What are the P, I, and O components?
- B How rigorous and reliable is the evidence?**
- C What type of trigger should I use?
- D Is a relevant systematic review available?

CORRECT

Student message:

Assess → Evaluate the Outcomes

واخر شيء التقييم

Source:

quizlet.com

The last step of EBP is what?

- | | | |
|----------|-----------------------------|----------------|
| A | Evaluation of change | CORRECT |
| B | Evidence synthesis | |
| C | Form a team | |
| D | Evidence retrieval | |

Student message:

What is a common barrier to implementing EBP among nurses?

- A. Availability of research databases
- B. Supportive hospital management
- C. Lack of time and skills to review literature.
- D. Strong collaboration among staff

الاجابة C

Source:

quizlet.com

Which of the following is a common barrier to implementing EBP in nursing?

- | | | |
|----------|---|----------------|
| A | Excess research availability | |
| B | Too many clinical guidelines | |
| C | Lack of organizational support and resources | CORRECT |
| D | Overuse of randomized controlled trials | |

Student message:

Systematic Reviews and Meta-analysis : الافضل

Source:

quizlet.com

Which source provides the highest level of evidence?

- | | | |
|----------|--|----------------|
| A | A single cohort study | |
| B | A controlled study without randomization | |
| C | A systematic review of qualitative studies | |
| D | A meta-analysis of randomized controlled trials | CORRECT |

Student message:

systematic reviews جاء استلها عليها ويرضوا فيه سؤال يقول افضل مرجع في
Cochrane Database هو <<<

Source:

quizlet.com

Which database is best to use to locate synthesized evidence-based research, such as systematic reviews or meta-analyses?

- | | | |
|---|----------------------------|---------|
| A | The Cochrane database | CORRECT |
| B | PubMed | |
| C | The National Clearinghouse | |
| D | CINAHL | |

Student message:

It is a type of study that statistically pools the result from previous studies into a single quantitative analysis that provides one of the highest levels of evidence for an intervention's efficacy.
A-Meta synthesis B-Meta-analysis C-Systemic review D-Outcomes research

الاجابة B

Source:

quizlet.com

What type of review generates an overall summary statistic that represents the effect of the intervention across multiple studies?

- | | | |
|---|--------------------------|---------|
| A | Systematic review | |
| B | Meta-analysis | CORRECT |
| C | Randomized control trial | |
| D | Evidenced-based practice | |

Student message:

Subinvolution medication ?
A. Methergine.
B. Oxytocin
C. Tramadol IV هذا بعد جاء

Source:

quizlet.com

The nurse is caring for a postpartum patient with subinvolution of the uterus. Which medication does the nurse expect to see in the patient's orders?

- | | | |
|---|-------------------------------|---------|
| A | Heparin (Lovenox) | |
| B | Warfarin (Coumadin) | |
| C | Vitamin K (AquaMEPHYTON) | |
| D | Methylergonovine (Methergine) | CORRECT |

Q-106

SnleNotes.com

**Student message:**

949. A nurse is caring for a 72-year-old man patient, is unsteady. The patient requests the nurse to help nurse asked the patient to wait few minutes device to transfer him. Which of the following transfer devices is the nurse to use?

- A. Belt
 - B. Board
 - C. Handle
 - D. Mechanical lift
- A هذا جاني جوابه

Source:

quizlet.com

The nurse is caring for a 76-year-old client who has an unsteady gait. Which method is most appropriate to assist in transferring?

- A roller sheet
- B transfer belt**
- C mechanical lift
- D transfer boards

CORRECT**Q-107**

SnleNotes.com

**Student message:**

A 10 month old infant is admitted to the surgical ward with hydrocephalus. Which of the following .indicate increased intracranial pressure? ذا بعد جاء

- A. Bulging
- B. Decrease blood pressure
- C. Rapid, shallow breathing
- D. Increase body temperature

Source:

quizlet.com

The nurse caring for an infant with a diagnosis of hydrocephalus would monitor the infant for which sign of increased intracranial pressure?

- A Proteinuria
- B Bradycardia
- C A drop in blood pressure
- D A bulging anterior fontanel**

CORRECT

Q-108

SnleNotes.com



Student message:

هذا لما جاني كان فيه نقل دم وكونسنت وانه من ضمن الخيارات ننتظر الاهل او نخلي اللي جابه يوقع ووو، احد مر عليه السؤال بالضبط فين

Source:

quizlet.com

The client is a minor child who was involved in an accident. The child is now on a pediatric unit. The health care provider has prescribed the client to receive 2 units of packed red blood cells due to a low hemoglobin and hematocrit. The nurse needs to obtain consent from a parent to initiate the blood therapy. The client's religion is Jehovah's Witnesses. What is the nurse's first action?

- A Administer the blood without obtaining consent.
- B Contact the ethics board at the clinical agency about this situation.
- C Notify the health care provider that the client is a member of Jehovah's Witnesses.

D Ask the parent to consent for administration of the blood.

CORRECT

Q-109

SnleNotes.com



Student message:

A nurse is assessing a 5 month old infant who has admitted to the pediatric ward with coarctation of aorta

Which of the following is the most common assessment findings ?

- A. Cyanosis and clubbing hands
- B. Bounding pulse and hypotonicity
- C. Cyanosis occur frequently during and after feeding
- D. Blood pressure is different on the arm the leg هذا بعد جاني

Source:

quizlet.com

What finding would you expect when measuring blood pressure on all four extremities of a child with a coarctation of the aorta is blood pressure that is:

- A Higher on the left side
- B Higher on the right side
- C Lower in the arms than the legs
- D Lower in the legs than the arms**

CORRECT

Q-110

SnleNotes.com



Student message:

A nuclear plant experienced a leakage, and all involved workers were brought to the Emergency Department for treatment. The medical team prescribed potassium iodide for the workers to block radioactive iodine to be absorbed by an organ in the body. Which of the following organs is the most sensitive to radioactive iodine?

- A. Brain
- B. Lungs
- C. Kidney
- D. Thyroid هذا جاني بعد

Source:

quizlet.com

Potassium iodine (KI) taken immediately following a nuclear incident can prevent 100% of radioactive iodine from entering which body organ?

A Brain

B Thyroid

CORRECT

C Kidney

D Liver

Q-111

SnleNotes.com



Student message:

403- A 6-year-old child is brought to the emergency department after being involved in a motor vehicle accident (MVA). The child has multiple injuries and, after stabilization, requires an urgent surgery. The parents are not present, Who should sign the consent?

- A. Wait for the family. ⓧ
- B. Call the family with a witness present.
- C. No consent is needed in this case. هذا السؤال جاني ف الاختبار

Source:

quizlet.com

The ED nurse is caring for an 11-year-old brought in by ambulance after having been hit by a car. The child's parents are thought to be en route to the hospital but have not yet arrived. No other family members are present and attempts to contact the parents have been unsuccessful. The child needs emergency surgery to save her life. How should the need for informed consent be addressed?

A A social worker should temporarily sign the informed consent.

B Consent should be obtained from the hospital's ethics committee.

C Surgery should be done without informed consent.

CORRECT

D Surgery should be delayed until the parents arrive.

Student message:

– جاني مكان ألم ال
appendicitis

Source:

quizlet.com

Which quadrant is McBurney's point located in?

- A Left upper quadrant
- B Right upper quadrant
- C **Right lower quadrant**
- D Left lower quadrant

CORRECT**Student message:**

– ستول النيوپورن

Source:

quizlet.com

A 1-day-old newborn has just expelled a thick, greenish-black stool. The nurse determines that this is the first stool. What should the nurse do next?

- A **Document the stool in the infant's record**
- B Assess the infant for an intestinal obstruction
- C Send the stool to the laboratory per protocol
- D Notify the practitioner that a tarry stool has been passed

CORRECT**Student message:**

– وشن عزل ال
TB

Source:

quizlet.com

The client is admitted with a diagnosis of rule-out tuberculosis. Which type of isolation procedures should the nurse implement?

- A Standard Precautions.
- B Contact Precautions.
- C Droplet Precautions.
- D **Airborne Precautions.**

CORRECT

Student message:

–فيتامين K الي نعطيه لنيوبورن ووين

Source:

quizlet.com

Which anatomic site would the nurse select to administer vitamin K to a term newborn?

- A Bicep
- B Deltoid
- C Dorsogluteal
- D **Vastus lateralis**

CORRECT**Student message:**

–وممرضه تسولف عن خصوصيه بيشنت في القسم

Source:

quizlet.com

The nurse overhears two nursing assistive personnel (NAP) discussing protected health information (PHI) about a client in a public elevator. Which action should the nurse take next?

- A Assess whether visitors are in the elevator
- B Contact the nursing supervisor on the floor
- C **Instruct the NAPs to stop the discussion immediately**
- D Notify the risk manager and ethics committee

CORRECT**Student message:**

–وطفل سوا عملية لوز وش أعطيه ايسكريم فراوله

Source:

quizlet.com

The nurse is caring for a child recovering from a tonsillectomy. Which fluid or food item would be offered to the child?

- A **Green Jell-O**
- B Cold soda pop
- C Butterscotch pudding
- D Cool cherry-flavored Kool-Aid

CORRECT

Student message:

- لقاء الحج

Source:

quizlet.com

A nurse is planning a vaccination clinic in a school to prevent influenza. This intervention is an example of which level of prevention?

- A Tertiary
- B Secondary
- C **Primary**
- D Quaternary

CORRECT**Student message:**

- پیشنت جات عندها سكر وش أعطيها

Source:

quizlet.com

The nurse admits a client who is in sickle cell crisis to the hospital. Which does the nurse prepare as the priority in the management of the client?

- A Pain management
- B Fluid administration
- C **Oxygen administration**
- D Red blood cell transfusion

CORRECT**Student message:**

- من وين تاخذ blood من النيوبورن

Source:

quizlet.com

The Mother Baby educator is performing a skill check off on neonatal heel sticks with a recently hired nurse graduate on orientation. Which method is correct for collecting blood by heel stick?

- A **Warm the foot, clean with alcohol, and puncture the side of the heel.**
- B Warm the foot, place a tourniquet on the ankle, clean with alcohol, and puncture the side of the heel.
- C Elevate the foot, clean with alcohol, puncture the heel, squeeze to obtain the sample.
- D Clean with alcohol, puncture the side of the heel, and squeeze to obtain the sample.

CORRECT

Student message:

– شخص عنده حرق في الرقبه وش اهمشي أسويه الاجابه حظيت الايرواي باتنسي

Source:

quizlet.com

A patient arrives in the emergency department with burns on the face, neck, and chest. What is the priority nursing action?

- A Insert an intravenous line
- B Administer pain medication
- C Assess the airway**
- D Begin wound debridement

CORRECT**Student message:**

– وإجهاض الي بنحصل فيه tissue حظيت incomplete

Source:

quizlet.com

Which finding best indicates an incomplete abortion?

- A Closed cervix, no passage of tissue
- B Open cervix, some products expelled, heavy bleeding**
- C Dead fetus retained, no bleeding
- D Uterus contracted, all products expelled

CORRECT**Student message:**

– وجات اسئلة كثير بس الجواب واحد حق الي يأخذ حيوب الحديد يأخذ معاه فيتامين C

Source:

quizlet.com

A patient undergoing chemotherapy has difficulty breathing and a low erythrocyte count. What advice will the nurse provide about taking oral iron supplements?

- A Take them with milk.
- B Take them before eating.
- C Take them with fibrous food.
- D Take them with orange juice.**

CORRECT

Student message:

طفل جا عنده Vomiting و Diarrhea كيف نقيس الحرارة ؛ في ال Axillary

Source:

quizlet.com

When taking an axillary temperature on a 2-year-old child with diarrhea, which temperature range would be considered normal?

- A 34.3°C to 35.3°C
- B 35.4°C to 36.9°C**
- C 37.0°C to 37.6°C
- D 37.7°C to 38.3°C

CORRECT**Student message:**

سؤال الممرضة كيف تمنع خطأ المديكشن حطيت باركود

Source:

quizlet.com

Which statement about barcode medication administration is true?

- A It replaces the need to check patient identifiers
- B It reduces errors but does not replace the nurse's responsibility**
- C It is optional
- D It guarantees zero errors

CORRECT**Student message:**

وجه سؤال عن اعراض حبوب منع الحمل انا اخترت inter menstrual bleeding

Source:

quizlet.com

A client is prescribed an oral contraceptive. Which adverse effect should the nurse include in the teaching?

- A Cervicitis
- B Ovarian cysts
- C Fibrocystic breasts
- D Breakthrough bleeding**

CORRECT

Student message:

MRSA عزل ال

Source:

quizlet.com

A patient is diagnosed with methicillin-resistant *Staphylococcus aureus* (MRSA). Which transmission-based precaution should the nurse implement?

A Airborne precautions

B Droplet precautions

C Contact precautions**CORRECT**

D Protective precautions

Student message:

streptococcal meningitis و عزل ال

Source:

quizlet.com

A nurse is assisting with the admission of a toddler who has bacterial meningitis caused by *Haemophilus influenzae* type B. Which of the following isolation guidelines should the nurse plan to initiate?

A Airborne Precautions

B Contact Precautions

C Droplet Precautions**CORRECT**

D Standard precautions

Student message:

سؤال بوزشن رباعية فالوت

Source:

quizlet.com

An infant with tetralogy of Fallot becomes cyanotic and dyspneic after a crying episode. To relieve the cyanosis and dyspnea, in which position should the nurse place the infant?

A Orthopneic position

B Knee-chest position**CORRECT**

C Lateral Sims' position

D Semi-Fowler's position

Student message:

سؤال الحج برايمري

Source:

quizlet.com

Which level of prevention is being used when a nurse encourages members of the community to receive the influenza vaccine?

A	Primary	CORRECT
B	Multifactorial	
C	Secondary	
D	Tertiary	

Student message:

سؤال جديد بخصوص الـ ORS لطفل ٣ سنوات رافضين الـ iv ف كيف تعطينه حطيت اصغر شيء small cup, frequent لان الاجابات الثانيه اعطيها بكوب تشربه او اعطيها بكوب كبير كل شوي مو منطقيه وكلها كبيره على طفل عمره ٣ سنوات

Source:

quizlet.com

A school-age child with acute diarrhea and mild dehydration is receiving oral rehydration solution but occasionally vomits. What should the nurse recommend?

A	Hospitalize the child for intravenous fluids	
B	Alternate oral rehydration solution with carbonated beverages	
C	Continue oral rehydration solution in small frequent amounts	CORRECT
D	Keep the child NPO for 8 hours	

Student message:

سؤال لغل الالم ٦/١٠ الجواب modreate

Source:

quizlet.com

Which pain rating would the nurse report for a patient who says the pain is a 6?

A	Minimal	
B	Mild	
C	Moderate	CORRECT
D	Severe	

Student message:

سؤال مريض السكر الي لازم يشيك على رجله انسيكشن

Source:

quizlet.com

A nurse is teaching a client with diabetes about proper foot care. Which statement indicates effective teaching?

- A I will go barefoot at home
- B I will inspect my shoes for foreign objects before wearing them**
- C I will soak my feet in hot water every day
- D I will wear canvas shoes without socks

CORRECT**Student message:**

سؤال حمل خارج الرحم الجواب قناة فالوب

Source:

quizlet.com

Where does an ectopic pregnancy most commonly occur?

- A Ovary
- B Cervix
- C Abdominal cavity
- D Fallopian tube**

CORRECT**Student message:**

سؤال يخص ال sample الي قروبين وقسمتهم على حسب العمر واختار عشوائي (اداره تلقونه)

Source:

quizlet.com

A researcher divides town residents into age groups and randomly selects a proportional number from each group. What type of sampling is this?

- A Systematic sampling
- B Stratified sampling**
- C Convenience sampling
- D Cluster sampling

CORRECT

Student message:

سؤال بالطوارئ وفيه انفكشن غير معروف المهم جوابه غسيل اليدين

Source:

quizlet.com

Which intervention is the most effective method to prevent infection transmission?

- A Wearing gloves
- B **Hand hygiene**
- C Wearing mask
- D Isolation precautions

CORRECT**Student message:**

سؤال الام الحامل وش اهم فيتامين حظيت فوليد اسيد

Source:

quizlet.com

A patient tells the nurse that she is thinking about becoming pregnant. Which vitamin should be her priority for supplementation before planning a pregnancy?

- A Vitamin B12
- B Riboflavin
- C Vitamin D
- D **Folic acid**

CORRECT**Student message:**

سؤال الدايجوكسن مرتفع الجواب هولد واعلم الدكتور بحطه تحت

Source:

quizlet.com

The nurse is preparing to administer a dose of digoxin. Which finding would indicate withholding the medication?

- A Serum digoxin level is 1.5 ng/mL.
- B Blood pressure is 104/68 mm Hg.
- C **Serum potassium level is 2.5 mEq/L.**
- D Apical pulse is 68/min.

CORRECT

Student message:

سؤال ستاف يتعلمون والهدد يعني تدعمهم وكذا الجواب lifelong

Source:

quizlet.com

Why is it important for nurses to develop the habit of lifelong learning?

A	Technology and practice changes require nurses to maintain safe care	CORRECT
B	Annual continuing education is the only licensure requirement	
C	It guarantees promotions and salary increases	
D	It is required only by hospital boards	

Student message:

سؤال طفل مسوين له هايبرسيادز يعني وانت يكرامه فتحة البول تكون فوق المهم سوو له العملية وش الدسجارج انستركشن، الخيارات يلبس دبل داير او اخلية يسبح او اخلية يلعب ب توي ونسيت الرابعه بس اتوقع فيها برشر كذا

Source:

quizlet.com

Which intervention is most important in the postsurgical care of an infant after hypospadias repair?

A	Keep the drainage tube upright	
B	Administer prophylactic antibiotics	
C	Provide analgesics only when the infant cries	
D	Use double diapering	CORRECT

Student message:

سؤال رجل تشخص بمرض خطير و زوجته تقول للنيرس لاتعلمينه بتشخيصه والمريض واعى الان وقاعد يقول وش حاصل معي ف وش تسوين بهالحاله

Source:

quizlet.com

A client has returned from surgery and the physician has told the family not to tell the client about the cancer diagnosis. The client asks the nurse what the surgeon found. What is the best response?

A	Call the physician and ask the physician to speak with the client	CORRECT
B	Tell the client that the nurse does not know	
C	Ask the family what they want the nurse to say	
D	Tell the client directly that the surgeon found cancer	

Student message:

سؤال حرمة متزوجه وتبي شي يمنع ال vaginal infection ويكون نون انفيزف يعني مايخترق الجلد الجواب condom لان باقي الخيارات تخترق الجلد

Source:

quizlet.com

Which contraceptive method also provides protection against sexually transmitted infections?

- A Oral contraceptives
- B Tubal ligation
- C **Condoms**
- D Intrauterine system

CORRECT**Student message:**

سؤال مريض انيميا منجليه وعطيناه مورفين ونزل التنفس وش تسوين الجواب naloxine الاتي دوت

Source:

quizlet.com

A nurse assesses a post-surgical client receiving IV morphine. Respiratory rate is 10/min, oxygen saturation is 93%, and the client responds slowly to voice. What is the priority action?

- A Reposition the client and apply supplemental oxygen
- B **Stop the opioid and administer diluted naloxone IV**
- C Decrease the opioid infusion rate and reassess in 30 minutes
- D Notify the provider and document findings

CORRECT**Student message:**

6th inter costal space ومكان اتركيب الشيت تيوب والاختيارات كان ميداكسيلاري وكام حاجه وانا اخترت

Source:

quizlet.com

What is the recommended insertion site for a chest tube?

- A Fifth to sixth intercostal space at the midaxillary line
- B **Fourth to fifth intercostal space at the anterior axillary line**
- C Third to fourth intercostal space at the midclavicular line
- D Fourth to fifth intercostal space at the midclavicular line

CORRECT

Student message:

وجه سؤال عن ovelation والاختبارت امتى بتطلع البويضه وكام يوم تستمر حرارة الجسم قبل وبعد

Source:

quizlet.com

Ovulation occurs:

- | | | |
|---|---|---------|
| A | At the onset of menstruation | |
| B | Fourteen days after the onset of menstruation | |
| C | Fourteen days before the onset of the next menstruation | CORRECT |
| D | Twenty-eight days after the last menstruation | |

Student message:

do massage or blood trans fution.. 90/50 جالى سؤال normal delivery وبعدها جه bleeding والضغط وقع 90/50

Source:

quizlet.com

A postpartum woman stands and blood pools beneath her. She appears pale and weak. What is the priority nursing action?

- | | | |
|---|---|---------|
| A | Assist her to empty her bladder | |
| B | Return her to bed and assess the fundus | CORRECT |
| C | Assess her blood pressure and pulse | |
| D | Start an intravenous infusion of lactated Ringer's solution | |

Student message:

جه سوال محيط راس الطفل بيزيد كام سم كل شهر اول ثلاث شهور

Source:

quizlet.com

From birth to 2 months of age, how much is an infant's head circumference expected to increase?

- | | | |
|---|------------------------|---------|
| A | 0.5 cm per month | |
| B | 1.5 cm per month | CORRECT |
| C | 3 cm per month | |
| D | It should not increase | |

Student message:

وجاء بنت مع امها منقطعه عنها الدورة حظيت temur syndrome الباقية ماليا شغل

Source:

quizlet.com

Streak gonads and infertility are associated with what fetal syndrome?

- A Edward syndrome
- B **Turner syndrome**
- C Holt Oram syndrome
- D Noonan syndrome

CORRECT**Student message:**

و NGT insertion position
Sims
Prone
Supine
Semi-F

Source:

quizlet.com

Patient position for NG tube insertion:

- A Supine
- B Prone
- C **High Fowler's**
- D Trendelenburg

CORRECT**Student message:**

Vaccine of 6month
-hepatitis B
- DTaP
- varicella
- MMR

Source:

quizlet.com

A mother brought her 6-month-old healthy infant to the well-baby clinic. Which immunization should the nurse anticipate to administer as per World Health Organization's recommendation?

- A Varicella (Chicken pox)
- B Rotavirus and hepatitis
- C Measles, Mumps, Rubella
- D **Diphtheria, Tetanus and pertussis**

CORRECT

Student message:

primary prevention جاني عن الحج

Source:

quizlet.com

Which is an example of primary prevention of injury?

- | | | |
|----------|---|----------------|
| A | Teaching the client about the importance of wearing head protection when engaging in activities that may lead to head injury | CORRECT |
| B | Providing prompt care when a head injury occurs | |
| C | Teaching a client the importance of consuming a well-balanced diet | |
| D | Providing rehabilitation after a head injury occurs | |

Student message:

airbone وجاني كورونا وحاطينه ب negative pressure room ووش نوع الاسبولوشن

Source:

quizlet.com

A nurse is working in a hospital in which a client has been admitted with pulmonary tuberculosis. What type of precautions would this client require?

- | | | |
|----------|-----------------|----------------|
| A | Airborne | CORRECT |
| B | Droplet | |
| C | Reservoir | |
| D | Contact | |

Student message:

وسوال علاج الاورد mg 500 على 6 ساعات والمتوفر mg 250 كم تابلت نعطيه؟ 2

Source:

quizlet.com

A provider orders 0.5 grams of a drug. The available tablets are labeled 250 mg each. How many tablets should the nurse administer?

- | | | |
|----------|------------------|----------------|
| A | 2 tablets | CORRECT |
| B | 3 tablets | |
| C | 4 tablets | |
| D | 1 tablet | |

Student message:

جيت اسئلته تقريبا ٣ كلها عن سرية المريض وكيف مفروض مانشاركها كلها سنابرواوت مختلفه بس تدل على نفس الاجابه السريه

Source:

quizlet.com

A group of nurses is discussing a patient case in an elevator when other people enter. Which aspect of HIPAA has been violated?

A Patient education

B Recourse

C Minimal disclosure of protected health information

CORRECT

D Limiting the use of information

Student message:

وفيه سوال نيرس شافت ممرضه تسجل وهي لسي ماعطت الادويه وش تسوي

Source:

quizlet.com

Which action demonstrates proper medication documentation?

A Documenting before giving the medication

B Documenting immediately after administration

CORRECT

C Waiting until the end of the shift

D Asking another nurse to chart it

Student message:

وجاب Regular insulin onset 30-60mins

Source:

quizlet.com

Which type of insulin should be given 30 – 60 minutes before meals?

A NPH insulin

B Lantus insulin

C Regular insulin

CORRECT

D Humalog insulin

Student message:

Hyperthyroidism = high T3.T4 low TSH

Source:

quizlet.com

Which laboratory results are expected in a patient with Graves disease?

A High TSH and high T3/T4

B Low TSH and low T3/T4

C High TSH and low T3/T4

D Low TSH and high T3/T4

CORRECT

Student message:

Barlow Sgin وفيه بعد سناريو قالي دكتور يسوي لطفل اسسمنت عنده مشكله بالhip وعمل adduction وضغط على الرجل وحاط الخيارات علامات حطيت

Source:

quizlet.com

A nurse performs the Barlow test on an infant. A 'clunk' is felt. This indicates:

A The hip is relocating into the acetabulum

B The hip is dislocating from the acetabulum

C The hip is stable

D The hip is fractured

CORRECT

Student message:

سؤال الدايجوكسن مرتفع الجواب هولد واعلم الدكتور بحطه تحت

Source:

quizlet.com

A client taking digoxin reports nausea and vomiting. What is the nurse's priority action?

A Administer the next dose with food

B Reassure the client this is expected

C Hold the medication and notify the provider

D Document the finding as normal

CORRECT

Student message:

سؤال طفل بعد عملية cleft palate repair وهيخرج معلم الأم اي عن الرضاعة burping وللا feeding in upright واختبارات ثانيه اخترت upright لانه يبسأل عن الرضاعة

Source:

quizlet.com

A newborn is diagnosed with a cleft lip and palate. The nurse is teaching the parents about feeding techniques. Which statement by the parents indicates a need for further teaching?

- A We will use a special bottle with a one-way valve to help with feeding.
- B We should position the baby upright while feeding to prevent aspiration.
- C We should use a soft nipple and squeeze the cheeks together while feeding.

D We will feed our baby in a side-lying position to prevent regurgitation.

CORRECT

Student message:

جاني سؤال الحج كلمم اثنين واحد حق برايمي واحد Epidemic

Source:

quizlet.com

A public health nurse is developing a program to reduce the incidence of type 2 diabetes in a low-income community. Which intervention best represents primary prevention?

- A Providing insulin education to clients who were recently diagnosed with diabetes
- B Offering free hemoglobin A1C screenings at a community health fair

C Teaching nutrition and physical activity classes at a local community center

CORRECT

D Referring clients with diabetes to a diabetic foot care clinic

Student message:

جاني umbilical cord prolapse انه اغطيه ب موسترايز درسق لاجابه

Source:

quizlet.com

A nurse is caring for a client who has a prolapsed umbilical cord. Which of the following actions should the nurse take?

- A Cover the cord with a sterile, moist dressing
- B Prepare the client for an assisted vaginal birth
- C Place the client in the knee-chest position

D Insert a gloved hand into the vagina to relieve pressure on the cord

CORRECT

Student message:

وحق افصاح سريره مريض نذكرهم انه ممنوع

Source:

quizlet.com

A nurse overhears another nurse discussing a patient in an elevator. What should the nurse do?

- A Ignore the conversation
- B Remind the nurse to stop discussing patients in public areas**
- C File a formal complaint with administration
- D Contact law enforcement

CORRECT**Student message:**

شيزوفرينيا هالوس

Source:

quizlet.com

Which type of hallucination occurs most commonly in schizophrenia?

- A Auditory**
- B Olfactory
- C Tactile
- D Gustatory

CORRECT**Student message:**

Hand hygiene حق الوقايه من العدوى

Source:

quizlet.com

What is the most significant method for preventing hospital-acquired infections?

- A Face shields
- B Gowns
- C Gloves
- D Hand hygiene**

CORRECT

Student message:

الدابت جاء حق اللوز وش ياكل بعد العمليه ماش بتيتوت

Source:

quizlet.com

A nurse is caring for a client who is postoperative immediately following a tonsillectomy. Which of the following snacks should the nurse offer the client?

- | | | |
|----------|-----------------------|----------------|
| A | Orange ice pop | CORRECT |
| B | Hot tea | |
| C | Ice cream | |
| D | Cranberry juice | |

Student message:

جاء سوال حق chest knee لطفل

Source:

quizlet.com

A 2-month-old with diagnosed Tetralogy of Fallot becomes agitated during a painful procedure. The infant suddenly becomes cyanotic and tachypneic. Which nursing action is the most appropriate initial intervention?

- | | | |
|----------|--|----------------|
| A | Calm the infant and reduce all environmental stimuli | |
| B | Administer 100% oxygen as ordered | |
| C | Place the infant in the knee-chest position | CORRECT |
| D | Begin IV fluid administration as ordered | |

Student message:

جاء سوال انه اعطينا flu vaciine قبل الحج وش يعتبر ذا برايمري
وفي سوال ثاني انه لاحظته ممرضه انه colon cancer منتشر بالسعوديه ويكتشفونه باخر stage كيف تكتشفه بدري كان نسوي screaning

Source:

quizlet.com

Which action by the nurse is considered primary prevention?

- | | | |
|----------|--|----------------|
| A | Performing monthly wellness screenings for blood pressure and blood glucose levels | |
| B | Teaching removal of throw rugs and clutter to patients at risk for falling | CORRECT |
| C | Providing free testing for sexually transmitted infections in a college-based clinic | |
| D | Providing rehabilitation classes for a group of patients who have recently suffered a stroke | |

Student message:

جاء وش افضل شي لمنع عدوى المستشفى hand hygiene

Source:

quizlet.com

What response would the nurse provide to correctly identify the most effective method to prevent hospital-acquired infections?

A Use sterile technique

B Isolation protocols

C Antibiotic use

D **Handwashing**

CORRECT

Student message:

وش التعليم اللي يعطى لام طفلها عنده cleft lip يرضع upright

Source:

quizlet.com

Which intervention would the nurse implement for the parent of an infant with a cleft palate who is feeding the infant in a side-lying position held close to the body and burping the child frequently?

A Encouraging the parent to only burp the infant at the end of the feeding

B **Reinforcing the need to place the child in an upright position when feeding**

CORRECT

C Discouraging the parent from holding the infant too close during the feeding

D Requiring the parent to repeat an education session on proper feeding techniques for the child

Student message:

جاني سؤالين على iron deficiency وحدة شو اللي ناخذ معها هو orange juice و وحدة شو يدل انو العائلة قهمت بالغلط و كانت الإجابة واضحة ركزو بس في السؤال احيانا يقلك شو further

Source:

quizlet.com

Which drink would the nurse instruct a client with iron deficiency anemia to choose with the supplement for efficient absorption?

A Water

B Skim milk

C **Orange juice**

CORRECT

D A strawberry milkshake

Student message:

A woman develops postpartum bleeding, but the uterus is firm and contracted.
What is the most likely cause of the bleeding?

- A. Uterine atony
- B. Retained placenta
- C. Lacerations
- D. Uterine rupture

Source:

quizlet.com

Which cause of hemorrhage would be suspected in a client with a firm fundus?

A Uterine atony

B Laceration

CORRECT

C Retained placenta

D Infection

Student message:

جاني سوال الحج اللي برايمري

Source:

quizlet.com

A school nurse is planning a primary prevention event to address the increase in childhood obesity. Which activity should the nurse include?

A Provide education about healthy eating and exercise

CORRECT

B Screen students for elevated body mass index

C Organize a camp for children who are obese

D Conduct a weight-loss contest for children with obesity

Student message:

النظام اللي يمنع الاخطاء اللي هو باركود

Source:

quizlet.com

A nurse is preparing to administer medications using a barcode medication administration system. Which action is correct?

A Scan the patient's identification band and medication at the bedside

CORRECT

B Scan medications at the medication cart before going to the patient's room

C Override the system alert when the wrong medication scans

D Write down medication information to scan later

Q-175

SnleNotes.com



Student message:

33. How often is a Pap smear commonly performed for an average-risk woman when cytology alone is used?

- A. Every year
- B. Every 2 years
- C. Every 3 years
- D. Every 5 years

Answer: C. Every 3 years

برضو هذا جاني

Source:

quizlet.com

Patient ages 21-29 should get a Pap Smear done:

- A Every year
- B Every 2 years
- C **Every 3 years**
- D Every 6 months

CORRECT

Q-176

SnleNotes.com



Student message:

Why are Leopold's maneuvers performed during pregnancy?

- A. To determine fetal position and presen

Source:

quizlet.com

A nursing student is learning about maternal assessments and the use of Leopold's maneuvers during pregnancy. Which statement by the student indicates a correct understanding of the purpose of Leopold's maneuvers?

- A It helps determine fetal heart rate and assess uterine contractions.
- B **It assists in locating the fetal heartbeat and determining fetal position and presentation.**
- C It's performed to measure fundal height and estimate gestational age.
- D It's used to assess the dilation and effacement of the cervix during labor.

CORRECT

Student message:

A patient has been diagnosed with a disease but refuses to accept the diagnosis and states, "I don't have this disease." Which defense mechanism is being used?

- A. Denial
- B. Sublimation
- C. Projection
- D. Displacement

Answer: A. Denial

Source:

quizlet.com

A man with a heart condition continues to perform strenuous sports against medical advice. Which defense mechanism does the nurse identify the patient is using?

A	Denial	CORRECT
B	Repression	
C	Introjection	
D	Dissociation	

Student message:

سؤال عن ان ايش النظام اللي يمنعنا من ان نعطي الدواء الغلط للبشنة، الجواب كان barcode

Source:

quizlet.com

Which system is recommended as a method to address patient safety and reduce errors that occur during the actual administration of medicines?

A	Computerized provider order entry (CPOE)	
B	Barcode medication administration (BCMA)	CORRECT
C	Electronic medication administration record (eMAR)	
D	Electronic prescribing (ePrescribing)	

Student message:

جاني عن البرايمري سيفلس شنو المديكيشن حقه

Source:

quizlet.com

The drug of choice for treatment of primary or secondary syphilis is:

A	Ceftriaxone intramuscular	
B	Benzathine penicillin G intramuscular	CORRECT
C	Oral azithromycin	
D	Oral ciprofloxacin	

Student message:

ليفل حق البرفنشن جا حق الحج

Source:

quizlet.com

Seatbelt and helmet use are examples of which prevention strategy?

A	Primary prevention	CORRECT
B	Rehabilitation	
C	Secondary prevention	
D	Tertiary prevention	

Student message:

جاني من وين ياخذون بلود من النيوپورن

Source:

quizlet.com

A 1-week-old patient needs a bilirubin level assessment. The nurse examines the patient's feet and notes lancet marks on both the medial and lateral aspects of the left heel. Where should the nurse draw blood from the patient?

A	Right heel	CORRECT
B	Left heel	
C	Right middle finger	
D	Antecubital vein	

Student message:

وجا حق مكان الفاكسين حق البيديا افضل مكان تعطينه

Source:

quizlet.com

A neonate is to receive a hepatitis B vaccine within a few hours after birth. What is the best approach for the nurse to take when giving this medication?

A	Administer the medication in the deltoid muscle with a 20-gauge needle.	
B	Administer the medication in the neonate's vastus lateralis with a 25-gauge needle.	CORRECT
C	Administer the medication in the vastus lateralis with a 20-gauge needle.	
D	Administer the medication in the dorsogluteal with a 25-gauge needle.	

Student message:

nephrotic syndrome جا سؤال ايش الدايت حق
normal protein, low sodium الجواب
(الأجوية الباقي كانت كلها high sodium)

Source:

quizlet.com

The nurse provides nutritional counseling for a 45-year-old man with nephrotic syndrome. Which breakfast menu indicates successful teaching?

A Scrambled eggs, milk, yogurt, and sliced ham

B Oatmeal, nondairy creamer, banana, and orange juice

CORRECT

C Cottage cheese, peanut butter, white bread, and coffee

D Waffle, bacon strips, tomato juice, and canned peaches

Student message:

وجاني بعض الاساله الي فوق عن البرايقتي والكونفشيملتني وعن life learning الي تدعم الستاف

Source:

quizlet.com

The nurse overhears a conversation about an unknown patient's care in the elevator. Which is the best immediate response?

A Ask for the patient's name

B State concern about discussing patient information in nonprivate areas

CORRECT

C Wait until the nurses leave the elevator

D Report the conversation to the patient's family

Student message:

– جاني لـ ايش نستخدم vitamin K واخترت لـ bleeding

Source:

quizlet.com

A nurse instructor is about to administer a vitamin K injection to a newborn. The student nurse asks the instructor regarding the purpose of the injection. The appropriate response would be:

A The vitamin K provides active immunity.

B The vitamin K will prevent the occurrence of hyperbilirubinemia.

C The vitamin K will protect the newborn from bleeding.

CORRECT

D The vitamin K will serve as protection against jaundice and anemia.

Student message:

- وجاني تطعيمه الحج

Source:

quizlet.com

A nurse teaching a prenatal class includes car seat safety. Which level of illness prevention is the nurse using?

- A Educational illness prevention
- B Primary illness prevention**
- C Secondary illness prevention
- D Tertiary illness prevention

CORRECT**Student message:**

سؤال عن ال regular insulin + NPH متى يشتغلون؟ اخترت 30-60 لأن باقي الأجوبة ما كانت منطقية

Source:

quizlet.com

A student asks the nursing instructor what insulin has the quickest therapeutic effect once administered. What would be the best response?

- A Ultralente insulin
- B PZI insulin
- C NPH insulin
- D Regular insulin**

CORRECT**Student message:**

نيرس سمعت نيرس ثانية تتكلم عن الپيشنت امام الملاء، تكلمها وتذكرها بال confidentiality

Source:

quizlet.com

Which interaction by a nurse breaches patient confidentiality?

- A Discussing laboratory results with the patient's provider
- B Providing a report to the oncoming nurse
- C Discussing a patient's marital difficulties with nurses from another unit**
- D Reviewing the care plan with the patient

CORRECT

Student message:

سؤال عن مريض قالوا له عندك المرض الفلاني وكان ينكر ويقول مافيني شيء، الجواب كان Denial

Source:

quizlet.com

A nurse is admitting a client who has alcohol use disorder. Which statement indicates that the client is using denial as a defense mechanism?

- A I put in extra hours at work so I won't think about drinking.
- B I know that wine is good for my heart, so that is why I drink some each evening.
- C I make up for my drinking by taking my partner on nice vacations.
- D **I am able to go to work every day, so I don't have a problem.**

CORRECT**Student message:**

سؤال عن وحدة عندها نزيف بعد الولادة بوقت وكان الرحم contracted, ايش سبب النزيف؟ lacerations

Source:

quizlet.com

A postpartum client's fundus is firm and midline, the bladder is empty, but the nurse notes a continuous, steady trickle of bright red blood from the vagina. What should the nurse suspect?

- A Uterine atony
- B Retained placental fragments
- C **A laceration**
- D Uterine inversion

CORRECT**Student message:**

سؤال عن ال ectopic pregnancy وكان الجواب fallopian tube

Source:

quizlet.com

A 28-year-old with a history of Chlamydia-related PID presents for her first prenatal visit. She is at increased risk for an ectopic pregnancy. At what anatomical site is an ectopic pregnancy most likely to be found?

- A Ovary
- B Cervical canal
- C **Ampulla of Fallopian tube**
- D Interstitium of tube

CORRECT

Student message:

سؤال عن ال TPN ، ايش مهم نراقب وقت إعطائه؟ السكر

Source:

quizlet.com

A patient is receiving total parenteral nutrition (TPN). Which intervention should the nurse include?

- A Change the tubing and filter every 48 hours
- B Piggyback an antibiotic into the TPN line
- C Monitor the blood glucose level every 6 hours**
- D Administer the solution through a large-bore peripheral IV

CORRECT**Student message:**

كيف نمنع SIDS ، بأن سرير الطفل يكون فاضي مافيه لا ألعاب ولا خرابيط

Source:

quizlet.com

A nurse is reinforcing teaching with a new parent who is concerned about sudden infant death syndrome (SIDS). Which statement by the parent indicates an understanding of the teaching?

- A I will place my baby on the side to sleep
- B I will avoid giving my baby a pacifier
- C I will remove stuffed animals from my baby's crib**
- D I will cover my baby with a light blanket

CORRECT**Student message:**

حامل عندها threatened abortion بإيش ننصحها؟ bed rest

Source:

quizlet.com

A client experiences a threatened abortion. Which instruction about activity is most appropriate?

- A Maintain moderate bed rest**
- B There is no research evidence to support activity restriction
- C Continue normal activity
- D Maintain strict bed rest

CORRECT

Student message:

حامل عندها shoulder dystocia كيف النيرس تساعد؟ McRoberts Maneuver

Source:

quizlet.com

A nurse caring for a patient in labor calls a colleague for assistance because of shoulder dystocia. The assisting nurse knows that the best chance for successful resolution includes which two interventions?

A McRoberts maneuver and fundal pressure

B **McRoberts maneuver and suprapubic pressure**

CORRECT

C Hands-and-knees position and suprapubic pressure

D Vacuum extraction and suprapubic pressure

Q-196

Student message:

سؤال عن بيشنت جا وعنده ضغط عالي في العين ايش تشخيصه؟ glaucoma

Source:

quizlet.com

Increased intraocular pressure leads to:

A Presbyopia

B Nearsightedness

C **Glaucoma**

CORRECT

D Diplopia

Q-197

Student message:

ايش طريقة التعامل الصحيحة اذا جا اوردر من الدكتور عن طريق الاتصال؟ نقرا له الاوردر من جديد عشان نتأكد ونكتبه

Source:

quizlet.com

When a nurse receives a verbal or telephone order, what should the nurse not do?

A Enter the order on the health care provider's order sheet

B **Enter the order directly into the MAR**

CORRECT

C Read back or repeat back the order for verification

D Document the read back or repeat back

Student message:

semi fowler :craniotomy ايش الوضعية اللي نخط فيها البيشنت بعد ال

Source:

quizlet.com

A nurse is caring for a client after a supratentorial craniotomy. The nurse places a sign above the client's bed stating that the client should be maintained in which position?

- A Prone
- B Supine
- C **Semi-Fowler's**
- D Dorsal recumbent

CORRECT**Student message:**

feeding طفل مسوي عملية cleft lip ايش اهم توبيك نعلم الأم عنه؟

Source:

quizlet.com

The statement that indicates parents understand how to feed their infant who had surgical repair of a cleft lip is:

- A **We are feeding the baby with a dropper for two weeks.**
- B We resumed bottle feeding after discharge.
- C We started baby on solid food yesterday.
- D Baby is drinking well from a straw.

CORRECT**Student message:**

primary تطعيمات الحج؟

Source:

quizlet.com

A public health nurse is participating in the care of several populations within the community. Which of the following actions by the nurse is an example of primary prevention?

- A Creating a free exercise program for adults who have cardiovascular disease.
- B **Implementing immunization clinics for students at elementary schools.**
- C Providing tuberculosis screenings for health care workers.
- D Administering immunoglobulin to members of the community after exposure to hepatitis A.

CORRECT

Student message:

وجاني ويبر تست وين مكانه

Source:

quizlet.com

Which technique should the nurse implement when performing a Weber test?

- A Tap the patellar tendon using a reflex hammer.
- B Shine the light of an ophthalmoscope into the pupil.
- C Visualize the tympanic membrane using an otoscope.
- D **Place a vibrating tuning fork midline on top of the head.** **CORRECT**

Student message:

جاني وش الاداه اللي نقيس فيها باختبار weabr test

Source:

quizlet.com

Which action by the nurse is consistent with Weber's test?

- A **The nurse activates the tuning fork and places it on the midline of the parietal bone in line with both ears.** **CORRECT**
- B The nurse strikes the tuning fork and places it on the client's mastoid process to measure bone conduction.
- C The nurse uses a bulb insufflator attached to an otoscope to observe movement of the tympanic membrane.
- D The nurse shields their mouth and whispers a simple sentence approximately 18 inches from the client's ear.

Student message:

وجاني تطعيمه الحج برايمري

Source:

quizlet.com

Which intervention is an example of primary prevention?

- A Screening for breast cancer
- B Rehabilitation after a stroke
- C **Immunization against influenza** **CORRECT**
- D Physical therapy after a hip fracture

Student message:

وجاء اليوزشن بعد عملية الزايدة

Source:

quizlet.com

Which position will increase comfort for a client with appendicitis?

A Prone

B Supine with the right knee flexed

CORRECT

C Upright in a chair

D Left side-lying

Student message:

ووش اليوزشن اللي يقلل من موت الرضيع المفاجئ

Source:

quizlet.com

A new parent expresses concern to the nurse regarding sudden infant death syndrome (SIDS). She asks the nurse how to position her new infant for sleep. In which position should the nurse tell the parent to place the infant?

A Side or prone

B Back or prone

C Stomach with the face turned

D Back rather than on the stomach

CORRECT

Student message:

سؤال حاط لي اعراض TB ووش العزل المناسب

Source:

quizlet.com

A nurse is caring for a client recently diagnosed with active tuberculosis. Which infection-control measure is the priority when entering the client's room?

A Wear a surgical mask.

B Use a standard face shield.

C Wear an N95 or HEPA respirator.

CORRECT

D Apply a gown only.

Student message:

وممرضه شافت نيرس انتيرن عطت دواء خطأ وش تسوي؟

Source:

quizlet.com

A nurse realizes that a medication error has occurred and the client appears unharmed. Which action should the nurse take first?

- A Document the error in the medical record
- B Notify the provider
- C Complete an incident report
- D Assess the client**

CORRECT**Student message:**

Rinne test وجاني

Source:

quizlet.com

What do the Rinne and Weber tests assess?

- A Air and bone conduction**
- B Tympanic membrane movement
- C Mastoid tenderness
- D Ear canal nodules

CORRECT**Student message:**

وجاني self- breast ومتى تقولين لها تسويه

Source:

quizlet.com

When should a premenopausal woman perform breast self-examination?

- A At the end of her menstrual cycle.
- B On the same day each month.
- C On the 1st day of the menstrual cycle.
- D Immediately after her menstrual period.**

CORRECT

Student message:

knee-chest وش البوسشن Tetralogy of Fallot جاني

Source:

quizlet.com

An infant with tetralogy of Fallot suddenly becomes cyanotic during a hypercyanotic spell. Which position should the nurse place the infant in?

- A Prone
- B **Knee-chest**
- C High-Fowler's
- D Reverse Trendelenburg

CORRECT**Student message:**

heat loss سوال

Evaporation

وش يكون وخيارات فيها شباك والا تدفينه والا دراي وزي كذا

Source:

quizlet.com

While caring for an infant, which method should the nurse adopt to prevent heat loss caused by evaporation?

- A Wrap the infant in a cloth
- B Place the infant in a warm crib
- C Place the crib away from the windows
- D **Dry the infant immediately after the bath**

CORRECT**Student message:**

contact حظيت RSV عزل

Source:

quizlet.com

An infant is hospitalized for respiratory syncytial virus (RSV) bronchiolitis. Which precautions should the nurse implement?

- A Large-droplet precautions
- B Airborne precautions
- C **Contact precautions**
- D Protective precautions

CORRECT

Student message:

جا وحده عمرها ٢٥ والباقي مدري بس ان Pap smear commonly performed واخترت كل ٣ سنوات

Source:

quizlet.com

A 25-year-old woman asks how often she needs cervical cancer screening. What is the best response by the nurse?

- A Every year
- B Every 2 years
- C Every 3 years**
- D Every 5 years

CORRECT**Student message:**

سوال ان بنعطي IM iron injections ف وش التكتيك اللي نستخدمه حطيت Z track

Source:

quizlet.com

The nurse prepares to administer the prescribed intramuscular injection (IM) iron to a patient. Which is the priority action for this task?

- A Using the Z-track method**
- B Assessing for tachycardia
- C Applying pressure to the injection site
- D Monitoring the patient for cardiotoxic effects

CORRECT**Student message:**

جاني عن Breastfeeding jaundice

Source:

quizlet.com

A mother expresses concern about breastfeeding her newborn, who is receiving phototherapy for jaundice. The nurse should teach the mother that:

- A Breastfeeding is discontinued during phototherapy, but she should pump her breasts.
- B Breastfeeding can continue after the newborn has been under the light for 12 hours.
- C Breastfeeding should continue and the newborn can be removed from the light to be fed.**
- D Breastfeeding can continue after the bilirubin level decreases.

CORRECT

Student message:

جانني ايش الي يميز ال paranoid

Source:

quizlet.com

A nurse is caring for a client diagnosed with paranoid personality disorder. Which behavior would the nurse expect to assess in this client?

A Emotional attention-seeking behavior

B Indifference to praise or criticism

C Disregard for others with exploitation

D Distrust and suspiciousness toward others

CORRECT**Student message:**

وبرضو تعريف ال pulse pressure الا هو الفرق بين الضغط الانقباضي الانبساطي

Source:

quizlet.com

What is the client's pulse pressure when the nurse finds that his or her blood pressure is 148/86 mm Hg?

A 48 mm Hg

B 56 mm Hg

C 62 mm Hg

CORRECT

D 86 mm Hg

Student message:

ترتيب physical assessment

Source:

quizlet.com

When performing a physical assessment, the first technique the nurse will always use is:

A Palpation

B Inspection

CORRECT

C Percussion

D Auscultation

Student message:

ترتيب اذا جيت تسمع صوت بطن المريض

Source:

quizlet.com

The nurse is preparing to perform a focused assessment of the patient's abdomen. Which of the following choices is the correct order in which the focused assessment is performed?

- A Palpation, Auscultation, Inspection, Percussion
- B Inspection, Palpation, Percussion, Auscultation
- C Percussion, Palpation, Inspection, Auscultation
- D Inspection, Auscultation, Percussion, Palpation**

CORRECT**Student message:**

والدين يرفضون اعطى vitamin K كيف ترد عليهم؟

Source:

quizlet.com

A patient asks the nurse why her baby is receiving a vitamin K injection. The nurse's best response is based on what knowledge?

- A Vitamin K causes an increase in the newborn's platelets.
- B The newborn's liver is too immature to produce vitamin K.
- C The newborn lacks the appropriate intestinal flora to synthesize vitamin K.**
- D Vitamin K is not produced in the bone marrow until the infant is 8 days old.

CORRECT**Student message:**

بعد عملية tonsillectomy ايش الوضعيه

Source:

quizlet.com

After a tonsillectomy, a child is brought to the pediatric unit. The nurse should appropriately place the child in which position?

- A Prone**
- B Supine
- C High Fowler's
- D Trendelenburg

CORRECT

Student message:

schizophrenia انفصام الشخصية انه يسمع اصوات
Auditory ايش اسم النوع هذا

Source:

quizlet.com

A patient diagnosed with schizophrenia is most likely to experience which type of hallucination?

- A Visual
- B Tactile
- C Auditory**
- D Olfactory

CORRECT**Student message:**

Projectile Vomiting
pyloric stenosis علامه ل

Source:

quizlet.com

Which classic symptom is most associated with pyloric stenosis in an infant?

- A Projectile, nonbilious vomiting**
- B Bilious green vomiting
- C Bloody diarrhea
- D Abdominal pain relieved by eating

CORRECT**Student message:**

pyloric stenosis علامه ل

Source:

quizlet.com

Which client would the nurse suspect to have pyloric stenosis?

- A A 7-month-old with choking episodes
- B An 11-year-old with an olive-shaped abdominal mass
- C A 5-week-old infant with projectile vomiting**
- D A 2-year-old with a harsh cough

CORRECT

Student message:

اختبار سكر الحمل في اسبوع نبدأ نسويه

Source:

quizlet.com

An appropriate gestational age for glucose screening in women who are at low risk for developing gestational diabetes in pregnancy is:

A 20 to 21 weeks' gestation

B 22 to 23 weeks' gestation

C 24 to 28 weeks' gestation

CORRECT

D 32 to 34 weeks' gestation

Student message:

نوع العزل لمرض السل TB

Source:

quizlet.com

A nurse is preparing to care for a patient with active tuberculosis (TB). Which of the following infection control measures should the nurse implement?

A Place the patient in a positive–pressure isolation room.

B Wear an N95 respirator when entering the room.

CORRECT

C Require visitors to wear surgical masks.

D Implement contact precautions.

Student message:

طفل كان عنده اسهال واستفراغ وعنده جفاف وعنده الصوديوم 137 تعطيه

الجفاف متساوي التوتر: 130 الى 150 Isotonic Dehydration

Source:

quizlet.com

The nurse is expecting the admission of a child with severe isotonic dehydration. Which intravenous fluid should the nurse anticipate the practitioner to order initially to replace fluids?

A D5W

B 0.9 percent Normal Saline (NS)

CORRECT

C Albumin

D D5 0.2 percent (1/4) Normal Saline

Q-228

SnleNotes.com



Student message:

nurse is assessing the uterus of a G5P4 patient immediately after delivery. The nurse notes the fundus is not contracted. Which of the following is the most appropriate immediate action should be taken ?

After accessing patients' medical records, which behavior nurse shows that patients confidentiality has specialized healthcare in an integrated educational and research setting" which of the following aspects

- A. Massage the fundus
- B. Assess the bladder
- C. Elevated the mother's legs
- D. Encourage the mother to void

Source:

quizlet.com

A client gives birth within an hour of arriving at the labor and delivery unit and delivers the placenta 5 minutes later. During assessment, the nurse notes that the uterus is midline and boggy. Which action should the nurse take first?

- A Check for pooled blood under buttocks
- B Increase IV oxytocin infusion rate
- C Monitor blood pressure and pulse
- D **Perform firm fundal massage**

CORRECT

Q-229

SnleNotes.com



Student message:

month-old child diagnosed with bronchiolitis due to respiratory ncytial virus (RSV) is admitted to the pediatric hospital. The nurse should initiate which of the following isolation precaution?

- A. Contact
- B. Airborne
- C. Standard
- D. Droplet

Source:

quizlet.com

A child is admitted with respiratory syncytial virus infection. Which precautions should the nurse initiate?

- A Protective precautions
- B **Contact precautions**
- C Standard precautions only
- D Airborne precautions

CORRECT

Student message:

A nurse is assessing a 5 month old infant who has admitted to the pediatric ward with coarctation of aorta

Which of the following is the most common assessment findings ?

- A. Cyanosis and clubbing hands
- B. Bounding pulse and hypotonicity
- C. Cyanosis occur frequently during and after feeding
- D. Blood pressure is different on the arm the leg

Source:

quizlet.com

A nurse compares upper and lower extremity blood pressures in a child suspected of having coarctation of the aorta. Which finding best supports the diagnosis?

A	Higher blood pressure in the arms than the legs	CORRECT
B	Equal blood pressure in all extremities	
C	Slightly lower blood pressure in the arms	
D	Palpable pulses in all limbs	

Student message:

سؤال عن استئصال اللوزتين بعد العملية ايش يقدر ياكل
ايسكرام فراوله

Source:

quizlet.com

The best choice for the child following a tonsillectomy is:

A	Fruit punch	
B	Strawberry soda	
C	Banana popsicle	CORRECT
D	Ice cream	

Student message:

Which intervention represents primary prevention of tuberculosis?

- A. Screening for TB
- B. BCG vaccination
- C. Treating active TB
- D. Contact tracing after infection

Source:

quizlet.com

Immunizations are a form of:

A	Primary prevention	CORRECT
B	Secondary prevention	
C	Tertiary prevention	
D	Healthy associate prevention	

Student message:

A child presents with sudden abdominal pain, vomiting, and stool described as "currant jelly." Which condition should the nurse suspect?

- A. Pyloric stenosis
- B. Intussusception
- C. Hirschsprung's disease
- D. Appendicitis

Source:

quizlet.com

A 7-month-old infant has intermittent abdominal pain, distention, bilious vomiting, red currant jelly stool, and a sausage-shaped mass in the right upper quadrant. What is the most likely diagnosis?

A Appendicitis

B Intussusception

CORRECT

C Gastric volvulus

D Gastroenteritis

Student message:

Which of the following is a common clinical feature of Nephrotic Syndrome?

- A. Hypertension only
- B. Edema
- C. Increased hemoglobin
- D. Low blood glucose

Source:

quizlet.com

Which group of manifestations is characteristic of nephrotic syndrome?

A Hematuria, bacteriuria, and weight gain

B Gross hematuria, albuminuria, and fever

C Hypertension, weight loss, and proteinuria

D Massive proteinuria, hypoalbuminemia, and edema

CORRECT

Student message:

Tonsillectomy Positioning \ Side-lying or Prone.

Source:

quizlet.com

The appropriate child position after a tonsillectomy is which of the following?

A Supine

B Side-lying

CORRECT

C High Fowler's

D Trendelenburg's

Student message:

Tonsillectomy Bleeding Sign\ Frequent Swallowing.

Source:

quizlet.com

The nurse is monitoring a 10-year-old client post-op following a tonsillectomy. Which assessment finding should the nurse immediately report to the healthcare provider?

A Drooling

B Frequent swallowing

CORRECT

C Sneezing

D Moaning

Q-237

Student message:

سؤال عن ال molar pregnancy كيف نعرفه ؟
Rapid uterine growth

Source:

quizlet.com

A nurse in a prenatal clinic is caring for a client who is suspected of having a hydatidiform mole. Which finding should the nurse expect?

A Rapid decline in human chorionic gonadotropin levels

B Profuse, clear vaginal discharge

C Irregular fetal heart rate

D Excessive uterine enlargement

CORRECT

Q-238

Student message:

Hydration and painkiller : intervention بيشنت عنده sickle cell in pain

Source:

quizlet.com

A client presents to the emergency department in sickle cell disease crisis. What intervention by the nurse takes priority?

A Administer oxygen.

CORRECT

B Initiate pulse oximetry.

C Give pain medication.

D Start an IV line.

Student message:

abdominal pain and the rr 10 what the best action
بیشنت یاخذ مورفین وفجاء
Stop the morphine and notify the dr

Source:

quizlet.com

The nurse is caring for a client who is receiving morphine via a patient-controlled analgesia (PCA) pump. The nurse notes that the client's respiratory rate is 10 breaths per minute. The client is somnolent, with minimal response to physical stimulation. Which medication will the nurse administer immediately?

- | | | |
|----------|-----------------------------|----------------|
| A | intravenous naloxone | CORRECT |
| B | intravenous flumazenil | |
| C | oral modafinil | |
| D | nebulized albuterol | |

Student message:

Patient had TSH low results = Graves' disease

Source:

quizlet.com

Which laboratory pattern should the nurse expect in a client with severe hyperthyroidism?

- | | | |
|----------|--------------------------------------|----------------|
| A | High TSH, high T3, and high T4 | |
| B | Low TSH, high T3, and high T4 | CORRECT |
| C | Low TSH, high T3, and low T4 | |
| D | Low TSH, low T3, and low T4 | |

Student message:

week 28-24 متى نسوي فحص السكر للحوامل؟

Source:

quizlet.com

A pregnant client asks when the 1-hour oral glucose tolerance test will be performed to screen for gestational diabetes. Which response is most accurate?

- | | | |
|----------|--|----------------|
| A | Between 20 and 24 weeks gestation | |
| B | Between 16 and 20 weeks gestation | |
| C | Between 24 and 28 weeks gestation | CORRECT |
| D | Only if risk factors are present | |

Student message:

orthostatic hypotension يثبتت اذا قام من السرير حس بدوخه وانخفاض ضغطه

Source:

quizlet.com

The nurse has documented that the client has orthostatic hypotension. Which assessment finding would support this assessment?

- | | | |
|----------|---|----------------|
| A | Decrease in blood pressure when moving from supine to standing | CORRECT |
| B | Decrease in heart rate when moving from supine to sitting | |
| C | Pale color in the legs when lying in bed | |
| D | Complaints of dizziness when first sitting up | |

Student message:

how to prevent the cerebral edema يثبتت عنده اصابه بالرأس وبيسبون له عمليه كيف نسوي
By administering steroid

Source:

quizlet.com

Which following medication is commonly administered to reduce intracranial pressure in patients with brain injuries?

- | | | |
|----------|-----------------|----------------|
| A | Morphine | |
| B | Aspirin | |
| C | Marinol | |
| D | Mannitol | CORRECT |

Student message:

apical وين نسمع الال
5th intercostal space اخترت

Source:

quizlet.com

Where should the nurse place the stethoscope to assess an adult client's apical pulse?

- | | | |
|----------|---|----------------|
| A | Third left intercostal space at the midclavicular line | |
| B | Fourth left intercostal space at the midclavicular line | |
| C | Fifth left intercostal space at the midclavicular line | CORRECT |
| D | Second left intercostal space at the midclavicular line | |

Student message:

protest = بمر فيها an anxiety separation من ال مرحله مره اي بيكي وهو بالمستشفى و هو راحو وخلوه بالمستشفى و هو بيكي مره اي مرحله من ال

Source:

quizlet.com

What are the stages of separation anxiety in the toddler?

A	Protest, despair, and denial	CORRECT
B	Denial, dependence, and submission	
C	Protest, sadness, and despair	
D	Despair, anxiety, and regression	

Student message:

ببشنت عنده ventricular fibrillation وش نسوي ؟
Starting cpr the defibrillate

Source:

quizlet.com

A post-MI patient develops ventricular fibrillation (VF). The nurse should first:

A	Check for carotid pulse	
B	Start CPR immediately	CORRECT
C	Administer lidocaine	
D	Prepare for synchronized cardioversion	

Student message:

What's diagnostic test indicate mi = troponin

Source:

quizlet.com

Which laboratory test is most specific for acute coronary syndrome or myocardial infarction?

A	Troponin markers	CORRECT
B	Serum lactate dehydrogenase	
C	Serum myoglobin	
D	Creatine kinase-MB	

Student message:

If we would do abdominal examination, what the process?
= inspection auscultation percussion palpation

Source:

quizlet.com

What is the proper sequence for examination of the abdomen?

A Inspection, palpation, percussion, auscultation

B Inspection, percussion, palpation, auscultation

C **Inspection, auscultation, percussion, palpation**

CORRECT

D Inspection, auscultation, palpation, percussion

Student message:

ليه نعطي فيتامين K للنيوبورن

Source:

quizlet.com

The nurse prepares to administer a vitamin K injection during the admission assessment for a newborn. The father asks, 'Why does my baby need a shot?' Which rationale for administering this injection should the nurse include in the response?

A **Activates clotting factors**

CORRECT

B Dissolves blood clots

C Promotes gas exchange

D Promotes the production of hemoglobin

Student message:

والى يتناقشون في السبب عن بيانات المريض

Source:

quizlet.com

Which of the following actions should a nurse take after witnessing a breach of a client's confidentiality in a provider's office?

A **Complete a health information privacy complaint form.**

CORRECT

B Anonymously notify the proper governmental agency.

C Notify the client and ask them to complete a health information privacy complaint form.

D Inform the provider that a formal complaint will be submitted if another breach is committed.

Student message:

فيه اختراق اتوقع صار وش تسوين عشان تحافظين على بيانات المريض واحد من الخيارات (تعطين كل ممرضه كلمه سر دائمه عشان مدري ايش)

Source:

quizlet.com

A nurse overhears two staff members discussing a client in an outdoor dining area. Which action should the nurse take?

- A Tell the staff members that she will report the situation to their supervisor immediately
- B Ask the staff members to lower the volume of their voices
- C Remind the staff members that discussing a client where others can overhear them is a HIPAA violation** **CORRECT**
- D Avoid taking action unless she observes others listening to the conversation

Student message:

علاج الوقايه من تكرر (Rheumatic fever)
Penicillin benzathine

Source:

quizlet.com

The nurse is admitting a child with rheumatic fever. Which therapeutic management should the nurse expect to implement?

- A Administering penicillin** **CORRECT**
- B Avoiding salicylates (aspirin)
- C Imposing strict bed rest for 4 to 6 weeks
- D Administering corticosteroids if chorea develops

Student message:

جا علامه ال sawtooth
A Flutter الجواب

Source:

quizlet.com

When assessing a patient's telemetry monitor, the nurse notes a sawtooth pattern of flutter waves at a rate of 300/min. What rhythm is this most likely indicative of?

- A Sinus bradycardia
- B Atrial fibrillation
- C Atrial flutter** **CORRECT**
- D Ventricular tachycardia

Student message:

الحج برايمري

Source:

quizlet.com

A community health nurse develops a program to provide free influenza vaccinations to older adults before flu season. Which level of prevention is this?

- A Primordial prevention
- B **Primary prevention**
- C Secondary prevention
- D Tertiary prevention

CORRECT**Student message:**

يتكلم غير لغتك مرتين جاء

فيه شكاوي أن المرضى الي يتكلمون إنجليزي ما يحسون احد يفهمهم وش الحل

Source:

quizlet.com

The nurse is using an interpreter to communicate with a client who speaks a different language. What is the best way to choose an interpreter?

- A The interpreter should speak in a loud voice
- B The interpreter should conduct the conversation quickly to avoid misinterpretation
- C **The interpreter should understand the health care system**
- D The interpreter should always make direct eye contact

CORRECT**Student message:**

وسؤال التطعيم قبل الحج انه يعتبر برايمري بريفشن

Source:

quizlet.com

A nurse administers a vaccine to children in an immunization program. Which level of prevention does this represent?

- A **Primary prevention**
- B Tertiary prevention
- C Secondary prevention
- D Early diagnosis

CORRECT

Student message:

A nurse have a medication safety project and wand to conduct a research about it and she asked the research unit what is the strongest evidence based method to use in this topic

A case study

B cohort study

C randomized controlled trial

Source:

quizlet.com

Which is considered the highest level of evidence?

A A systematic review of descriptive studies

B A controlled study without randomization

C A systematic review or meta-analysis of randomized controlled trials

CORRECT

D An expert panel opinion

Student message:

جتني الوضعيه تبع مرض Tetralogy الا هي ثني الركبة للصدر

Source:

quizlet.com

A young child with tetralogy of Fallot may assume a posturing position as a compensatory mechanism. Which position should the nurse expect?

A Low Fowler's

B Prone

C Supine

D Knee-chest

CORRECT

Student message:

جاني ايش الي يمنع السيجر وخطيت المغنيسوم سولفات

Source:

quizlet.com

When administering magnesium sulfate to a client with preeclampsia, the nurse explains that the drug is given to:

A Reduce blood pressure

B Increase the progress of labor

C Prevent seizures

CORRECT

D Lower the blood glucose level

Student message:

وجاء بيشتت اعطوه مورفين وفجأة صارلو هبوط ف العلامات حظيت نعطيه نالكسون هو اقرب شيء

Source:

quizlet.com

Your patient is post-op from surgery. The patient is receiving Morphine. The patient is experiencing severe respiratory depression. What medication below do you anticipate the physician to order for this patient?

A Hydroxocobalamin

B Succimer

C Atropine

D Naloxone

CORRECT

Q-261

Student message:

Cervical cancer جانبي ايش الفحص اللي نكشف في

Source:

quizlet.com

Which test detects cancerous and precancerous cells of the cervix?

A Serologic studies

B Vaginal culture

C Pap smear

CORRECT

D HPV test

Q-262

Student message:

negative room pressure اخترت negative room pressure gown of a shield بس امكتوب N95 سؤال إلى واحد عنده TB وش البركوشن اللي تاخذي مو مكتوب

Source:

quizlet.com

The nurse is caring for a client who is admitted to the unit with tuberculosis (TB). Which type of isolation room is most appropriate?

A Single-door room with positive airflow

B Isolation room with an anteroom and negative airflow

CORRECT

C Isolation room with an anteroom and normal airflow

D Single-door room with normal airflow

Student message:

جاني معدل fHR الطبيعي كم

Source:

quizlet.com

Which fetal heart rate baseline is considered normal?

- A 80 to 100 beats/min
- B 90 to 120 beats/min
- C 110 to 160 beats/min**
- D 170 to 200 beats/min

CORRECT**Student message:**

وسؤال الحج برايمري

Source:

quizlet.com

A community health nurse is planning a public service campaign to decrease the transmission of influenza. Which of the following interventions should the nurse include as a primary prevention?

- A Going to the hospital for dehydration after getting influenza
- B Obtaining an immunization**
- C Staying home when sick
- D Getting tested for influenza when you have symptoms

CORRECT**Student message:**

. A laboring woman is being monitored with continuous cardiotocography (CTG). The tracing shows variable decelerations. What is the priority nursing intervention?

- A. Stop the oxytocin infusion
- B. Administer oxygen via face mask
- C. Change the mother's position to a side-lying position
- D. Increase the rate of IV fluids

Source:

quizlet.com

A nurse notes abrupt variable fetal heart rate decelerations that do not match contractions. What is the priority nursing action?

- A Document the finding as a normal early deceleration
- B Perform a sterile vaginal exam to check for a prolapsed cord
- C Reposition the mother to a side-lying or knee-chest position**
- D Start oxygen at 10 L via non-rebreather mask

CORRECT

Student message:

A conscious victim of a motor vehicle accident arrives at the emergency department. The patient is gasping for air, is extremely anxious, and has a deviated trachea. What diagnosis should the nurse anticipate?

- A. Pleural effusion
- ☒ B. Tension pneumothorax
- C. Pneumothorax
- D. Cardiac tamponade

Source:

quizlet.com

A client with multiple thoraco–abdominal stab wounds is assessed. Which finding indicates tension pneumothorax?

A	A deviated trachea to the unaffected side	CORRECT
B	Absent breath sounds on the affected side	
C	Diminished lung expansion on the affected side	
D	A sucking chest wound	

Student message:

وسؤال الحج برايمري

Source:

quizlet.com

A nurse organizes a flu vaccination clinic in the community. This represents:

A	Primary prevention	CORRECT
B	Secondary prevention	
C	Tertiary prevention	
D	Palliative care	

Student message:

. A laboring woman is being monitored with continuous cardiotocography (CTG). The tracing shows variable decelerations. What is the priority nursing intervention?

- A. Stop the oxytocin infusion
- B. Administer oxygen via face mask
- C. Change the mother's position to a side-lying position
- D. Increase the rate of IV fluids

Source:

quizlet.com

A client at 38 weeks receiving oxytocin has variable decelerations on the fetal heart rate tracing. Which action should the nurse take first?

A	Place the client in a side-lying position	CORRECT
B	Discontinue the oxytocin infusion	
C	Apply oxygen via a face mask	
D	Check for umbilical cord prolapse	

Student message:

A conscious victim of a motor vehicle accident arrives at the emergency department. The patient is gasping for air, is extremely anxious, and has a deviated trachea. What diagnosis should the nurse anticipate?

- A. Pleural effusion
- ☒ B. Tension pneumothorax
- C. Pneumothorax
- D. Cardiac tamponade

Source:

quizlet.com

You suspect that your patient has a tension pneumothorax. During patient assessment, which of the following findings would most lead to this suspicion?

A Patient's neck and face a darker color than the rest of the body; bulging eyes; jugular venous distention

B Tearing chest pain; signs of shock; unequal pulse and blood pressure between right and left arms

C Diminished or absent lung sounds on the side affected by trauma; jugular venous distention; signs of shock

CORRECT

D Jugular venous distention; signs of shock; narrowed pulse pressure

Q-270

Student message:

جتني معادله Pt موجوده بالتجميعات عمره 7 سنوات ووزنه 35 توتل القلويد 1800

Source:

quizlet.com

What is the daily maintenance fluid requirement for a 35-kg child?

A 7800 mL/day

B 1800 mL/day

CORRECT

C 6500 mL/day

D 780 mL/day

Q-271

Student message:

سوال عن الاديما كلام والاجابه ستيج 4

Source:

quizlet.com

A client has a wound that is 10 cm in diameter, edematous and boggy, and the wound edges curl under. Which finding indicates a stage 4 pressure injury?

A Undermining of adjacent tissue

B A crater extending into subcutaneous tissue

C A joint capsule is visible

CORRECT

D Thick dark eschar covers the wound

Student message:

ICP تدعم الرأس

Source:

quizlet.com

A client with a closed head injury is unconscious and has an intracranial pressure monitor. Which position is most appropriate after nursing care activities?

- A High-Fowler's position
- B **Semi-Fowler's position**
- C Right lateral recumbent position
- D Supine position

CORRECT**Student message:**

والحج برايمري

Source:

quizlet.com

The nurse is working in a clinic that is designed to provide health education and immunizations. Which type of preventive care is the nurse providing?

- A **Primary prevention**
- B Secondary prevention
- C Tertiary prevention
- D Risk factor prevention

CORRECT**Student message:**

سوال عن COPD المضاعفات ياخذ Cor pulmonary

Source:

quizlet.com

A nurse is caring for a client with a history of COPD. What complication is associated most commonly with COPD?

- A **Cardiac problems**
- B Joint inflammation
- C Kidney dysfunction
- D Peripheral neuropathy

CORRECT

Student message:

جاني اداره المدير اللي لايهش ولا ينش اللي هو lassiefair

Source:

quizlet.com

The nurse manager is rarely involved, provides little direction, and tells staff to do what they wish. Which leadership style is this?

- A Autocratic
- B Democratic
- C Participative
- D **Laissez-faire**

CORRECT**Student message:**

وجاني برضو تعريف Anroxia nervosa

Source:

quizlet.com

Which assessment finding would the nurse document as subjective evidence of anorexia nervosa?

- A Lanugo
- B Bradycardia
- C 25-lb weight loss
- D **Patient states fear of gaining weight.**

CORRECT**Student message:**

وتطعيم الحج praimary

Source:

quizlet.com

A nurse is preparing to administer a DTaP immunization booster to a 4-year-old child. Which level of prevention does this action represent?

- A **Primary prevention**
- B Tertiary prevention
- C Secondary prevention
- D Primary nursing care

CORRECT

Student message:

المريض الذي بالحادث عنده عملية ويحتاج توقيع

Source:

quizlet.com

An unconscious patient is brought to the emergency department after a car accident. No family member is available to provide informed consent. What should the nurse do?

- | | | |
|----------|--|----------------|
| A | Begin treatment under the doctrine of implied emergency consent | CORRECT |
| B | Have a hospital administrator sign the consent form | |
| C | Ask the physician to sign the consent form | |
| D | Wait until a family member is contacted | |

Student message:

طفل بعد العملية السقف الحلق تعطيك كوب

Source:

quizlet.com

A nurse is caring for a 12-month-old infant following the surgical repair of a cleft palate. The nurse should plan to feed the infant using which of the following instruments?

- | | | |
|----------|-------------|----------------|
| A | Spoon | |
| B | Straw | |
| C | Firm nipple | |
| D | Cup | CORRECT |

Student message:

مريضه عندها subinvolution نعطيهها مثرجين

Source:

quizlet.com

A patient four weeks postpartum has irregular lochia rubra and a fundus 1 cm below the umbilicus. Which medication should the nurse anticipate?

- | | | |
|----------|-------------------|----------------|
| A | Methergine | CORRECT |
| B | Percodan | |
| C | Motrin | |
| D | Hemabate | |

Student message:

وجاني صوره الحمل خارج اليوترس وين يكون حطيت الفالوب

Source:

quizlet.com

The most common location of an ectopic pregnancy is the:

- | | | |
|---|--|---------|
| A | Ovary | |
| B | Interstitial portion of the uterine tube | |
| C | Cornual portion of the uterine tube | |
| D | Ampullary portion of the uterine tube | CORRECT |

Student message:

patient is admitted to the emergency room with an unknown infection disorder. Which of the following is the most important measure a nurse implements to reduce the risks of transmitting these microorganisms to others?

- A. Hand hygiene
- B. Wearing gloves
- C. Wearing a mask
- D. Wearing a gown

Source:

quizlet.com

Which action is most effective for preventing healthcare-associated infections?

- | | | |
|---|---|---------|
| A | Wear gloves for every client interaction. | |
| B | Clean all equipment once daily. | |
| C | Perform hand hygiene. | CORRECT |
| D | Use sterile technique for all procedures. | |

Student message:

سؤال بخصوص الام فيها سكر حمل وجابت وش تسوين لالانفت عشان تتجنبين المضاعفات الجواب تعطونه فيدينق

Source:

quizlet.com

The infant of a diabetic mother is hypoglycemic. Which type of feeding should be instituted first?

- | | | |
|---|--|---------|
| A | Glucose water | |
| B | D5W intravenously | |
| C | Formula via nasogastric tube | |
| D | A small amount of glucose water followed by formula or breast milk | CORRECT |

Student message:

جاني الحج برايمري

Source:

quizlet.com

The Centers for Disease Control and Prevention has predicted that the flu will be very contagious this season. Based on this information, nurses set up flu vaccine clinics in local churches and senior citizen centers. Which level of prevention is this an example of?

- | | | |
|----------|----------------|----------------|
| A | Primary | CORRECT |
| B | Secondary | |
| C | Tertiary | |
| D | Restorative | |

Student message:

وچاني كاتب بلاستر ويعددين كاتب لمنع ال Chickenpox وكاتب room negative وحاط لي رقم 6/9/10
أنا حظيت 6 قلت لأنه كاتب نفت روم وإنه من ضمن الايرون مدري كم مده عزلها الشكن بوكس ..

Source:

quizlet.com

When caring for a hospitalized child who has varicella, which of the following actions should a nurse take?

- | | | |
|----------|---|----------------|
| A | Place the child on airborne and contact isolation until lesions have crusted over. | CORRECT |
| B | Request a provider prescription for antibiotics. | |
| C | Request a corticosteroid for pruritus. | |
| D | Apply a hot, moist compress. | |

Student message:

سوال بعد ان المدكيشن غلط ..

Source:

quizlet.com

A nurse administered lacosamide to the wrong patient. Which action should the nurse take first?

- | | | |
|----------|---|----------------|
| A | Assess vital signs and level of consciousness. | CORRECT |
| B | Notify the health care provider. | |
| C | Complete an incident report. | |
| D | Call respiratory therapy to apply oxygen. | |

Student message:

جاني فومتق ميتاولك اكللوزز

Source:

quizlet.com

The nurse admits an infant with vomiting and the diagnosis of hypertrophic pyloric stenosis. Which metabolic alteration should the nurse plan to assess for with this infant?

- | | | |
|----------|----------------------------|----------------|
| A | Metabolic alkalosis | CORRECT |
| B | Metabolic acidosis | |
| C | Respiratory acidosis | |
| D | Respiratory alkalosis | |

Student message:

سؤال عزل TP

Source:

quizlet.com

Which type of isolation is required for a client with suspected bacterial meningitis?

- | | | |
|----------|----------------------------|----------------|
| A | Contact precautions | |
| B | Droplet precautions | CORRECT |
| C | Airborne precautions | |
| D | Protective isolation | |

Student message:

سؤال تطعيمة الحج

Source:

quizlet.com

A public health nurse is providing a smoking cessation program to a group of community members. This is an example of which level of prevention?

- | | | |
|----------|---------------------------|----------------|
| A | Primary prevention | CORRECT |
| B | Secondary prevention | |
| C | Tertiary prevention | |
| D | Quaternary prevention | |

Student message:

ARDS سؤال

Source:

quizlet.com

When caring for a patient with acute respiratory distress syndrome, which finding is most characteristic?

- A Progressive hypercapnia
- B Refractory hypoxemia**
- C Increased pulmonary artery wedge pressure
- D Bronchial breath sounds

CORRECT**Student message:**

سؤال عن السكشن للطفل كم ثانية

Source:

quizlet.com

A home health nurse is teaching parents about endotracheal suctioning of their child. Which instruction should the nurse include?

- A Apply suction when inserting the catheter
- B Apply suction for less than 10 seconds**
- C Set suction pressure to 110 mm Hg
- D Allow 10 to 15 seconds of rest after each attempt

CORRECT**Student message:**

سؤال عن طفل عامل عليه لوز شو لازم ياكل بعد العملية

Source:

quizlet.com

A 3-year-old patient is being discharged S/P tonsillectomy, and the parents ask what the child should be allowed to eat or drink. Which foods would the nurse recommend for the first few days at home?

- A bacon strips, cola, fruit punch, toast
- B orange juice, grape popsicles, french toast with syrup, vanilla ice cream, orange soda
- C scrambled eggs, banana popsicles, mashed potatoes, apple juice**
- D lemonade, orange popsicles, french fries with ketchup, grape soda, pancakes with syrup

CORRECT

Student message:

وڪمان طفل عامل عمليه لوز بعد العمليه ب ساعتين صار عنده نزيڤ شو لازم تعمل

Source:

quizlet.com

The nurse is caring for a 20-year-old patient who recently underwent a tonsillectomy. The patient is fully awake and clearing his throat frequently but denies pain. Which action is most important for the nurse to take first?

- A Place the patient in a side-lying position.
- B Look in the patient's mouth.**
- C Offer the patient a grape popsicle.
- D Remove the straw from the patient's tray.

CORRECT

Q-294

Student message:

سوال بعد ان المدكيشن غلط ..

Source:

quizlet.com

A nurse is caring for four clients. After administering morning medications, she realizes that the nifedipine prescribed for one client was inadvertently administered to another client. Which of the following actions should the nurse take first?

- A Notify the client's provider.
- B Check the client's vital signs.**
- C Fill out an occurrence form.
- D Administer the medication to the correct client.

CORRECT

Q-295

Student message:

سوال نو بالس نبدأ CPR ..

Source:

quizlet.com

A 58-year-old admitted after an anterior MI suddenly becomes unresponsive. The monitor shows chaotic, disorganized electrical activity with no pulse. The nurse should:

- A Immediately begin chest compressions and call for a defibrillator.**
- B Give atropine 1 mg IV and recheck rhythm in 2 minutes.
- C Prepare to intubate and start a dopamine drip.
- D Deliver a synchronized cardioversion at 100 J.

CORRECT

Student message:

جاني فومتق ميتباولك اكللوزز

Source:

quizlet.com

The nurse is caring for a client with an acid-base imbalance secondary to prolonged vomiting. Which acid-base imbalance should the nurse monitor?

- A Respiratory alkalosis
- B Respiratory acidosis
- C Metabolic acidosis
- D **Metabolic alkalosis**

CORRECT**Student message:**

Diabetic mom complication to newborn ماكان فيها hypglycemia واخترت ريسبايرتوري ديسترس

Source:

quizlet.com

An infant of a diabetic mother is jittery 1 hour after birth. Which action should the nurse take first?

- A Administer oxygen
- B **Assess the blood glucose level**
- C Place the infant under a radiant warmer
- D Continue routine monitoring

CORRECT**Student message:**

Something about Patient having bronchitis COPD ephysma on nasal cannula developd dyspnea low O2 and cany breath what is the diagnosis

Source:

quizlet.com

A diagnosis of respiratory failure can be made if which of the following are present? 1. PaO₂ 55 mm Hg, FiO₂ 0.21, PB 760 mm Hg 2. PaCO₂ 57 mm Hg, FiO₂ 0.21, PB 760 mm Hg 3. P(Aa)O₂ 45 mm Hg, FiO₂ 1.0, PB 760 mm Hg 4. PaO₂/FiO₂ 400, PB 750 mm Hg

- A **1 and 2 only**
- B 1, 3, and 4 only
- C 3 and 4 only
- D 2, 3, and 4 only

CORRECT

Student message:

ممرضه شافت الممرضات يتكلمون عن اليبشنت وش تسوي

Source:

quizlet.com

As an RN stands in line for the cafeteria cashier, he overhears the staff in front of him talking about a client the RN took care of earlier in the week. The client's room number is mentioned along with the diagnosis and prognosis. Which of the following actions should the RN take?

- A Join the conversation and tell the staff that he knows the client.
- B **Remind the staff that they are in a public location and sharing information about a client is a breach of HIPAA.** CORRECT
- C Correct the staff when they make a statement about the client that is not accurate.
- D Ignore the conversation because it does not involve him.

Q-300

Student message:

Post partim having laceration and bleeding what is the finding? Saturated pad in less than hour

Source:

quizlet.com

A nurse is caring for four postpartum clients. Which client should be assessed first?

- A A client with moderate lochia serosa
- B A client reporting night sweats
- C A client with a firm fundus and mild cramping
- D **A client with a saturated peripad in 30 minutes** CORRECT

Q-301

Student message:

Breastfeeding jaundice what is the finding? Hyperbilirubin

Source:

quizlet.com

When should the nurse expect breastfeeding-associated jaundice to first appear in a normal infant?

- A 2 to 12 hours
- B 12 to 24 hours
- C **2 to 4 days** CORRECT
- D After the fifth day

Student message:

الحج نخط برايمري

Source:

quizlet.com

Which type of prevention is exemplified by the administration of vaccines to promote child and adolescent health?

A	Primary prevention	CORRECT
B	Secondary prevention	
C	Tertiary prevention	
D	Both primary and secondary prevention	

Student message:

٢٠ و٢١ جاني ابوين رفضوا ابنيهم ياخذ تطعيم فيتامين K واخترت انه احترم قرارهم لكن اخبرهم المخاطر اللي بتصير

Source:

quizlet.com

The nurse is providing education about the vitamin K injection to the parents of a newborn client. Which statement by the nurse is appropriate?

A	After the first week of life, a deficiency of vitamin K will no longer place your newborn at risk.	
B	If the prenatal diet was high in vitamin K, there is little benefit from the injection.	
C	A deficiency of vitamin K is associated with growth delays in newborns.	
D	Vitamin K is essential in preventing your newborn from bleeding spontaneously or after circumcision.	CORRECT

Student message:

٢٠ جتني وضعيه الطفل بعد استئصال اللوزتين على الجنب ولا سمي فالور او سباين حطيت على الجنب

Source:

quizlet.com

After a tonsillectomy, a child begins to vomit bright red blood. The nurse should take which initial action?

A	Turn the child to the side.	CORRECT
B	Administer the prescribed antiemetic.	
C	Notify the health care provider (HCP).	
D	Maintain NPO (nothing by mouth) status.	

Student message:

Appendectomy سؤال بعد عملية
Semi-Fowler's position حطيت

Source:

quizlet.com

Which position is appropriate early after an appendectomy for a ruptured appendix in an adolescent?

- | | | |
|---|---------------|---------|
| A | Semi-Fowler's | CORRECT |
| B | Supine | |
| C | Lithotomy | |
| D | Prone | |

Student message:

Tonsillectomy سؤال الاول عن Early sign حطيت Frequently swallowing

Source:

quizlet.com

Which sign or symptom observed in a sleeping 2-year-old child immediately after a tonsillectomy necessitates reporting and follow up?

- | | | |
|---|------------------------------------|---------|
| A | Pulse rate of 110 beats per minute | |
| B | Blood pressure of 96/63 mm Hg | |
| C | Nausea | |
| D | Frequent swallowing | CORRECT |

Student message:

Tonsillectomy سؤال الوضعيه مالفيت وش العملية بالريكفري Prone position حطيت Side-lying position

Source:

quizlet.com

A nurse is preparing a child for the postoperative period following a tonsillectomy. Which position should the nurse plan to use?

- | | | |
|---|---------------|---------|
| A | Supine | |
| B | Side-lying | CORRECT |
| C | High-Fowler's | |
| D | Trendelenburg | |

Student message:

contact وجاني سؤالين عن عزل (RSV) اللي هو

Source:

quizlet.com

What isolation precautions should be used for an infant with RSV?

A Contact only

B Droplet and contact

CORRECT

C Airborne

D Standard

Student message:

BCG vaccine مرض TB ايش تطعيمته حطيت

Source:

quizlet.com

Which measure is most effective for preventing and controlling pulmonary tuberculosis?

A Screening only

B Monthly medical missions

C BCG vaccination

CORRECT

D Standard precautions alone

Student message:

Hand hygiene جاني مريض معاه مرض معدى بالER وش تسوي عشان العدوى حطيت

Source:

quizlet.com

Which is the most important step in preventing the spread of infection in healthcare settings?

A Wearing gloves at all times

B Disinfecting equipment daily

C Performing hand hygiene before and after each patient

CORRECT

D Using sterile gloves for all procedures

Student message:

Primary وحطيت Hajj vaccine سؤال

Source:

quizlet.com

Which term denotes the level of prevention that applies to the nurse administering a vaccine to an infant?

A	Primary prevention	CORRECT
B	Secondary prevention	
C	Tertiary prevention	
D	Rehabilitation	

Student message:

جاني الحج برايمري

Source:

quizlet.com

The concept of prevention is a key component of modern community health practice. Which of the following is an example of primary prevention?

A	Immunization clinic for seasonal influenza	CORRECT
B	Blood pressure screening for hypertension	
C	Audiometric testing for hearing impairment	
D	Skin test for tuberculosis	

Student message:

6/9/10 وجاني كاتب بلاستر وبعدين كاتب لمنع ال Chickenpox وكاتب room negative وحاط لي رقم
أنا حطيت 6 قلت لأنه كاتب نقت روم وأنه من ضمن الايرون مدري كم مده عزلها الشكن بوكس ..

Source:

quizlet.com

A child with chickenpox is admitted to the pediatric ward. Which isolation precaution should the nurse implement?

A	Contact precautions only	
B	Standard precautions only	
C	Airborne and contact precautions	CORRECT
D	Droplet precautions only	

Student message:

سؤال في حالة كود بلو - اوتكرتك

Source:

quizlet.com

The nurse has recently been promoted to nurse manager on an oncology unit and has decided to be the sole decision maker regarding issues that concern the unit. Which type of leadership style is the nurse embodying?

- A Quantum
- B Democratic
- C Autocratic
- D Laissez-faire

CORRECT**Student message:**

وجاني سؤال الحج - برايمري

Source:

quizlet.com

At the well-child clinic, how does the nurse correctly teach a mother about health promotion activities and describe immunizations?

- A Unique for children
- B Primary prevention
- C Secondary prevention
- D Tertiary prevention

CORRECT**Student message:**

عزل ال RSV

Source:

quizlet.com

An infant is hospitalized for RSV bronchiolitis. Which type of precautions would the nurse use when caring for the infant?

- A Large-droplet precautions
- B Airborne-infection precautions
- C Contact precautions
- D Protective precautions

CORRECT

Student message:

الاهل يرفضون فيتامين K

Source:

quizlet.com

Which is the purpose of a vitamin K injection in a newborn?

- A It promotes conjugation of bilirubin.
- B It promotes formation of red blood cells.
- C It prevents destruction of red blood cells.
- D It provides protection from hemorrhage. CORRECT**

Student message:

Pico

Source:

quizlet.com

The process of EBP begins with a specific and answerable question typically in a PICO-format. What does PICO stand for?

- A Population of interest, Intervention, Carryover, Other problems identified
- B Population of interest, Intervention, Comparison, Outcomes CORRECT**
- C Population of interest, Internal Validity, Carryover, Outcomes
- D Population of interest, Intervention, Comparison, Other problems identified

Student message:

تطعيمه الحج... برايري

Source:

quizlet.com

A nurse provides influenza vaccinations to healthy members of a community. Which level of prevention is being implemented?

- A Primary CORRECT**
- B Secondary
- C Tertiary
- D Restorative

Student message:

Gestational Diabetes 24–28

Source:

quizlet.com

The recommended time to screen for gestational diabetes in asymptomatic women with no risk factors for this condition is:

- A In the first trimester
- B At 16–20 weeks gestation
- C **At 24–28 weeks gestation**
- D At 35–37 weeks gestation

CORRECT**Student message:**

Anorexia Nervosa

Source:

quizlet.com

Skin turgor is poor. Lanugo is present. She says, "I need to lose 10 more pounds." These assessment findings indicate which medical diagnosis?

- A Bulimia nervosa
- B **Anorexia nervosa**
- C Binge-eating disorder
- D Dissociative identity disorder

CORRECT**Student message:**

B12

Source:

quizlet.com

The nurse is caring for a client who is a strict vegetarian; the client is at greatest risk for the development of:

- A Folic acid deficiency anemia
- B Blood loss anemia
- C Microcytic anemia
- D **Vitamin B12 deficiency anemia**

CORRECT

Student message:

TbBCG تطعيمه

Source:

quizlet.com

For which patient would the nurse most likely prepare a Bacille–Calmette–Guerin (BCG) vaccine?

- A An infant born in the US
- B A foreign–born person entering the US
- C A nurse caring for rural patients in their homes
- D **A physician caring for TB patients in endemic regions** **CORRECT**

Student message:

Seizuresالمغنسيوم

Source:

quizlet.com

Magnesium sulfate is administered to a patient with preeclampsia primarily to:

- A Lower blood pressure
- B **Prevent seizures** **CORRECT**
- C Increase urine output
- D Induce labor

Student message:

woman is suffering from a burning?

a–Elevate the head of the bed when sleeping

B–eat fruit

Source:

quizlet.com

Which instruction would the nurse provide to a patient diagnosed with gastroesophageal reflux disease (GERD)?

- A Sleep only on your back.
- B Avoid eating 1 hour before going to sleep.
- C **Elevate the head of your bed 6 to 12 inches.** **CORRECT**
- D Avoid using continuous positive airway pressure (CPAP).

Student message:

COPD وضعيه

Source:

quizlet.com

A client with COPD is short of breath. Which position should the nurse encourage to ease the work of breathing?

- A Supine with a single pillow
- B Side lying (Sims) position
- C Sitting upright and leaning forward over a bedside table (tripod/orthopneic position) CORRECT**
- D Trendelenburg position

Student message:

Hypospadias. ايش نسوي لهم حطيت تشك الدابير ريقولري

Source:

quizlet.com

The nurse is caring for a newborn with hypospadias. His parents ask if circumcision is an option. Which is the nurse's best response?

- A Circumcision can never be performed in a child with hypospadias.
- B Circumcision is an option, but it cannot be done at this time. CORRECT**
- C Circumcision is a fading practice and is now contraindicated in most children.
- D Circumcision in children with hypospadias is recommended because it prevents urinary tract infections.

Student message:

weeks 28–24 السكر في الحمل

Source:

quizlet.com

Encouraging routine prenatal visits is an important function for nurses to ensure the clients avoid complications or difficulties throughout the pregnancy and birth. The nurse would prepare to screen clients for gestational diabetes at which time during the pregnancy?

- A between 20 and 24 weeks' gestation
- B between 15 and 19 weeks' gestation
- C between 24 and 28 weeks' gestation CORRECT**
- D between 29 and 32 weeks' gestation

Student message:

أم حامل وعندها سكر وش نقيس للطفل؛ السكر

Source:

quizlet.com

The nurse is evaluating an infant born to a diabetic mother. Which finding would indicate the infant is hypoglycemic?

- A Alertness
- B Hyperthermia
- C **Weak cry**
- D Hypertonia

CORRECT**Student message:**

Digoxin + Bradycardia ☒ Withhold.

Source:

quizlet.com

The nurse is preparing to administer the morning dose of digoxin to a patient. Upon assessment, the nurse notes that the patient's apical pulse is 50 beats per minute. What is the nurse's next action?

- A Administer the dose.
- B Administer the dose and notify the provider.
- C Check the radial pulse for 1 full minute.
- D **Withhold the dose and notify the provider.**

CORRECT**Student message:**

Hyperthyroidism.

Source:

quizlet.com

The nurse suspects that a patient has hyperthyroidism, and the laboratory data indicate that the patient's T4 and T3 hormone levels are elevated. Which of these findings would the nurse most likely find on examination?

- A **Tachycardia**
- B Dyspnea
- C Constipation
- D Atrophied nodular thyroid gland

CORRECT

Student message:

الطفل بعد عملية الـcircumcision كان عنده yellow color discharge إيش يتصنف infection؟ ولا نعطي antibiotic؟ ولا يعتبر normal؟

Source:

quizlet.com

The nurse assesses a newborn's penis 2 days after a circumcision and notes a yellow exudate around the head. Which is the appropriate nursing intervention?

- A Wash the penis with soap and a warm washcloth.
- B Take the newborn's temperature to determine if an infection is present.
- C **Leave the area alone, as this is a normal finding.**
- D Report the finding to the health care provider.

CORRECT**Student message:**

كان يتكلم عن واحد مبيتوره رجوله من ٣ ايام تحت الركبه وقال وش نقوله او وش افضل شيء نسويه زي كذا ولكن بنص الخيارات حصلت نشرح له الم البتر phantom صراحه مدري عن الاجابه اذا نشرح له بعد العمليه ولا قبل

Source:

quizlet.com

Which statement best explains phantom limb pain after a below-knee amputation?

- A It has no physiological basis and is only in the client's mind
- B It originates in superficial subcutaneous tissue
- C **It is pain experienced as if it arises from the amputated limb**
- D It arises only from deep internal receptors

CORRECT**Student message:**

جاني فقدان حراره حق الطفل
eva حطيت

Source:

quizlet.com

The nurse is planning care for a newborn. Which nursing intervention would best protect the newborn from the most common form of heat loss?

- A Placing the newborn away from air currents
- B Prewarming the examination table
- C **Drying the newborn thoroughly**
- D Removing wet linens from the bassinet

CORRECT

Student message:

سؤال يقول مريض ياخذ علاج antimalarial وش ممكن يسبب للمريض هل مشاكل بالنظر او طنين بالاذن

Source:

quizlet.com

A client is receiving quinine for drug-resistant malaria. The nurse should monitor for cinchonism, which presents with which findings?

- A Diarrhea, nausea, and fever
- B Yellow sclera and skin
- C Tremors and ataxia
- D Vomiting, tinnitus, and vertigo

CORRECT**Student message:**

وجا انو طفل عنده جرعه علاج اظنها كانت مضاد ومحدد ٢٥٠ mg وين تعطيه اياه Vastus lateralis Dorsogluteal

Source:

quizlet.com

When administering an I.M. injection to an infant, the nurse in charge should use which site?

- A Deltoid
- B Dorsogluteal
- C Ventrogluteal
- D Vastus lateralis

CORRECT**Student message:**

سؤال واحد ما يأكل لحم دجاج عنده نقص في الحديد ايش المفروض يأكل عشان يعوض الحديد

Source:

quizlet.com

A pregnant teenage client has iron-deficiency anemia. Which nutrient should she increase to enhance iron absorption?

- A Vitamin A
- B Vitamin C
- C Vitamin D
- D Vitamin E

CORRECT

Student message:

سوال بعد ان المذكرشن غلط ..

Source:

quizlet.com

A nurse makes a medication error. Which action should the nurse take first?

- A Prepare a patient safety or incident report so that the facility can determine the root causes of the error.
- B Assess the patient for any adverse reactions to the medication, and notify the prescriber.**
- C Document the medication given, how the patient responded, and the corrective actions taken.
- D Explain to the patient that a medication error has occurred, and notify the nurse manager.

CORRECT**Student message:**

سوال نو بالس نبدأ CPR ..

Source:

quizlet.com

The 2 thumb-encircling hands technique for the infant:

- A generates less blood pressure than the 2-finger technique.
- B is the preferred chest compression technique for 1-rescuer CPR.
- C is the preferred chest compression technique for 2-rescuer CPR.**
- D produces less blood flow than the 2-finger technique.

CORRECT**Student message:**

جاني فومتق ميتاولك اكلوزز

Source:

quizlet.com

A client who has a peptic ulcer disease is vomiting profusely. Which of the following acid-base imbalances should the nurse expect the client to develop?

- A Metabolic acidosis
- B Metabolic alkalosis**
- C Respiratory acidosis
- D Respiratory alkalosis

CORRECT

Student message:

جاني فومتق ميتباولك اكللوزز

Source:

quizlet.com

A client has experienced excessive vomiting for 2 days. The arterial blood gas (ABG) results are pH 7.50, PaCO₂ 42 mm Hg, and HCO₃ 32 mEq/L. Which acid-base imbalance is present?

- A Respiratory alkalosis
- B **Metabolic alkalosis**
- C Respiratory acidosis
- D Metabolic acidosis

CORRECT**Student message:**

سوال عن الزايده جاب الاعراض والجواب تحت زايده

Source:

quizlet.com

Which manifestation should the nurse expect in a client with acute appendicitis?

- A High fever
- B Nausea and vomiting
- C **Rebound tenderness**
- D Pain relieved by ambulation

CORRECT**Student message:**

سوال الحج برايمري

Source:

quizlet.com

Which activity is the best example of Primary Prevention in a community setting?

- A Administering a tuberculin skin test (TST) to all new employees at a community clinic.
- B **Teaching a high school class about the importance of wearing seat belts and avoiding distracted driving.**
- C Providing occupational therapy for a client who had a stroke to regain fine motor skills.
- D Monitoring blood glucose levels in a client newly diagnosed with Type 2 Diabetes to prevent complications.

CORRECT

Student message:

سؤال ام عندها التهاب بالثدي بالخيارات المعقوله
وحامل الثدي
حطيت كماده

Source:

quizlet.com

Which recommendation should the nurse make to a client with mastitis who is concerned about breastfeeding?

- | | | |
|----------|--|----------------|
| A | Continue breastfeeding because mastitis will not infect the neonate | CORRECT |
| B | Do not take analgesics while breastfeeding | |
| C | Stop breastfeeding until the antibiotic course is complete | |
| D | Supplement all feedings with formula | |

Student message:

وچاني معنى pico

Source:

quizlet.com

Evidence based practice questions are typically formatted as PICO questions. What does PICO stand for?

- | | | |
|----------|---|----------------|
| A | Patient, Intervention, Comparison, Outcome | CORRECT |
| B | Patient, Investigation, Comparison, Outlier | |
| C | Population, Intervention, Counter intervention, Outlier | |
| D | Problem, Investigation, Counter intervention, Outcome | |

Student message:

وچاني البلاسينتا بريفيما

Source:

quizlet.com

Which finding should the nurse expect in a client with placenta previa?

- | | | |
|----------|----------------------------------|----------------|
| A | Severe occipital headache | |
| B | History of thyroid cancer | |
| C | Previous premature delivery | |
| D | Painless vaginal bleeding | CORRECT |

Student message:

pain less وجاني Placenta previa

Source:

quizlet.com

What is the primary characteristic of placenta previa?

- A Painful bright red vaginal bleeding
- B Painless bright red vaginal bleeding**
- C Severe abdominal pain with vaginal bleeding
- D Dark red bleeding with clots

CORRECT**Student message:**

وممرضه شهدت ان فيه ممرضه دخلت غرفة عزل ايربورن وليست بس قاون وقلفز و وش افضل اجابه للمرضه

Source:

quizlet.com

A nurse is caring for a client with active tuberculosis in a private room. What should the nurse do before entering the room?

- A Wear a surgical mask
- B Put on a gown and gloves
- C Wear a HEPA-filtered N95 respirator**
- D Use standard precautions only

CORRECT**Student message:**

وجاني مريض معه thyroid وانه دافي و وش يكون تشخيصه hypo او hyper وفيه اجابتين مدري وش هي بس تابعه لل thyroid

Source:

quizlet.com

A nurse reviews a patient's lab results and notes low TSH, high T3, and high Free T4 levels. What condition is most likely present?

- A Primary hypothyroidism
- B Secondary hypothyroidism
- C Hyperthyroidism**
- D Thyroid storm

CORRECT

Student message:

وجاني وضعية الزائدة الدودية

Source:

quizlet.com

A client has surgery for a perforated appendix with localized peritonitis. In which position should the nurse place the client?

- A Sims position
- B Trendelenburg
- C **Semi-fowlers**
- D Dorsal recumbant

CORRECT**Student message:**

Antidote heparin

Source:

quizlet.com

What is the antidote for Heparin?

- A **Protamine sulfate**
- B Vitamin K
- C Flumazenil
- D Narcan

CORRECT**Student message:**

جاني كيف نمنع انتشار TB ، BCG OR TB screening مايري ايش الجواب

Source:

quizlet.com

A client with tuberculosis (TB) who is being prepared for discharge to home should be instructed to follow which practice to decrease the possibility of spreading the infection?

- A Wear a mask when at home with family members.
- B Have a weekly sputum culture to follow the course of the infection.
- C **Wear a mask when in contact with people outside of the family until medications are effective.**
- D Have a bacille Calmette–Guérin (BCG) vaccination to protect other people from exposure.

CORRECT

Student message:

سؤال عن التطهير عند المواليد

ام دقت ع الممرضه تقول مكان التطهير احمر بدون دم والولد بس يبكي وش تقول الممرضه ؟

Source:

quizlet.com

A nurse is assessing a newborn infant following circumcision and notes that the circumcised area is red with a small amount of bloody drainage. Which of the following nursing actions would be most appropriate?

- | | | |
|----------|---|----------------|
| A | Document the findings | CORRECT |
| B | Contact the physician | |
| C | Circle the amount of bloody drainage on the dressing and reassess in 30 minutes | |
| D | Reinforce the dressing | |

Student message:

بعد الولاده ع طول نجف المولود

Source:

quizlet.com

Which action is most effective in preventing evaporative heat loss in a newborn?

- | | | |
|----------|--|----------------|
| A | Warm the crib pad | |
| B | Close the room doors | |
| C | Dry the newborn with a warm blanket | CORRECT |
| D | Place the newborn under an overhead warmer | |

Student message:

Which of the following statement by the nurse about the clomid as an ovulation inducing drug?

It increase the risk of multiple pregnancies

Source:

quizlet.com

An infertility specialist prescribes clomiphene citrate (Clomid, Serophene) for a woman experiencing infertility. She is very concerned about the risk of multiple pregnancies. What is the nurse's most appropriate response?

- | | | |
|----------|--|----------------|
| A | This is a legitimate concern. Would you like to discuss further the chances of multiple pregnancies before your treatment begins? | CORRECT |
| B | No one has ever had more than triplets with Clomid. | |
| C | Ovulation will be monitored with ultrasound to ensure that multiple pregnancies will not happen. | |
| D | Ten percent is a very low risk, so you do not need to worry too much. | |

Student message:

10 month old infant is admitted to the surgical ward with hydrocephalus. Which of the following indicate increased intracranial pressure?

A. Bulging جاء تقريرا كذا

Source:

quizlet.com

A nurse is assessing an infant for signs of increased intracranial pressure (ICP). Which finding is a characteristic manifestation of ICP in this age group?

A Slurred speech and mood swings.

B Morning nausea and vomiting.

C A high-pitched cry and bulging fontanel.

CORRECT

D Diplopia and papilledema.

Student message:

heartburn= Raise head of the bed

Source:

quizlet.com

A client at 27 weeks' gestation still walks daily but reports "terrible" heartburn at night. Which action should the nurse point out will best address this situation?

A Elevate the head of the bed.

CORRECT

B Seek emergency medical care.

C Stop or severely curtail her exercise.

D Take sodium bicarbonate.

Student message:

following Level: 2 cm above the umbilicus. Position: deviated to the right. Consistency: Not well contracted what is the next nursing action after massaging the fundus until it becomes firm?

A. Assess vital signs

B. Increase V fluids

C. Evacuate the bladder

Source:

quizlet.com

A nurse is assessing a postpartum client 12 hours after delivery. Her uterus is soft, 2 cm above the umbilicus and deviated to the right. What is the nurse's priority action?

A Do a REEDA assessment

B Notify the provider

C Ask the client to void and reassess

CORRECT

D Begin an oxytocin infusion

Student message:

folic acid is to prevent which specific congenital disabilities? Neural tube defects

Source:

quizlet.com

The nurse is providing nutrition counseling for a patient planning pregnancy. Which nutrient should be emphasized to prevent neural tube defects?

- | | | |
|----------|-------------------|----------------|
| A | Folic acid | CORRECT |
| B | Calcium | |
| C | Protein | |
| D | Vitamin D | |

Student message:

Hemorrhoidectomy جاني واخترت sitz bath

Source:

quizlet.com

A nurse at an outpatient surgery center is caring for a patient who had a hemorrhoidectomy. What discharge education topic should the nurse address?

- | | | |
|----------|---|----------------|
| A | The appropriate use of antibiotics to prevent postoperative infection | |
| B | The correct procedure for taking a sitz bath | CORRECT |
| C | The need to eat a low-residue, low-fat diet for the next 2 weeks | |
| D | The correct technique for keeping the perianal region clean without water | |

Student message:

جاني Variable Deceleration الاولويه احط الام على جنب بس اذا late احط oxytocin stop صح?

Source:

quizlet.com

External monitoring of contractions and fetal heart rate of a multigravida in labor reveals a variable deceleration pattern on the fetal heart rate. What should the nurse do first?

- | | | |
|----------|--|----------------|
| A | Prepare the client for a cesarean birth. | |
| B | Change the client's position. | CORRECT |
| C | Notify the anesthesiologist. | |
| D | Administer oxygen at 2 L by mask. | |

Student message:

meconium سؤال عن ال Hirschsprung disease الجوب

Source:

quizlet.com

Which finding should the nurse expect in a newborn who has Hirschsprung disease?

- A Acute diarrhea and poor skin turgor
- B Currant-jelly stools and episodic pain
- C Projectile vomiting and hypochloremia
- D Failure to pass meconium and abdominal distention** **CORRECT**

Student message:

autocratic سؤال

Source:

quizlet.com

Which statement by the charge nurse indicates that they have an autocratic leadership style?

- A I think we should have a pot luck lunch tomorrow because it is Saturday.
- B I would like to talk to you about your ideas on a new staffing mix.
- C I don't care how the work is done as long as it completed on time.
- D You must complete all the A.M. care before you take your morning break.** **CORRECT**

Student message:

متى نعرف سكر الحمل ٢-٣ ترايمستر

Source:

quizlet.com

Screening for gestational diabetes mellitus (GDM) is typically completed between which of the following weeks of gestation?

- A 36 and 40 weeks
- B Before 20 weeks
- C 24 and 28 weeks** **CORRECT**
- D 30 and 34 weeks

Student message:

جاني حق المغنسيوم
وادر seizures في الجواب ما حصلت

Source:

quizlet.com

Why would a person with preeclampsia or eclampsia be on a magnesium sulfate infusion?

- A To induce labor
- B To increase serum magnesium levels
- C To prevent seizures**
- D To stop labor

CORRECT**Student message:**

بس الليثيوم
جاء سؤالين مره اجابه احافظ ع الصوديوم مره اكثر صوديوم < الخيارات الباقي غلط غلط

Source:

quizlet.com

Which client statement would the nurse recognize as indicating that the client understands dietary teaching related to lithium carbonate (Lithobid) treatment?

- A I will limit my intake of fluids daily.
- B I will maintain normal salt intake.**
- C I will take Lithobid on an empty stomach.
- D I will increase my caloric intake to prevent weight loss.

CORRECT**Student message:**

الحج تطعيمته برايمي

Source:

quizlet.com

Which is an example of primary prevention?

- A Providing mammograms to underserved communities
- B Planning an educational program on healthy lifestyles for older adults**
- C Providing skin testing for tuberculosis to the homeless
- D Rebuilding the city of Homestead after Hurricane Andrew

CORRECT

Q-368

SnleNotes.com



Student message:

Laissez-faire – وجاني القائد الاعتمادي اللي

Source:

quizlet.com

The staff nurses complain the unit is disorganized and that there is no proper guidance from the nurse leader in regards to client services. Which type of leadership does the unit experience?

- A Directive
- B Autocratic
- C Laissez-faire
- D Participative

CORRECT

Q-369

SnleNotes.com



Student message:

سؤال laissez faire بصيغه ثانيه
مدير يفوض كل اعماله للمستاف
ويخليهم يشاركون ويتخذون قرارات

Source:

quizlet.com

The graduate nurse is interviewed by the manager of a unit and is told that the manager's leadership style is laissez-faire or one of letting the staff nurses make the decisions about the unit's operations. Which question by the graduate nurse indicates the best understanding of the laissez-faire leadership style?

- A As the manager, do you maintain control and make all decisions?
- B As the manager, do you assume a passive, nondirective approach?
- C As the manager, do you facilitate decision making within the group?
- D As the manager, do you change style according to the needs of the group?

CORRECT

Student message:

Which leadership style is characterized by minimal direction and allowing staff considerable independence?

- A. Autocratic
- B. Democratic
- ☒ C. Laissez-faire
- D. Transformational

Source:

quizlet.com

A nurse on a telemetry unit is admitting a client and has an unlicensed assistive person (UAP) helping with the admission process. The nurses are allowed, among other things, to create their own work schedules, provide dates and times for unit meetings, and create the agendas, to which the charge nurse contributes. The charge nurse's style of leadership can be described as which?

- A Democratic
- B Laissez-faire**
- C Autocratic
- D Transformational

CORRECT**Student message:**

جاني سوال الحج

Source:

quizlet.com

A community health nurse is planning a childhood immunization drive at local schools. Which level of prevention does this activity best represent?

- A Primary**
- B Secondary
- C Tertiary
- D Health promotion

CORRECT**Student message:**

سؤال الحج برضو

Source:

quizlet.com

A community health nurse is implementing health programs with several populations in the local area. In which of the following situations is the nurse using primary prevention?

- A Performing a home safety check at a client's home
- B Teaching healthy nutrition to clients who have hypertension
- C Providing influenza immunizations to employees at a local preschool**
- D Implementing a program to notify individuals exposed to a communicable disease

CORRECT

Student message:

سؤال الحج

Source:

quizlet.com

Which suggestion by the nurse is an example of primary prevention?

- | | | |
|----------|---|----------------|
| A | Engage in daily physical exercise. | CORRECT |
| B | Get yearly physical examinations. | |
| C | Attend hypertension screening programs. | |
| D | Read about how to prevent diabetes complications. | |

Student message:

والأهل مايفغون يعطون الطفل فيتامين K

Source:

quizlet.com

A nurse explains to a parent that their newborn will receive a Vitamin K injection shortly after birth. The parent asks why this is necessary. Which response by the nurse is most accurate?

- | | | |
|----------|---|----------------|
| A | It is a vaccine that protects against infection. | |
| B | A newborn's intestines are sterile and cannot yet produce Vitamin K, which is needed for clotting. | CORRECT |
| C | It helps prevent jaundice. | |
| D | It is only needed if the baby will be circumcised. | |

Student message:

سؤال عن tuckman

Source:

quizlet.com

Patients with mental health issues are having difficulty resolving conflicts about their opinions. The nurse determines that the group is in which phase?

- | | | |
|----------|-----------------|----------------|
| A | Forming | |
| B | Storming | CORRECT |
| C | Performing | |
| D | Adjourning | |

Student message:

والبوزشن حق اللوز

Source:

quizlet.com

Which is the priority action in the immediate postoperative period of a child who has undergone a tonsillectomy?

- A Assisting with coughing and deep breathing
- B Encouraging frequent intake of cool liquids
- C Ensuring airway patency by placing the child side-lying
- D Promoting consciousness by frequent stimulation

CORRECT**Student message:**

Cleft palate وش تعلمين الام كان الفيدنق

Source:

quizlet.com

After teaching the parents of a neonate born with a cleft lip and cleft palate about appropriate feeding techniques, the nurse determines that the mother needs further instruction when the mother says which of the following?

- A I should clean her mouth with soapy water after feeding.
- B I should feed her in an upright position.
- C I need to remember to burp her often.
- D I may need to use a special nipple for feeding.

CORRECT**Student message:**

سوال جاب أعراض الزايدة

Source:

quizlet.com

The nurse assesses a client who has appendicitis. Which assessment finding would the nurse expect?

- A Severe, steady right lower quadrant pain
- B Abdominal pain associated with nausea and vomiting
- C Marked peristalsis and hyperactive bowel sounds
- D Pain that increases with flexion of the right knee

CORRECT

Student message:

Chicken pox جاء وكانت الاجابه تعزل الطفل

Source:

quizlet.com

The nurse is caring for a pediatric client who has chickenpox. Which of the following actions should the nurse take?

- A Administer the varicella vaccine.
- B Recommend prophylactic antiviral therapy for household contacts.
- C **Implement airborne precautions.**
- D Inform the parent that the child may return to school once afebrile for 24 hours.

CORRECT**Student message:**

A patient with a pleural effusion requires a chest tube for drainage. Where should the chest tube be inserted?

- A. 2nd intercostal space, midclavicular line
- B. 4th–5th intercostal space, mid–axillary line
- C. 6th–7th intercostal space, midclavicular line

جاني هالسوال بعد

Source:

quizlet.com

The nurse is caring for a client who will be undergoing chest tube insertion. She will be assisting with the procedure. The nurse knows the most common location for chest tube insertion is

- A Second intercostal space, mid axillary line
- B Third intercostal space mid axillary line, lateral to the nipple
- C **Mid axillary line between the 4th and 5th ribs on a line lateral to the nipple**
- D At the base of the ribs to allow for better fluid drainage

CORRECT**Student message:**

ايش الاكل اللي نعطييه لفقر الدم كان فيه كبد دجاج وخضار

Source:

quizlet.com

The nurse is teaching a client who has iron deficiency anemia about foods she should include in the diet. The nurse determines that the client understands the dietary modifications if which items are selected from the menu?

- A Nuts and milk
- B Coffee and tea
- C Cooked rolled oats and fish
- D **Oranges and dark green leafy vegetables**

CORRECT

Student message:

Pain in right abdomen, Adnexal Tenderness كان الجواب 10
ectopic pregnancy

Source:

quizlet.com

A client reports abrupt, sharp, right-sided lower quadrant abdominal pain, bright red vaginal bleeding, and a missed menstrual cycle while using an intrauterine device. Which condition should the nurse suspect?

- A Missed abortion
- B Ectopic pregnancy**
- C Severe preeclampsia
- D Hydatidiform mole

CORRECT**Student message:**

وحده فيها Mastitis ايش افضل شيء اقولها تنسويه؟ اقولها رضعي بشكل متكرر، أو حطي كماده تلج

Source:

quizlet.com

A nurse is teaching a client who is breastfeeding and has mastitis. Which of the following responses should the nurse make?

- A Limit the amount of time the infant nurses on each breast.
- B Nurse the infant only on the unaffected breast until resolved.
- C Completely empty each breast at each feeding or use a pump.**
- D Wear a tight-fitting bra until lactation has ceased.

CORRECT**Student message:**

اعراض ارتفاع ال ICP

Source:

quizlet.com

What clinical manifestations suggest hydrocephalus in an infant?

- A Closed fontanel and high-pitched cry
- B Bulging fontanel and dilated scalp veins**
- C Constant low-pitched cry and restlessness
- D Depressed fontanel and decreased blood pressure

CORRECT

Student message:

Vestibulocochlear العصب ايش السمع اختبار يقول بالسؤال وكان

Source:

quizlet.com

Which cranial nerve is in charge of hearing?

- A Olfactory nerve I
- B Auditory nerve VIII**
- C Vagus nerve X
- D Abducens nerve VI

CORRECT**Student message:**

Postmenopausal Osteoporosis Prevention

Source:

quizlet.com

A nurse is planning discharge teaching regarding exercise for a client at risk for osteoporosis. Which exercise would the nurse be most likely to suggest?

- A Yoga
- B Walking**
- C Bicycling
- D Swimming

CORRECT**Student message:**

reduce the transmission of Mycobacterium tuberculosis: A. Mass administration of the BCG vaccine
B. screening programs

Source:

quizlet.com

The nurse visits the home of a client with tuberculosis. Which action should the nurse teach family members to take during the first 2 weeks of treatment to prevent the spread of infection to other family members?

- A be compliant with the medication regimen
- B ensure that housemates of the client are tested and receive prophylactic treatment if indicated
- C use disposable tissues to contain respiratory secretions**
- D emphasize the importance of maintaining good general health through diet and exercise

CORRECT

Student message:

3-year-old child cognitive disorder needs a pain assessment. Which pain scale is most appropriate?

Source:

quizlet.com

A nurse is caring for a cognitively impaired 3-year-old child who cannot verbally communicate. Which pain assessment tool is most appropriate?

- A Oucher Pain Scale
- B **Revised FLACC (rFLACC) Scale**
- C Poker Chip Tool
- D Verbal Descriptor Scale

CORRECT**Student message:**

Kidney Transplant Rejection: Anuria

Source:

quizlet.com

Which finding in the first 24 hours after kidney transplantation requires immediate intervention?

- A **Abrupt decrease in urine output**
- B Blood-tinged urine
- C Incisional pain
- D Increase in urine output

CORRECT**Student message:**

A woman with a urinary tract infection asks the nurse about dietary recommendations. Which beverage may be recommended?

Source:

quizlet.com

Which beverage should a client increase to help reduce the risk of urinary tract infections?

- A Nut-based drinks
- B Caffeinated beverages
- C Citrus drinks
- D **Cranberry juice**

CORRECT

Student message:

A patient is prescribed a compression device for the legs. What complication is this therapy primarily intended to prevent?

Source:

quizlet.com

Why might a sequential compression device (SCD) be applied to the legs of an immobile client?

- | | | |
|----------|--|----------------|
| A | To help prevent deep vein thrombosis (DVT) | CORRECT |
| B | To stimulate circulation in the deep arterial vascular system | |
| C | To aid peripheral circulation to reduce the risk of skin breakdown | |
| D | To assist in passive range-of-motion exercise of the patient's lower extremities | |

Student message:

A patient receiving hemodialysis comes for assessment. Which finding is most important to monitor as an indicator of fluid status?

Source:

quizlet.com

The nurse has completed client teaching with the hemodialysis client about self-monitoring between hemodialysis treatments. The nurse determines that the client best understands the information if the client states to record daily the:

- | | | |
|----------|--|----------------|
| A | Amount of activity. | |
| B | Pulse and respiratory rate. | |
| C | Intake and output and weight. | CORRECT |
| D | Blood urea nitrogen and creatinine levels. | |

Student message:

A patient has an NG tube inserted. Which method is most appropriate to confirm the tube's placement before using it for feeding?

Source:

quizlet.com

A nurse has inserted a nasogastric tube and is planning to confirm placement of the tube prior to starting enteral feedings. What is the most accurate method for confirming placement?

- | | | |
|----------|---|----------------|
| A | Obtaining a radiological x-ray of the abdomen | CORRECT |
| B | Checking gastric aspirate for a pH of less than 7 | |
| C | Instilling 30 mL of air while listening with a stethoscope when placed over the fundus of the stomach | |
| D | Determining the presence of carbon dioxide | |

Student message:

A 3-year-old child is postoperative and needs a pain assessment. Which pain scale is most appropriate?

Source:

quizlet.com

The nurse is caring for a toddler client in the postoperative period. Which pain assessment tool is most appropriate for this client?

- | | | |
|----------|---|----------------|
| A | FLACC Behavioral Pain Assessment Scale | CORRECT |
| B | FACES pain scale | |
| C | Oucher scale | |
| D | Poker-chip tool | |

Student message:

Which finding is most consistent with hyperthyroidism?

Source:

quizlet.com

The nurse identifies which finding as most consistent with hyperthyroidism?

- | | | |
|----------|----------------|----------------|
| A | Bradycardia | |
| B | Constipation | |
| C | Weight gain | |
| D | Tremors | CORRECT |

Student message:

A mother is changing her newborn's diaper and notices a red stain in it. What is the most likely cause?

Source:

quizlet.com

Most newborns void in the first 24 hours after birth. The nurse interprets that which of the following is responsible for a reddish stain, sometimes called red brick dust spots or brick deposit, on the newborn's diaper?

- | | | |
|----------|--|----------------|
| A | Uric acid crystals in the urine | CORRECT |
| B | Mucus and urate in the urine | |
| C | Excess bilirubin in the urine | |
| D | Excess iron in the urine | |

Student message:

2. What is the appropriate position for a child after a tonsillectomy?

Source:

quizlet.com

Which of the following positions should a patient be placed in following a tonsillectomy in order to prevent post-operative aspiration?

A Trendelenberg

B Lateral

CORRECT

C Kraske

D Supine

Student message:

3. Which factor increases the risk of postpartum hemorrhage?

Source:

quizlet.com

In discussing obstetric emergencies with a new registered nurse on Labor and Delivery, you initiate a conversation reviewing the common risk factors for postpartum hemorrhage. Which of the following is considered a risk factor?

A Age > 25

B Induction or augmentation of labor

CORRECT

C Drug induced analgesia

D Fetal intrauterine growth restriction

Student message:

4. Two nurses are arguing. The head nurse asks both nurses to compromise and find a solution. Which conflict-resolution strategy is being used?

Source:

quizlet.com

Two new nurses request the same preceptor. Which action illustrates a compromise approach to conflict resolution?

A One nurse gets the preceptor in exchange for working each weekend

B The nurses ignore each other's request

C The nurses allow the preceptor to choose

D The preceptor teaches one nurse at the beginning of orientation and the other at the end

CORRECT

Student message:

5. A newborn is placed near a window and loses heat. What type of heat loss is this?

Source:

quizlet.com

A person is sitting near a cold window on a winter day. They are losing heat to the cold window by which mechanism?

- A Conduction
- B Convection
- C Radiation**
- D Evaporation

CORRECT**Student message:**

11. At what gestational age should screening for gestational diabetes be performed?

Source:

quizlet.com

Gestational diabetes is routinely screened at what gestational age?

- A 16–18 weeks
- B 20–22 weeks
- C 24–28 weeks**
- D 32–34 weeks

CORRECT**Student message:**

15. A patient is diagnosed with MCVA/MRSA (as written in the exam). Which personal protective equipment (PPE) is required?

Source:

quizlet.com

A nurse is in charge of care for a client who has methicillin-resistant Staphylococcus aureus (MRSA). Which guideline is accurate for using transmission-based precautions when caring for this client?

- A Keep visitors 3 feet from the client.
- B Wear gloves whenever entering the client's room.**
- C Place the client in a private negative-pressure room.
- D Use respiratory protection when entering the room.

CORRECT

Student message:

18. Which source provides the highest level of evidence in Evidence-Based Practice (EBP)?

Source:

quizlet.com

Which is the highest level of evidence?

- A A single correlational or observational study
- B Systematic review of RCTs or meta-analysis**
- C Systematic review of correlational or observational studies
- D Single RCT, and non-randomized control trial (quasi-experimental)

CORRECT**Student message:**

condom شئو انصح حق يظل sexual infection اتوقع الحواب

Source:

quizlet.com

After discussing various methods of contraception with a client and her partner, the nurse determines that the teaching was successful when they identify which contraceptive method as providing protection against sexually transmitted infections (STIs)?

- A oral contraceptives
- B tubal ligation
- C condoms**
- D intrauterine system

CORRECT**Student message:**

من اللي يحتاج vit d وكان خيارات كله عن اليهال بس ماعرفت الجواب

Source:

quizlet.com

The nurse is assessing a group of patients to determine their risk of vitamin D deficiency. Which of the following patients has the highest risk for vitamin D deficiency?

- A A Caucasian female who is 39 weeks gestation.
- B An African-American female who is breastfeeding.**
- C An Asian female diagnosed with hypoglycemia.
- D A Hispanic female who has a BMI of 24.1.

CORRECT

Student message:

Threatened abortion شنو المفروض تسوي واهيه مب متوسعه و ولاشي ماعرف شالجواب بس حسيت بيد ريست اكثر شي معقول وحده فيها

Source:

quizlet.com

Which order should the nurse expect for a patient admitted with a threatened abortion?

A	Bed rest	CORRECT
B	Ritodrine IV	
C	NPO	
D	Narcotic analgesia every 3 hours, prn	

Student message:

حجم معدة الياهل ٦ مل

Source:

quizlet.com

What is the approximate volume of a newborn's stomach capacity at birth?

A	15 to 25 mL	
B	10 to 15 mL	
C	20 to 30 mL	
D	5 to 10 mL	CORRECT

Student message:

شنو نوع الليدر شيب حق الاميرجنسي

Source:

quizlet.com

A nurse manager is coordinating care after a plane crash brings multiple victims to the emergency department. Which leadership style is most appropriate?

A	Autocratic	CORRECT
B	Democratic	
C	Laissez-faire	
D	Eclectic	

Student message:

واحد قال المريض تشخص وش الماركر للجهاز المناعي حطيته CD4

Source:

quizlet.com

What should the nurse look for when reviewing a patient's chart to determine whether she has progressed from HIV disease to AIDS?

A CD4+ count below 500, chronic fatigue, night sweats

B HIV-positive test result, CD4+ count below 200, history of opportunistic disease

CORRECT

C Weight loss, persistent generalized lymphadenopathy, chronic diarrhea

D Fever, chills, CD4+ count below 200

Q-410

Student message:

وجاب سؤال مراهقة كيف امنع تكرار عدوى UTI

Wipe from back to front

Wear nylon underwear

Avoid to urinate in school

Increase fluid intake

Source:

quizlet.com

A female patient asks the nurse for ways to prevent recurrent urinary tract infections. How should the nurse respond?

A Avoid douching.

CORRECT

B Clean the perineal area from back to front.

C Use feminine hygiene sprays.

D Wear clean nylon underpants.

Q-411

Student message:

جاني virable deceleration m وش التدخل اني اسوي بوزشن

Source:

quizlet.com

What would be the appropriate first nursing action when caring for a 20-year-old G1P0 woman at 39 weeks' gestation who is in active labor and for whom an assessment reveals mild variable fetal heart rate decelerations?

A Change the maternal position.

CORRECT

B Notify the provider.

C Prepare for delivery.

D Readjust the fetal monitor.

Student message:

Antidote for warfarin

Source:

quizlet.com

Which antidote should be readily available before administering warfarin?

- A Potassium
- B Protamine sulfate
- C **Vitamin K**
- D Naloxone

CORRECT**Student message:**

ليش نعطي فيتامين K

Source:

quizlet.com

A nurse prepares to administer vitamin K to a newborn. Why is vitamin K given specifically to newborns?

- A It prevents coagulation of blood during the neonatal period.
- B A newborn's liver does not produce it immediately after birth.
- C It prevents development of hyperbilirubinemia during the neonatal period.
- D **A newborn's intestinal tract does not synthesize it for several days after birth.**

CORRECT**Student message:**

tonsillectomy صار يستفرغ دم وش الاولوية ابلاغ الدكتور ولا احطه على lateral side مريض بعد

Source:

quizlet.com

A client who just returned from the recovery room after a tonsillectomy and adenoidectomy is restless and the pulse rate is increased. As the nurse continues the assessment, the client begins to vomit a copious amount of bright-red blood. The nurse should take which immediate action?

- A **Notify the surgeon**
- B Continue the assessment
- C Check the client's blood pressure
- D Obtain a flashlight, gauze, and a curved hemostat

CORRECT

Student message:

جاء طفل معه abdominal pain and distention and ribbon like stool والجواب hirshunperg

Source:

quizlet.com

Which condition would the nurse suspect in a 1 month old infant with constipation, abdominal distention, and ribbon like stools?

- A Rectal atresia
- B Intussusception
- C **Hirschsprung disease**
- D Hypertrophic pyloric stenosis

CORRECT**Student message:**

طفل معه caput succedaneum وش تسوي له - كان موجود انه مالمسوي شي بيخفي من ٣-٤ ايام

Source:

quizlet.com

Nursing care for the neonate with caput succedaneum is to:

- A Monitor for signs of shock
- B Monitor for signs of infection
- C **Reassure family that no specific treatment is needed**
- D Reassure family that swelling will resolve within 3 months

CORRECT**Student message:**

العزل TB

Source:

quizlet.com

A nurse is caring for a patient with tuberculosis. Which type of isolation is required?

- A Droplet precautions
- B Contact precautions
- C **Airborne precautions**
- D Protective environment

CORRECT

Student message:

Measles العزل

Source:

quizlet.com

A nurse is assisting with the admission of a child who has measles. Which isolation precautions should the nurse initiate?

- | | | |
|----------|-----------------------------|----------------|
| A | Airborne precautions | CORRECT |
| B | Contact precautions | |
| C | Protective environment | |
| D | Droplet precautions | |

Student message:

Chicken pox vaccine

Source:

quizlet.com

What is the recommended varicella vaccination schedule for children?

- | | | |
|----------|-----------------------------------|----------------|
| A | Birth and 6 months | |
| B | 6 and 12 months | |
| C | 12-15 months and 4-6 years | CORRECT |
| D | 2 and 10 years | |

Student message:

ambivalence وجاء أم عندها أولاد ولدت وقالت إن ماكان وبها تحمل وتجيّب ولد جديد والجواب كان

Source:

quizlet.com

A newly diagnosed pregnant client says she is not sure she wants to be pregnant because of the discomforts. The nurse interprets this as which perception?

- | | | |
|----------|-----------------------------|----------------|
| A | Fear of pregnancy outcome | |
| B | Rejection of the pregnancy | |
| C | Normal ambivalence | CORRECT |
| D | Limited self-care abilities | |

Student message:

سؤال telephone order طريقته

Source:

quizlet.com

The nurse is receiving a phone order from a health care provider. How will the nurse make sure the provider's order is received without error?

A Advise the provider that the order must be written within 24 hours.

B Ask the charge nurse to take the order.

C Write the order without unclear abbreviations.

D Repeat the order, write it verbatim, and read it back.

CORRECT**Student message:**

وجاني ايش الاكلات الي فيها ايرون كثير

Source:

quizlet.com

The nurse teaches a client diagnosed with iron-deficiency anemia about iron-rich foods. Which meal indicates teaching was effective?

A Chicken salad, lettuce, French bread, chocolate pudding, and milk

B Yogurt, carrots, an apple, and diet soda

C Ham, carrots, green beans, gelatin, and iced tea

D Kale salad, boiled eggs, dried fruit, a brownie, and orange juice

CORRECT**Student message:**

وايش الفايتمين الي تنصحيه لطفل عندو نقص في النظر

Source:

quizlet.com

A child presents with dry, thick corneas and reduced night vision. Which vitamin is most likely deficient?

A Vitamin A

CORRECT

B Vitamin C

C Vitamin E

D Vitamin K

Student message:

السحايا وش عزلها

Source:

quizlet.com

An adult client with suspected meningitis is admitted. Which precaution should the nurse anticipate initially?

A	Droplet precautions	CORRECT
B	Protective isolation only	
C	No precautions beyond standard precautions	
D	Airborne isolation for all causes of meningitis	

Student message:

فيه سؤال جاني بعد أحترت فيه
انو المريض رفض الدواء وش الممرضة مفروض تسوي والخيارات
انه علطول يوقع غ رفضه
او تعرف أول ايش سبب رفضه

Source:

quizlet.com

A client refuses to take the daily medication for hypertension. Which action should the nurse take at this time?

A	Tell the client that a stroke will occur	
B	Explore the reason for the client's refusal to take the medication	CORRECT
C	Administer the medication by injection	
D	Obtain help from relatives in administering the medication	

Student message:

جاء سؤال ثلاث مرات مريض عنده كانسر ورفض الكيمو ايش تقولين له؟ مره الصح احترم رأيه autonomy مره اشرح له وش الفايده

Source:

quizlet.com

A client receiving chemotherapy has decided to refuse treatment. What should the nurse do when the client refuses the next dose of chemotherapy?

A	Ask the client's spouse to encourage treatment	
B	Ensure the client understands the rationale for treatment	
C	Document the client's choice and offer to discuss feelings about chemotherapy	CORRECT
D	Persuade the client to take the medication as ordered	

Student message:

مریض یبغی dnr وش اسوي؟ follow policy والعكس مریض الدكتور كتب له dnr وهو ما یبی برضو follow policy

Source:

quizlet.com

A patient with end-stage renal disease says that if the heart or breathing stops, resuscitation is not wanted. Which action should the nurse take first?

- A Place a DNR notation in the care plan
- B Invite the patient to add a notarized advance directive
- C Advise the patient to designate a decision maker
- D Ask whether the decision has been discussed with the health care provider** **CORRECT**

Student message:

Rhemutic fever ? Antibiotics

Source:

quizlet.com

Which of the following instructions would Nurse Courtney include in a teaching plan that focuses on initial prevention for Sheri who is diagnosed with rheumatic fever?

- A Providing an antibiotic before dental work.
- B Treating streptococcal throat infections with an antibiotic** **CORRECT**
- C Giving penicillin to patients with rheumatic fever.
- D Using corticosteroid to reduce inflammation.

Student message:

Intervention preop? Keep NPO and suction

Source:

quizlet.com

A newborn begins coughing, choking, and turning cyanotic during the very first attempted feeding. Tracheoesophageal fistula is suspected. What is the nurse's priority action?

- A Stop the feeding immediately and keep the infant NPO** **CORRECT**
- B Try a slower-flow nipple and reattempt feeding
- C Suction orally and continue the feeding cautiously
- D Reassure the parents this is a normal newborn response

Student message:

hyperbilirubinemia education Breastfeed every 2–4 hours

Source:

quizlet.com

Which among the following instructions would you provide to a mother of a preterm baby with hyperbilirubinemia who is being breastfed?

- A Switch to bottle feeding while the baby has jaundice
- B Stop breastfeeding and switch permanently to breastfeeding
- C Feed the newborn infant less frequently
- D **Continue breastfeeding every 2–4 hours.**

CORRECT**Student message:**

4th stage of labor ؟ اراقب اكثر شي ؟ bleeding

Source:

quizlet.com

Which nursing intervention is the priority during the fourth stage of labor?

- A Promote bonding
- B **Assess for hemorrhage**
- C Provide comfort measures
- D Monitor uterine contractions

CORRECT**Student message:**

Neural tube defect

dry clean dressing الخيارات

Moist dressing ٢١٢

Without covering it

Source:

quizlet.com

A newborn is diagnosed with myelomeningocele. Which nursing intervention is priority in the immediate postnatal period?

- A Keeping the infant in a supine position to prevent pressure on the sac
- B **Covering the sac with a moist, sterile, nonadherent dressing**
- C Applying betadine solution to the sac to prevent infection
- D Encouraging immediate breastfeeding to promote bonding

CORRECT

Student message:

Best source database for systematic review? Cochrane

Source:

quizlet.com

The nurse decides to access a systematic review database to determine evidence-based practice related to the patient's treatment plan for a diagnosis of otitis media (i.e., ear infection). What database can provide that type of resource?

A Cumulative Index of Nursing and Allied Health Literature (CINAHL)

B Cochrane

CORRECT

C PubMed

D MD Consult

Q-434

Student message:

POIC –٤

Source:

quizlet.com

The nurse questions whether treatment with antibiotic therapy is as effective as observation in a 3-year-old boy with otitis media. What combination of information supports the proper order of information needed to compose a PICO statement?

A Effective treatment for otitis media; antibiotic therapy; observation; 3-year-old with otitis media

B Three-year-old with otitis media; antibiotic therapy; observation; effective treatment for otitis media

CORRECT

C Antibiotic therapy; 3-year-old with otitis media; effective treatment for otitis media; observation

D Observation; 3-year-old with otitis media; effective treatment for otitis media; antibiotic therapy

Q-435

Student message:

جاني سؤال رضيع عمره 38week وزنه 1800 الاچابه small age

Source:

quizlet.com

Which criterion is used to classify an infant as small-for-gestational-age (SGA)?

A Less than 10th percentile for weight

CORRECT

B 10th percentile for height

C Less than 37 weeks' gestation

D Less than 25th percentile for weight

Student message:

تطعيمه الحج برايمري

Source:

quizlet.com

A public health nurse participates in a county-wide free flu vaccination clinic. Which level of prevention is being addressed?

- | | | |
|----------|---------------------------|----------------|
| A | Primary prevention | CORRECT |
| B | Secondary prevention | |
| C | Tertiary prevention | |
| D | Quaternary prevention | |

Student message:

سوال عن الميس يوز واننا نسوي رپورت

Source:

quizlet.com

A nurse hears a client calling out for help, hurries down the hallway to the client's room, and finds the client lying on the floor. The nurse performs an assessment, assists the client back to bed, notifies the health care provider of the incident, and completes an incident report. Which statement should the nurse document on the incident report?

- | | | |
|----------|--|----------------|
| A | The client fell out of bed | |
| B | The client climbed over the side rails | |
| C | The client was found lying on the floor | CORRECT |
| D | The client became restless and tried to get out of bed | |

Student message:

Adenotonsillectomy وضعيه

Source:

quizlet.com

The child who had a tonsillectomy and adenoidectomy (T&A) is brought to the postoperative recovery room. In what position should the nurse place the child?

- | | | |
|----------|--|----------------|
| A | Supine | |
| B | Side-lying | CORRECT |
| C | Semi-fowler's with the head turned to the side | |
| D | High fowler's, head slightly forward and to the side | |

Student message:

وش وظيفه الفرش فروزن بلازما

Source:

quizlet.com

The physician orders fresh frozen plasma (FFP) to be given after a client's fourth unit of packed red cells. Fresh frozen plasma is administered to replace lost:

- A White blood cells
- B Platelets
- C Clotting factors
- D T-lymphocytes

CORRECT**Student message:**

شيء زي كذا! Nitrin+fern test تمزق الممبرين كيف اشخصه حطيت جواب فيه ROM

Source:

quizlet.com

A client reports a sudden gush of fluid. The nurse performs a nitrazine paper test and the paper turns blue-green. What does this finding indicate?

- A Intact membranes — vaginal secretions are acidic
- B Ruptured membranes — amniotic fluid is alkaline
- C Urinary incontinence — urine is alkaline
- D Inconclusive — ferning must be done first

CORRECT**Student message:**

جاء liver chirrrosis واعرض معها وكاتب وش الميديكيشن يقلل من حدتها حطيت علاج فيها lactouls شيء زي كذا

Source:

quizlet.com

A client with a history of cirrhosis has a new prescription for lactulose 30 mL four times a day. What does the nurse explain to the client about this medication?

- A It will decrease intestinal absorption of ammonia
- B It will facilitate diuresis of excess fluid
- C It will promote renal excretion of bilirubin
- D It will reduce portal pressure contributing to esophageal varices

CORRECT

Student message:

Meningitis =Droplet

Source:

quizlet.com

Which isolation precaution should the nurse implement for a client with meningitis?

A	Droplet	CORRECT
B	Contact	
C	Standard	
D	Reverse	

Student message:

reduces salt intake كيف نقتل من حده اعراض الدوره اخترت

Source:

quizlet.com

What should the nurse stress when teaching a woman how to deal with premenstrual syndrome?

A	Decrease caffeine intake	CORRECT
B	Drink wine with meals	
C	Decrease fluid intake	
D	Eat three large meals daily	

Student message:

Neologism سيناريو

Source:

quizlet.com

A client with schizophrenia speaks using unrelated words and phrases. How should the nurse document this finding?

A	Pressure of speech	
B	Word salad	CORRECT
C	Neologism	
D	Clang association	

Student message:

Hirschsprung disease تشخيصه: Biopsy

Source:

quizlet.com

A neonate has not passed meconium within 48 hours and has abdominal distention and bilious vomiting. Which diagnostic test confirms Hirschsprung disease?

- A Barium enema
- B Anorectal manometry
- C Rectal suction biopsy
- D Abdominal ultrasound

CORRECT

Student message:

3_ pregnant 25 weeks , hypertension, test protein urine negative: gestation hypertension

Source:

quizlet.com

A pregnant client at 32 weeks' gestation has a blood pressure of 148/94 mmHg on two readings 4 hours apart. Urine protein is negative, and she has no severe symptoms. Which diagnosis is most appropriate?

- A Chronic hypertension
- B Gestational hypertension
- C Preeclampsia with severe features
- D HELLP syndrome

CORRECT

Student message:

6_ patients not language arabica: antepreter

Source:

quizlet.com

A nurse is working with a patient who has limited English proficiency. What action by the nurse is best?

- A Use a qualified interpreter.
- B Ask family members to translate.
- C Use drawings and pictures.
- D Speak in simple sentences.

CORRECT

Student message:

7 _ fatigue pain muscle : vitamin D

Source:

quizlet.com

An older person is experiencing muscle weakness and a change in balance when walking. Which vitamin should the nurse ensure the person is taking in an adequate amount?

- A Vitamin E
- B Vitamin B12
- C Vitamin D**
- D Vitamin B6

CORRECT**Student message:**

8 _ eye : vitamin A

Source:

quizlet.com

In assessing a patient with a vitamin A deficiency, the nurse should determine if the patient has which manifestation?

- A Excessive sweating
- B Impaired night vision**
- C Tender, bleeding gums
- D Disturbed sleep patterns

CORRECT**Student message:**

9 _ morphine antidote: naloxone

Source:

quizlet.com

Which medication would the nurse administer to a patient who is experiencing a morphine overdose?

- A Naloxone**
- B Epinephrine
- C Procainamide HCl
- D Flumazenil

CORRECT

Student message:

13 _ sickle cells: hydration

Source:

quizlet.com

Which intervention is appropriate for a child experiencing a sickle cell vaso-occlusive crisis?

A Correct acidosis only

B Provide hydration and pain management

CORRECT

C Administer heparin with analgesics

D Give oxygen and factor VIII

Student message:

17 _ TB : screening

Source:

quizlet.com

A community offers annual tuberculosis screening and free treatment for people with positive results. Which level of prevention does this program represent?

A Primary prevention

B Tertiary prevention

C Secondary prevention

D Secondary and tertiary prevention

CORRECT**Student message:**

18 _ TB : negative pressure isolation

Source:

quizlet.com

Tuberculosis is transmitted by which mode?

A Airborne transmission

CORRECT

B Droplet transmission

C Direct contact

D Indirect contact

Student message:

19 _ after tonsillectomy , secretion out : pron position

Source:

quizlet.com

A child is had a tonsillectomy this morning. What action by the nurse is most important for the child's safety?

- A Avoid giving them red popsicles
- B Limit activity the first night.
- C Offer ice cream when awake
- D Position the child on their side**

CORRECT**Student message:**

23 _ evidence-Based practice: research , clinical expertise, patient preferences

Source:

quizlet.com

Which statement best describes evidence-based practice?

- A The conscientious integration of the best research evidence with clinical expertise and patient needs and values**
- B Standards of behavior that professional nurses are expected to perform
- C Using one study to determine the best evidence
- D Determining the factors that control patient responses to nursing care

CORRECT**Student message:**

24 _ Mannitol : ICP

Source:

quizlet.com

The nurse administers mannitol (Osmitol) that has been prescribed for a client with increased intracranial pressure (ICP). What is the primary expected outcome?

- A Increased urine output
- B Decreased blood pressure
- C Reduced intracranial pressure**
- D Increased intracranial perfusion

CORRECT

Student message:

26 _ stool ribbon : Hirschsprung

Source:

quizlet.com

A newborn fails to pass meconium within 48 hours of birth. Which condition should the nurse suspect?

A Pyloric stenosis

B Hirschsprung disease

CORRECT

C Intussusception

D Cystic fibrosis

Student message:

30 _ pleural effusion: pneumothorax

Source:

quizlet.com

The nurse is assessing a client immediately following a thoracentesis. The nurse understands that the most common complication following this procedure is a:

A Pleural effusion

B Pneumonia

C Pulmonary embolism

D Pneumothorax

CORRECT**Student message:**

32 _ pyloric stenosis: vomiting

Source:

quizlet.com

The nurse in the nursery is caring for a 24-hour-old infant. The nurse suspects the infant of having pyloric stenosis. Which of the following manifestations would support this finding?

A Melena

B Currant jelly stools

C Projectile vomiting

CORRECT

D Steatorrhea

Student message:

سؤال طفل سوى حادث وحالته حرجه ومحتاجين نقل دم له والممرضه تبني تاخذ موافقه وش تسوي : الخيارات كانت ننتظر الأبوين ، تاخذ الموافقه من شخص ثاني ، بدون موافقه وهذا الي اخترته

Source:

quizlet.com

The nurse is caring for a 6-year-old child with hypovolemic shock. The child is a Jehovah's Witness. The child needs an immediate blood transfusion, but the child's parents refuse to provide consent. Which action would be most appropriate?

- | | | |
|----------|---|----------------|
| A | Administer blood to the child. | CORRECT |
| B | Administer intravenous fluids. | |
| C | Provide oral hydration and nutrition. | |
| D | Seek a court order for blood transfusion. | |

Student message:

25 _ Blister : stage 2

Source:

quizlet.com

In a patient with a stage II pressure ulcer, the nurse describes the wound as:

- | | | |
|----------|------------------------------------|----------------|
| A | Superficial blistering | CORRECT |
| B | Nonblanchable redness | |
| C | Loss of skin without bone exposure | |
| D | Loss of skin with exposed muscle | |

Student message:

سؤال عزل الايروبون ngtive

Source:

quizlet.com

The nurse provides care for a client diagnosed with tuberculosis. Which transmission-based precautions will the nurse implement?

- | | | |
|----------|-----------------|----------------|
| A | Standard | |
| B | Airborne | CORRECT |
| C | Droplet | |
| D | Contact | |

Student message:

الحج

Source:

quizlet.com

During an immunization program for physically challenged children in a rehabilitation center, the nurse administered pneumonia vaccines to the children as a part of the program. The scenario meets which level of prevention?

- | | | |
|----------|---------------------------|----------------|
| A | Primary prevention | CORRECT |
| B | Secondary prevention | |
| C | Tertiary prevention | |
| D | Early diagnosis | |

Student message:

جاني اللوزتين الوضعية بعد العملية

Source:

quizlet.com

Which statement by the parent of a 4-year-old boy who just had a tonsillectomy indicates that a nurse's discharge instruction has been successful?

- | | | |
|----------|---|----------------|
| A | I will keep him flat on his back in bed. | |
| B | I will sit him in bed at a 45-degree angle. | |
| C | I will place him on his stomach with his head to the side. | CORRECT |
| D | I will place him on his back with his head on a pillow. | |

Student message:

وجاني ترتيب فحص البطن

Source:

quizlet.com

The nurse is preparing to perform a health assessment of the abdomen. In which order should the nurse perform the assessment?

- | | | |
|----------|--|----------------|
| A | Auscultate, percuss, palpate, inspect | |
| B | Inspect, auscultate, palpate, percuss | |
| C | Inspect, auscultate, percuss, palpate | CORRECT |
| D | Palpate, percuss, auscultate, inspect | |

Student message:

جاني التينسولايتس وضعت خروج السكريشن

Source:

quizlet.com

The nurse is providing care for a patient immediately after a tonsillectomy. What action should the nurse take?

- | | | |
|----------|---|----------------|
| A | Maintain the patient in a semi-Fowler position. | CORRECT |
| B | Encourage warm fluids. | |
| C | Suction blood and secretions from the back of the throat. | |
| D | Provide soft snacks. | |

Student message:

جاني فقدان الحرارة بس طرقتهم كل اثنين في خيار مثال البطانية والتجفيف كذا كان السؤال

Source:

quizlet.com

The neonatal nurse specialist is describing neonatal care to nursing students. Which statement describes a proper method for preventing heat loss in the neonate?

- | | | |
|----------|--|----------------|
| A | After delivery, the newborn is immediately placed in skin-to-skin contact with the mother | |
| B | Immediately after delivery, the newborn is wrapped in a blanket and placed on the mother's chest | |
| C | If the newborn is under a radiant-heated unit, the neonate is dried, placed on a dry blanket, and left uncovered under the radiant heat | CORRECT |
| D | If a radiant-heated unit is used, the neonate is dried, wrapped in a dry blanket, and placed under the radiant heat | |

Student message:

جاني CPR اونقراطي

Source:

quizlet.com

The nurse manager on a surgical unit receives notification that multiple victims of a plane crash will arrive at the hospital momentarily. What is the most appropriate leadership style to adopt in this situation?

- | | | |
|----------|----------------------|----------------|
| A | Authoritarian | CORRECT |
| B | Democratic | |
| C | Laissez-faire | |
| D | Eclectic | |

Student message:

جاني ماء زقاء بالعين

Source:

quizlet.com

Which condition is characterized by increased intraocular pressure leading to optic nerve damage?

- A Macular degeneration
- B Otitis media
- C **Glaucoma**
- D Meniere disease

CORRECT**Student message:**

N95

Source:

quizlet.com

Which personal protective equipment is required when caring for a client with tuberculosis?

- A **N95 respirator**
- B Surgical mask
- C Full-face respirator
- D Gas-mask respirator

CORRECT**Student message:**

SBAR جاتي

Source:

quizlet.com

The communication tool SBAR is an acronym for which words?

- A Symptoms-Background-Alignment-Referral
- B Site-Benefits-Agreement-Resolution
- C **Situation-Background-Assessment-Recommendation**
- D Situation-Background-Assignment-Reconciliation

CORRECT

Student message:

7- Spina Bifida / Myelomeningocele)-cover it sterile moist

Source:

quizlet.com

A baby has just been born with a myelomeningocele. The nurse knows that which of the following nursing interventions should be given top priority?

- A Assess the baby for signs of neurogenic bladder
- B Cover the sac with a dry, sterile dressing
- C Cover the sac with a moist, sterile dressing**
- D Educate the parents on the child's need for immediate surgery

CORRECT**Student message:**

8- Symptoms of Preeclampsia and Eclampsia"

Source:

quizlet.com

A laboring patient with a known diagnosis of preeclampsia suddenly experiences a tonic-clonic seizure. Which hypertensive disorder is now present?

- A Eclampsia**
- B Preeclampsia with severe features
- C Gestational hypertension
- D Chronic hypertension

CORRECT**Student message:**

9- Signs of private

Source:

quizlet.com

A patient has been diagnosed with hepatitis B. Which action should the nurse take to avoid invasion of the patient's privacy?

- A Tell the patient's spouse about the diagnosis.
- B Do not inform anyone about the diagnosis.
- C Obtain permission from the patient to inform the spouse.**
- D Obtain consent from the spouse to reveal the diagnosis to the patient.

CORRECT

Student message:

19- A patient is taking Digoxin, and their heart rate is 55 bpm–hold

Source:

quizlet.com

Before administering digoxin, the nurse notes the client's apical pulse is 54 bpm. What is the nurse's best action?

- A Administer the dose as scheduled
- B Hold the medication and notify the provider**
- C Give the dose with a snack
- D Document and recheck the pulse in 30 minutes

CORRECT**Student message:**

20–Clozapine toxicity signs

Source:

quizlet.com

A client with schizophrenia is starting clozapine. Which potentially fatal adverse effect should the nurse monitor for?

- A Agranulocytosis**
- B Akathisia
- C Pseudoparkinsonism
- D Akinesia

CORRECT**Student message:**

25- While assessing a patient's radial pulse for 30 seconds, the nurse notes an irregular heart rhythm. What is the most appropriate next nursing action–Assess the apical pulse for one full minute

Source:

quizlet.com

A nurse obtains a client's radial pulse and notes that it is rapid and very irregular. What is the most appropriate action for the nurse to take?

- A Ask another nurse to attempt a radial pulse measurement
- B Document the best estimation of the pulse
- C Obtain an apical pulse for 1 minute**
- D Have the client lie still for 5 minutes and attempt another measurement

CORRECT

Student message:

26- Bulimia Nervosa definition

Source:

quizlet.com

Which finding is the primary distinction between bulimia nervosa and anorexia nervosa?

- A Condition of the dentition
- B Body mass index**
- C Bingeing and purging behavior
- D Distorted perception of weight

CORRECT**Student message:**

28- Child with Rheumatic fever after treatment the nurse teaches the mother to solve the initial causes-streptococcal infection treatment with antibiotics

Source:

quizlet.com

A nurse is teaching the parents of a child diagnosed with rheumatic fever about prescribed drug therapy. Which statement would indicate to the nurse that additional teaching is needed?

- A To prevent another episode, she'll need preventive antibiotic therapy for at least 5 years.
- B If she needs dental surgery, we might need additional medication.
- C She needs to take the drug for the full 14 days.
- D We can stop the penicillin when her symptoms disappear.**

CORRECT**Student message:**

34- Child complaining of Projectile non-bilious vomiting after feeding, a constantly hungry infant, an olive-shaped mass in the right upper quadrant (RUQ), and visible peristaltic waves moving from left to right- Pyloric stenosis symptoms

Source:

quizlet.com

A 4 week old girl with projectile vomiting for 2 days is seen. She is jaundiced, and the physician is able to palpate an olive-shaped mass in the RUQ on physical examination. What is the most likely diagnosis?

- A Intussusception
- B Pyloric stenosis**
- C Reflux
- D Ulcer

CORRECT

Student message:

36- S3 heart sound –normal in adult and children

Source:

quizlet.com

While auscultating heart sounds on a 7-year-old child for a routine physical, the nurse hears an S3, a soft murmur at left midsternal border, and a venous hum when the child is standing. Which of these would be a correct interpretation of these findings?

- A S3 is indicative of heart disease in children.
- B These findings can all be normal in a child.**
- C These findings are indicative of congenital problems.
- D The venous hum most likely indicates an aneurysm.

CORRECT**Student message:**

37- Patient with MRSA infected wound what is the PPE- gloves and gown

Source:

quizlet.com

What personal protective equipment (PPE) is required for a patient on contact precautions?

- A N95 mask and eye protection
- B Surgical mask and gown
- C Gown and gloves**
- D Face shield and surgical mask

CORRECT**Student message:**

40- Diabetes patient refused to take medication what you do-assertive and care communication

Source:

quizlet.com

A client refuses a medication. What should the nurse do first?

- A Document the refusal and discard the medication
- B Explain that refusing medications is harmful
- C Ask the client why they do not want to take it**
- D Call the provider immediately

CORRECT

Student message:

1- Primary- hajj vaccinations

Source:

quizlet.com

The nurse is participating at a health fair at the local mall giving influenza vaccines to senior citizens. Which level of prevention is the nurse practicing?

A	Primary	CORRECT
B	Secondary	
C	Tertiary	
D	Quaternary	

Student message:

13- Vit A deficiency-vision issue

Source:

quizlet.com

A patient complains of difficulty seeing at night. Exam reveals dry conjunctivae with white patches. These findings are consistent with a deficiency of what vitamin?

A	A	CORRECT
B	B12	
C	D	
D	niacin	

Student message:

سؤال الطفل عليه حراره الجواب اخلي امه تخفف ملايسه

Source:

quizlet.com

A child with fever has been admitted to the emergency department. Cooling measures are ordered. Which task is appropriate to delegate to the nursing assistant?

A	Prepare and administer a tepid bath	
B	Assist the child in removing outer garments	CORRECT
C	Educate the need for giving cool fluids	
D	Tell the parent to use acetaminophen instead of aspirin	

Student message:

سؤال الطفل عليه حرارة: الجواب أخلي أمه تخفف ملايسه

Source:

quizlet.com

Which is the priority nursing intervention for a patient with hyperthermia?

- A Initiating seizure precautions
- B Limiting oral intake
- C **Removing excess clothing**
- D Providing a blanket

CORRECT**Student message:**

سؤال المهام موزعه ع كل ممرضه مهمه معينه الجواب functional

Source:

quizlet.com

Which of the following should the nurse include as an example of the functional nursing model of care?

- A One nurse is assigned to complete care for one client
- B A group of nurses work together to care for a group of clients
- C **Nurses are assigned specific tasks to perform for each of the clients**
- D Assignments are made based on client location within the unit

CORRECT**Student message:**

placenta previa ممنوع فحص vaginal لمریضة

Source:

quizlet.com

A pregnant client at 32 weeks gestation presents with painless, bright red vaginal bleeding. Which nursing action is contraindicated?

- A Administering IV fluids
- B **Performing a digital vaginal exam**
- C Initiating continuous fetal monitoring
- D Obtaining a blood type and screen

CORRECT

Student message:

تطعيم الحنجبرائمرى

Source:

quizlet.com

The nurse administers a booster dose of DTaP (diphtheria, tetanus, and pertussis) vaccine to an infant. Which level of prevention is the nurse implementing?

- | | | |
|----------|---------------------------|----------------|
| A | Primary prevention | CORRECT |
| B | Tertiary prevention | |
| C | secondary prevention | |
| D | primary nursing | |

Student message:

مريض DNR وأهله يقولون أعطوه فرصة؟ Ignore، أو أبلغ الدكتور تعطيه فرصة، وناسيه باقي الخيارات

Source:

quizlet.com

A dying client and family have requested that no attempts be made to resuscitate the client in the event of death. A doctor has written a DNR order. What is the nurse's responsibility if the client dies?

- | | | |
|----------|--|----------------|
| A | Follow a health care provider's verbal order for a slow code | |
| B | Make no attempt to resuscitate the client | CORRECT |
| C | Follow his or her own conscience and perform CPR | |
| D | If the client is at home, call 911 and begin CPR | |

Student message:

؟ الأطفال في سن 5 سنوات قد يسقطون عن الدراجة وتحصل لهم كسور أو خدوش، لكن هذه الإصابات نادرًا ما تكون "السبب الرئيسي الأول" للإصابات (C. Riding bicycle) لماذا ليست ركوب الدراجة. الخطيرة أو الوفيات مقارنة بقوة وقسوة حوادث السيارات.

ملخص الفكرة:

المقصود بـ Motor vehicle injury هو تعرض الطفل لإصابة بسبب سيارة (سواء كان راكباً داخلها أو تم دهسه)، وليس أنه هو السائق.

Source:

quizlet.com

Leading cause of injury in preschoolers?

- | | | |
|----------|--------------------------------|----------------|
| A | Drowning | |
| B | Poisoning | |
| C | Motor vehicle accidents | CORRECT |
| D | Burns | |

Q-493

SnleNotes.com



Student message:

Which of the following best describes Evidence-Based Practice?

- A. Practice based only on nurse's experience.
- B. Practice guided by physician orders.
- C. Practice based on research evidence, clinical expertise, and patient preferences.
- D. Practice following hospital policy only.

Source:

quizlet.com

The nurse is reviewing information about evidence-based practice (EBP). Which statement best reflects EBP?

- A EBP relies on tradition for support of best practices.
- B EBP is simply the use of best practice techniques for the treatment of patients.
- C **EBP emphasizes the use of best evidence with the clinicians experience.**
- D The patients own preferences are not important with EBP.

CORRECT

Q-494

SnleNotes.com



Student message:

Ask  Formulate a Clinical Question

فيه سؤال ببسألك اول خطوه في EBP
اول مرحله وهي مرحله السؤال

Source:

quizlet.com

A nurse wants to reduce catheter-associated urinary tract infections (CAUTIs). What is the first step in applying EBP?

- A Implement new sterile procedures
- B **Develop a PICOT question**
- C Gather data on current infection rates
- D Educate staff about infection control

CORRECT

Q-495

SnleNotes.com



Student message:

A nurse implements a new protocol for infection control based on the latest evidence. After two months, infection rates decrease significantly. Which step of EBP does this represent?

A. Apply B. Assess C. Ask D. Appraise

الاجابة B

Source:

quizlet.com

A nurse is a member of a committee that is using evidence-based practice (EBP) to decrease the incidence of central line infections. The nurse should identify that which of the following interventions is part of the implementation step of EBP?

- A Recognizing a high incidence of central line infections
- B Evaluating whether the practice changes decreased the infection rate
- C Researching best practices to reduce the rate of central line infections

D Incorporating the new practice into client care

CORRECT

Q-496

SnleNotes.com



Student message:

A nurse reviews literature to find the best method for pain management in post-operative patients. Which EBP step is this?

A. Acquire. B. Apply C. Assess D. Appraise

هنا الاجابة A

Source:

quizlet.com

The nurse develops a research question based on observations noted while providing care to patients on the medical-surgical unit. Which step does the nurse implement next during the process of evidence-based practice?

A Search for the best evidence.

CORRECT

- B Evaluate the quality of the evidence.
- C Integrate the evidence into unit practice.
- D Disseminate the evidence to the staff on the unit.

Q-497

SnleNotes.com

**Student message:**

What is a common barrier to implementing EBP among nurses?

- A. Availability of research databases
- B. Supportive hospital management
- C. Lack of time and skills to review literature.
- D. Strong collaboration among staff

الاجابة C

Source:

quizlet.com

The nurse educator is exploring some of the barriers that prevent nursing staff from engaging in evidence-based practice inquiries. Which barrier do nurses rank as the chief obstacle to conducting the process?

- A Difficulty understanding research articles and data
- B Lack of computer skills
- C Not having enough time**
- D Not understanding the organization

CORRECT**Q-498**

SnleNotes.com

**Student message:**

وبرضوا فيه مستويات لها افضل الاماكن الي ابحت فيها وزي كذا هي ٧ مستويات الاختبار مسكيبها ومهتم في افضلها واسواها

Systematic Reviews and Meta-analysis : الافضل

Source:

quizlet.com

A nurse is searching the hospital library's database for information on asthma management. The nurse would like to conduct a research study on this topic and is trying to find the highest levels of evidence possible. The nurse knows based on the levels of evidence pyramid, which of the following is the highest level of evidence:

- A Randomized Control Trials
- B Systematic Reviews**
- C Expert Opinion
- D Cohort Studies

CORRECT

Q-499

SnleNotes.com



Student message:

systematic reviews جاء اسئلته عليها ويرضوا فيه سؤال يقول افضل مرجع في
Cochrane Database هو <<<

Source:

quizlet.com

The nurse on a critical care unit notes that the number of patients developing ventilatory-associated pneumonia (VAP) has increased over the last 3 months. The nurse reads a recently published study investigating whether oral hygiene measures reduced VAP. The findings from this clinical trial support a significant reduction in VAP with oral hygiene measures and the nurse proceeds with creating an EBP implementation team to address this problem. Which resource will yield the best evidence to guide this project?

A	Cochrane Database of Systematic Reviews (CDSR)	CORRECT
B	Cochrane Central Register of Controlled Trials (CENTRAL)	
C	Trip	
D	PsycINFO	

Q-500

SnleNotes.com



Student message:

It is a type of study that statistically pools the result from previous studies into a single quantitative analysis that provides one of the highest levels of evidence for an intervention's efficacy.
A-Meta synthesis B-Meta-analysis C-Systemic review D-Outcomes research

الاجابة B

Source:

quizlet.com

What is the main difference between a systematic review and a meta-analysis?

A	A systematic review and a meta-analysis are the same	
B	Meta-analysis only includes experimental studies	
C	A systematic review contains a larger number of studies than a meta-analysis	
D	A meta-analysis involves the statistical calculation of effect size across selected assessment or intervention studies.	CORRECT